						ſ	P	ERM	IT IS	SU	ED			
City of Portland, N 389 Congress Street,		_			*	ermit No: 01-027	7	ssue Date	e: 4	<b>?</b> nni	CBL: 375	¢0010	001	
Location of Construction:	. 1	Owner Name:			Own	er Address:					Phone:			
91 Auburn St		Shaw's Realty		ny		Box 600	CIT	<b>Y</b> 0F	PO	PORTLAND7 -0211				
Business Name:		Contractor Name				ractor Addré				Phone				
n/a Lessee/Buyer's Name		ow, Inc.	1		rren Ave. P	ortlan	d		2077975141					
n/a					nit Type: molitions				Zone:					
Past Use:			<u> </u>			Ta						D-1		
Retail / Shopping Cent	oing Center . Call			Permit Fee: Cost of Work: \$54,000					rca Z	) <del>-</del>				
		en read	y.	FIRE DEPT: Approved INSPECTION:							pe:22 ED ENTS			
Proposed Project Description							4	Λ	W	TAN				
Demolition of CMU/St Foundation.	reet building	to include remov	al of Sla	ab and	<u> </u>	ature:	<u> </u>	<u> </u>		Signature:				
Foundation.						ESTRIAN AC				(	VII	~		
						on: App	Ap	proved v	ed w/Conditions Denied  Date:					
Permit Taken By:	Date	Applied For:			Sign	ature:	na A	nnnav						
cih		02/2001	Zoning Approv						aı	ı				
This permit application does not preclude the			Spe	cial Zone or Revie	ews Zoning Appeal				I	listoric l	Preserv	ation		
Applicant(s) from meeting applicable State and Federal Rules.				oreland	☐ Variance					Not in District or Landma				
2. Building permits d septic or electrical		e plumbing,	□ w	etland		☐ Misc	cellaneo	us			Does No	t Requir	e Review	
3. Building permits a within six (6) mon	ths of the dat	e of issuance.	☐ Flo	ood Zone	Conditional Use						Requires	Review	,	
False information apermit and stop all		te a building	☐ Su	bdivision		Inter	pretatio	n		Approved				
			☐ Si	te Plan	☐ Approved ☐ Denied ☐ Date:					☐ Approved w/Conditions ☐ Denied				
			Maj [	Minor MM										
			Date:	OW						Date:				
				NVV					W		RMIT I REQU			
			C	ERTIFICATION	ON									
I hereby certify that I an I have been authorized by jurisdiction. In addition shall have the authority such permit.	by the owner, if a permit	to make this appli for work described	cation a	is his authorized application is is	l ager sued.	nt and I agree. I certify the	ee to c	onform	to all a ficial's	autho	able la orized r	ws of t	this ntative	
SIGNATURE OF APP	LICANT		ADDRE	SS DATE					PHONE					

DATE

PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

# City of Portland Inspection Services Division Demolition Call List

Aren Z

01 1 2		540 - 7	EALTY
Site Address: 91 AUBURIU	- <del></del>	er: SHAWS /	1 CALIT
Structure Type: SHOPPING C	ENTER Contracto	or: LANGFORD	\$ LOW
The second of th	NITE ATOTOL	ርረንእፕሊርፕ	NAME/DATE
UTILITY APPROVALS Central Maine Power	<u>NUMBER</u> 1-800-750-4000	Bob Store	· • • • • • • • • • • • • • • • • • • •
NYNEX	<del>878-7000</del>	Elain	3-29-0/
Northern Utilities	797-8002 X6241	Carculya	3-29-01
	761-8310	Time Walke	r 3-29-01
Portland Water District		The Wills	3-29-01
Public Cable Co.	775-3431 X257	ululal chah	201/306435
Dig date	1-888-344-7233	4/4/0/ Stert	n's 3-29-01
***(After call, there is a wait of 72 l		can begin)	r name/date
CITY APPROVALS DPW/Sewer Division(J.DiPaolo)	<u>NUMBER</u> .874-8300 <del>X8467</del>	Andher ROW	3-29-0/
•	874-8697 874-8300 X8437	Caronten	3-30-01
DPW/Traffic Division(K.Doughty)	874-8300 X8389	Tedd Jet	F 3-30-01
DPW/Forestry Division(J. Tarling)	•	( )	3-31-01
DPW/Sealed Drain Permit(C.Merritt		Nancy Van	4-2-01.
Building Inspections(insp required	) 874-8300 X8703 <u> </u>	0.0-	7 20 01
Historic Preservation	874-8300 X8726 <u> </u>	<u>Veddie</u>	3-50-01
Fire Dispatcher	874-8300 X8676 _ 874-8400	Plymptain	3-29-01
Written Notice to Adjoining Own	ers	. •	
<u>ASBESTOS</u>	NUMBER	CONTAC	CT NAME/DATE
DEP - Environmental (Augusta)	287-2651 (Ed Antz		4-2-0/
U.S. EPA Region 1 - No phone call Demo/Reno Cl US EPA Regio JFK Federal Bu Boston, MA 0	erk on I (SEA) uilding	py of State notifica	tion to:
I have contacted all of the necessary	companies/departmen	its as indicated abov	re.
1 / 1/1/1/	″	ከልጥ	: 4-2-0/
SIGNED: Jan V. W. Mus	w		-

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## Minor/Minor Site Review for New Detached Single Family Dwelling, All Purpose Building Permit Application

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

City, payment arrangement	estate or personal property taxes or user charges must be made before permits of any kind are gws North EATS  AUBURN ST.	accepted.
Total Square Footage of Proposed Structure	17,000 Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number  Chart#375 - Block# C Lot#001	Owner: SHAWS REALT 4 190 Riverside Street Portland, Maine 04/03	Telephone#: 1-207-773-0211
Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address:	Cost Of Work: Feet 48 -
Current use: <u>SHOPPING CENTER</u> use: <u>SHOPPING CENTER</u>	? Proposed	
Project description: Demolition of The Vernoval of SIAb and	F CMU/Streel Building 7 Foundation, (KennelShip, (	o Include Crystal Cleanes, Celluse
Contractor's Name, Address & Telephone  LANG FORD & LOW, IN  WARREN AVE POR	C STLAND ME. 04/04	H2 Rec'd By: CH

A "minor/minor" site plan review is required for New Single Family Homes Only. The Site/Plot plan must be prepared and sealed by a registered land surveyor. The following must be submitted:

4 copies of the site/plot plan

1 copy of the building/construction plan on 32" x 48"

1 copy of the site plan/plot plan and construction/building plan on paper no larger than 11" x 17"

## On all commercial/Minor & Major projects must submit the following:

1 copy of the site/plot plan

2 copy of the building/construction plan on 32" x 48"

1 copy of the site/plot and construction /building plan on paper no larger than 11" X 17"

Please note that single family additions and alterations may be hand drawn on regular paper and only ONE copy of the below details will still need to be submitted.

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

### A PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

## A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing
   Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
   equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

# SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

#### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

		$\Delta$	<u> </u>	
Signature of applicant:	Sun	1:11	Illiam	Date: 4-2-0/
	,			

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

#### **BUILDING PERMIT REPORT**

DATE: 2APY1/200/ ADDRESS: 91 AUBURN 87. CBL: 375-C-00/
DATE: 2APY 1 200   ADDRESS: 91 Auburn 87. CBL: 375-C-00    REASON FOR PERMIT: Demo-of CMU bldg. Konne   Shop Cry STa   Cleaners, Collon  BUILDING OWNER: Show & Reality
BUILDING OWNER: Shaws Really
PERMIT APPLICANT: /CONTRACTOR Lang Ford & Low.
PERMIT APPLICANT: /CONTRACTOR Lang ford & Low.  USE GROUP: M/A CONSTRUCTION TYPE: 28 CONSTRUCTION COST: 54,000. PERMIT FEES! 348-60
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

#### **CONDITION(S) OF APPROVAL**

This permit is being issued with the understanding that the following conditions shall be met:  $\frac{x}{x} = \frac{x_3 x_3}{x_3}$ 

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Refere congrete for foundation is placed approvals from the Development Pevilary Coordinator and

 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with <u>Section 1813.0</u> of the building code.
- 6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

JU	· WILL	цазици	g suai	ւ առաբ	ny wi	m Scc	uon 17	1.00.01	ıv.															
37.	. All s	signage	shall	be do	ne in	ассого	lance v	vith Se	ection :	3102.0	signs	of the	City's	s Bui	lding	Code,	(The	BOCA	Matio	nạl Bı	uilding	Code/	<i>1</i> 999).	Ų.
25	K. B	911	A Q	no	<u> </u>	100	5	64/1	$^{\prime}$	m	42 W	n	744	కి	c7.	100	<u> [[</u>	0,Q	'wil	4 a	-72	ndo	2ac	<u>/</u>
<del></del> -	7 50	0c.T	100	9 (	33	304	d,	3	3Ø5	10	13	330	6.0		30	120	·	330	88,	6.	<u> 33</u>	09.	0	
	. 3	310	d	1	3	3 11.	0		7	7	//		7				7	. /	•	, ,				
			7	1			/ '																	
								37. All signage shall be done in accordance v	37. All signage shall be done in accordance with Se	36. All flashing shall comply with Section 1406.3.10.  37. All signage shall be done in accordance with Section 3.36.  38. All flashing shall be done in accordance with Section 3.36.  39. All flashing shall comply with Section 1406.3.10.  39. All flashing shall comply with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be done in accordance with Section 1406.3.10.  39. All signage shall be do	37. All signage shall be done in accordance with Section 3102.0	37. All signage shall be done in accordance with Section 3102.0 signs	37. All signage shall be done in accordance with Section 3102.0 signs of the	37. All signage shall be done in accordance with Section 3102.0 signs of the City'	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Bui	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code,	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA Nation	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Bu	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code)	37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

, Building Inspector McDougall, PFD

Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager WIN ECK

PSH 10/1/00

\*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

To: LANGFORD & LOWE INC

Attn: DAN WILLIAMS Voice: 207-797-5141 Fax: 207-797-0919

Re: Locating facilities in the area of your excavation

This is an important Safety Message from SPRINT.

We are replying to your request to locate our underground facilities in an area where you are planning excavation work.

The following is the current status of our facility marking in the area specified in your notification.

Ticket number 20011306435 is: Sprint Long Distance facilities are clear from the work area described on this One Call Center ticket.

County:

Place : PORTLAND

Street: 91 AUBURN ST

If you have any questions about these responses to your excavation notification, please call the Sprint LD Call Before You Dig Center at (800) 521-0579.

FROM: MOBIL

TO: DAN WILLIAMS

COMPANY: LANGFORD & LOWE INC

ADDRESS: 248 WARREN AV

City, State, Zip: FORTLAND, ME 04103

SERIAL#: 20011306435

COUNTY: CUMBERLAND TOWN: PORTLAND

ADDRESS GIVEN: 91 AUBURN ST

RE: This message is in response to a locate request made by you to the ONE-CALL center. This is to notify you that ExxonMobil Pipe Line Company is Clear (has NO underground facilities) at the location listed above with the specified serial number. This does not mean that another utility is also CLEAR! If you have any questions about this message, we can be reached at 716-527-6173.

Sincerely,

Linda Tamkus & Jennifer Palmer





