
NORRIS, INC.



LOSS PREVENTION - BUILDING AUTOMATION - COMMMUNICATIONS

Fax Memo

To: Tom Ernst

FAX #: 866-281-3468

Date: 10/3/11

Total # Pages: 13 (Including This Page)

Hi Tom-

Following, please find a copy of the record of completion report for the Little Caesar's ansul system addition.

Please do not hesitate to contact us with any questions.

Thank you,

Melissa Peters

Norris Inc.

207-883-3473 x1104

207-879-0540 (fax)

melissap@norrisinc.com

1177 . ", 1

FIRE ALARM AND EMERGENCY COMMUNICATION SYSTEM RECORD OF COMPLETION

To be completed by the system installation contractor at the time of system acceptance and approval, It shall be permitted to modify this form as needed to provide a more complete and/or clear record. Insert N/A in all unused lines. Attach additional sheets, data, or calculations as necessary to provide a complete record.

1. PROPERTY INFORMATION Name of property: Little Ceasars Pizza 97 Washington Ave. Shaws Plaza Portland, Maine Address: Description of property: Strip Mall Occupancy type: Restaurant Name of property representative: Address: Phone: Fax: E-mail: Authority having jurisdiction over this property: Phone: Fax; E-mail: 2. INSTALLATION, SERVICE, AND TESTING CONTRACTOR INFORMATION Installation contractor for this equipment: Address: License or certification number: Phone: Fax: E-mail: Service organization for this equipment: Address: License or certification number: Fax: E-mail: A contract for test and inspection in accordance with NFPA standards is in effect as of: Contracted testing company: Address: Phone: Fax: E-mail: Contract expires: Contract number: Frequency of routine inspections: 3. DESCRIPTION OF SYSTEM OR SERVICE Fire alarm system (nonvoice) ☐ Fire alarm with in-building fire emergency voice alarm communication system (EVACS) ☐ Mass notification system (MNS) Combination system, with the following components: ☐ Fire alarm □ EVACS ☐ MNS ☐ Two-way, in-building, emergency communication system Other (specify): DevicAdded to existing system NEPA 72, Fig. 10 18.2.1.1 (p. 1 of 12)

3. DESCRIPTION OF SYSTEM OR SERVICE (continued) NFPA 72 edition: Additional description of system(s): 3.1 Control Unit Manufacturer: Notifier Model number: System 500 3.2 Mass Notification System This system does not incorporate an MNS 3.2.1 System Type: ☐ In-building MNS—combination ☐ In-building MNS—stand-atone ☐ Wide-area MNS ☐ Distributed recipient MNS Other (specify): 3.2.2 System Features: ☐ Combination fire alarm/MNS MNS autonomous control unit Wide-area MNS to regional national alerting interface Local operating console (LOC) ☐ Direct recipient MNS (DRMNS) ☐ Wide-area MNS to DRMNS interface ☐ Wide-area MNS to high-power speaker array (HPSA) interface ☐ In-building MNS to wide-area MNS interface Other (specify): 3.3 System Documentation An owner's manual, a copy of the manufacturer's instructions, a written sequence of operation, and a copy of the numbered record drawings are stored on site. Location: 3.4 System Software ☐ This system does not have alterable site-specific software. Operating system (executive) software revision level: Site-specific software revision date: Revision completed by: A copy of the site-specific software is stored on site. Location: 3.5 Off-Premises Signal Transmission ☐ This system does not have off-premises transmission. Name of organization receiving alarm signals with phone numbers: Portland Fire Department Alarm: Phone: Supervisory: Phone: Trouble: Phone: Entity to which alarms are retransmitted: Phone: Method of retransmission: AES radio master box If Chapter 26, specify the means of transmission from the protected premises to the supervising station: ☐ Shunt □ Wired ☐ Wireless

4.	CIRCUITS AND PATHWAYS			
	4.1 Signating Line Pathways			
	4.1.1 Pathways Class Designations ar	d Sprvivability		
	Pathways class: (See NFPA 72, Sections 12.3 and 12.4)	Survivability level:		Quantity:
	4.1.2 Pathways Utilizing Two or Mor	c Media		
	Quantity:	Description:		
	4.1.3 Device Power Pathways		********	A Marie Company of the Company of th
	☐ No separate power pathways from the	signaling line nathway		
	Power pathways are separate but of the			A
	Power pathways are separate and diff			
	4.1.4 Isolation Modules		too againing mic pautw.	ay
	Quantity:			
	4.2 Alarm Initiating Device Pathways	POTENTIAL TO THE STATE OF THE S		The second control of
	4.2.1 Pathways Class Designations and	10		
ľ	Pathways class: B See NFPA 72. Sections 12.3 and 12.4)	Survivability level:		Quantity:
4	1.2.2 Pathways Utilizing Two or More	Media		
	Quantity:	Description:		
4	.2.3 Device Power Pathways			
	No separate power pathways from the	initiating device pathwa	y	
] I'ower pathways are separate but of the		-	vice nathway
	Power pathways are separate and differ			
	.3 Non-Voice Audible System Pathway			•
4	.3.1 Pathways Class Designations and	Survivability		
	athways class; B See NFPA 72, Sections 12.3 and 12.4)	Survivability level:		Quantity:
4.	3.2 Pathways Utilizing Two or More.	Medin		
Q	uentity:	Description:	*** 1 ** ** *** ***	More a successive control of the second second
4.	3.3 Device Power Pathways			
	No separate power pathways from the t	notification appliance pa	thway	
	Power pathways are separate but of the	same pathway classific	ation as the notification a	ppliance pathway

 \square Power pathways are separate and different classification from the notification appliance pathway

5. ALARM INITIATING DEVICES					
5.1 Manual Initiating Devices					
5.1.1 Manual Fire Alarm Boxes		This system does	s not have m	anual fire alarm boxes.	
Type and number of devices: Addressable: Other (specify):	Conventional;	2 Cod		Trensmitter:	
5.1.2 Other Alarm Boxes Description:			em does not	have other alarm boxe	s,
Type and number of devices: Addressable: Other (specify):	Conventional:	Code	ed:	Transmitter;	
5.2 Automatic Initiating Devices					
5.2.1 Smoke Detectors Type and number of devices: Addressable: Other (specify):	Conventional:	□ This syste	m does not	have smoke detectors.	
Type of coverage:	area 🔲 Nonrequired	partial area			
Type of smoke detector sensing technology:	onization Photoc	lectric 🔲 Muli	icriteria [] Aspirating Bean	n
5.2.2 Duct Smoke Detectors Type and number of devices: Addressable: Other (specify):	☐ This system d Conventional:	oes not have alai	m-causing o	luct smoke detectors.	
Type of coverage:				•	
Type of smoke detector sensing technology:	onization 🔲 Photoe	lectric □ Asp	irating 🔲	Beam	
5.2.3 Radiant Energy (Flame) Detectors Type and number of devices: Addressable: Other (specify): Type of coverage:	□ Ti Conventional:	iis system does n	ot have radi	ant energy detectors.	
5.2.4 Gas Detectors					
Type of detector(s):		⊠ This sy	stem does n	ot have gas detectors.	
	entional:				
5.2.5 Heat Detectors	•	⊠ This cu	stem daes n	ot have licat detectors.	•
Type and number of devices: Addressable:	Conventional:	emi control		at have near delociols,	
Type of coverage:	arca 🔲 Nonrequire] Linear Rate compe	☐ Spot ensated	

5. ALARM INITIATING DEVICES (continued)			
5.2.6 Addressable Monitoring Modules Number of devices:		This system does not	have monitoring modules.
5.2.7 Waterflow Alarm Devices Type and number of devices: Addressable; 5.2.8 Alarm Verification Number of devices subject to alarm verification: 5.2.9 Presignal Number of devices subject to presignal: Describe presignal functions: 5.2.10 Positive Alarm Sequence (PAS) Describe PAS;	Conventional:	Coded: s system does not inco arm verification set fo This system does	c waterflow alarm devices. Transmitter: proporate alarm verification. or: seconds not incorporate pre-signal. om does not incorporate PAS
5.2.11 Other Initiating Devices Describe:	Q	This system does not l	have other initiating devices.
6. SUPERVISORY SIGNAL-INITIATING DEVICE	ES	••	
6.1 Sprinkler System Supervisory Devices		tern dage not have and	inkler supervisory devices,
Type and number of devices: Addressable; Other (specify):	Conventional:	Coded:	Transmitter:
6.2 Fire Pump Description and Supervisory Device Type fire pump: Electric pump Engine		☐ This system do	oes not have a fire pump.
Type and number of devices: Addressable:	Conventional:	Coded:	Transmitter:
Other (specify): 6.2.1 Fire Pump Functions Supervised Power Running Phase reversal Selected Other (specify):	or switch not in auto	Engine or control p	panel trouble 🔲 Low fuel
6.3 Duct Smoke Detectors (DSDs) Type and number of devices: Addressable:	☐ This system of Conventional:	ioes not have DSDs ca	ausing supervisory signals.
Other (specify):			
Type of coverage:			
Type of smoke detector sensing technology: ☐ Ioniz	ation	ric Aspirating	☐ Beam
6.4 Other Supervisory Devices Describe:	This	system does not have	other supervisory devices.

1	. MONITORED SYSTEMS							
	7.1 Engine-Driven Generator			🖾 This system	does not have a generator			
	7.1.1 Generator Functions Supervised							
	☐ Engine or control panel trouble☐ Other (specify);	☐ Generator runn	ing 🔲 Selec	tor switch not in auto	☐ Low fuel			
	7.2 Special Hazard Suppression 8	Systems	[] This	sustem door not manic	er special begant and			
	Description of special hazard systems: This system does not monitor special hazard systems.							
	7.3 Other Monitoring Systems			This system does no	t monitor other systems,			
	Description of special hazard system	m(s):		ed This system dues 100	n montror other systems,			
8.	ANNUNCIATORS			☐ This system does	S not have annunciators			
	8.1 Location and Description of A	This system does not have annunciators. 8.1 Location and Description of Annunciators						
	Location 1:							
	Location 2:		•					
	Location 3:				•••			
9.	ALARM NOTIFICATION APPL	LIANCES						
	9.1 In-Building Fire Emergency Voice Alarm Communication System							
	Number of single voice alarm chann		,	ultiple voice alarm cha				
	Number of speakers:			caker circuits:				
	Location of amplification and sound-processing equipment:							
	Location of paging microphone stati	ions:						
	Location 1:							
	Location 2:		,					
	Location 3:							
	9.2 Nonvoice Notification Applian	ces	☐ This system de	oes not have nonvoice r	notification appliances.			
	Horns: 6 With vi		Bells:	With visib	• •			
	Chimes: With vis	sible:						
	Visible only: 2 Other (d	lescribe):	,					
1	9.3 Notification Appliance Power l	Extender Panels	☐ Th	is system docs not have	power extender panels.			
•	Quantity:							
	Locations;							

10. MASS NOTIFICATION CONTROLS, APPL	IANCES, AND CIRCUITS	This system does not have an MNS.
10.1 MNS Local Operating Consoles		2
Location 1:		
Location 2:		•
Location 3:		the second of th
10.2 High-Power Speaker Arrays		
Number of HPSA speaker initiation zones:		
Location 1:		
Location 2;		
Location 3:		
10.3 Mass Notification Devices		
Combination fire alarm/MNS visible appliances:	MNS-only	visible appliances:
Textual signs: Other (descri		,
Supervision class:		,
10.3.1 Special Hazard Notification		
This system does not have special suppression pre	fischarge notification.	
MNS systems DO NOT override notification appli predischarge notification.		1 suppression
1. TWO-WAY EMERGENCY COMMUNICATION	ON SYSTEMS	
11.1 Telephone System	This system does n	ot have a two-way telephone system.
Number of telephone jacks installed:	Number of warden st	ations installed:
Number of telephone handsets stored on site:		
Type of telephone system installed:	oowered Sound powered	
11.2 Two-Way Radio Communications Enhancem	ent System	
This system does not have a two-way radio commu	nications enhancement system.	
Percentage of area covered by two-way radio service:	Critical areas: %	General building areas: %
Amplification component locations:		
Inbound signal strength: dBm	Outbound signal strength	: dBm
Donor antenna isolation is:	B above the signal booster gain	
Radio frequencies covered:		
Radio system monitor panel location:		

11. TWO-WAY EMERGENCY COMMUNICAT	TON SYSTEMS (continued)
11.3 Area of Refuge (Area of Rescue Assistance)	
This system does not have an area of refuge (are	a of rescue assistance) emergency communications system,
	of central control point:
Days and hours when central control point is attend	
Location of alternate control point:	
Days and hours when alternate control point is atten	ded:
11.4 Elevator Emergency Communications Syste	the second of th
This system does not have an elevator emergency	
Number of elevators with stations:	Location of central control point:
Days and hours when central control point is attended	•
Location of alternate control point:	
Days and hours when alternate control point is attended	ted'
11.5 Other Two-Way Communication Systems	
Describe:	
2 50001001	
12. CONTROL FUNCTIONS	
This system activates the following control fuctions:	
	menagement
	ucl source shutdown
	em override of fire alarm notification appliances
Other (specify):	
12.1 Addressable Control Modules	☐ This system does not have control modules.
Number of devices:	E This system does not have control indudies.
Other (specify):	
13. SYSTEM POWER	
13.1 Control Unit	
13.1.1 Primary Power	
Input voltage of control panel:	Control panel amps:
Overcurrent protection: Type:	Amps:
Location (of primary supply panel board):	
Disconnecting means location:	
13.1.2 Engine-Driven Generator	This system does not have a generator.
Location of generator:	La 1100 System dues not have a generator.
Location of fuel storage:	Type of fucl:
	v\ka or react

is. SYSTEM POWER (continued)	
13.1.3 Uninterruptible Power System	
Equipment powered by a UPS system;	
Location of UPS system:	
Calculated capacity of UPS batteries to dri	e the system components connected to it:
In standby mode (hours):	in alarm mode (minutes):
13.1.4 Batteries	
Location: Type	Nominal voitage; Amp/hour rating:
Calculated capacity of batteries to drive the	The state of the s
In standby mode (hours):	In alarm mode (minutes):
Batteries are marked with date of manul	· · · ·
13.2 In-Building Fire Emergency Voice	larm Communication System or Mass Notification System
☑ This system does not have an EVACS or	
13.2.1 Primary Power	
Input voltage of EVACS or MNS panel:	EVACS or MNS panel amps:
Overcurrent protection: Type:	Amps:
Location (of primary supply panel board):	•
Disconnecting means location:	
13.2.2 Engine-Driven Generator	☑ This system does not have a generator.
Location of generator:	
Location of fuel storage:	Type of fuel:
13.2.3 Uninterruptible Power System	☑ This system does not have a UPS.
Equipment powered by a UPS system:	,
Location of UP\$ system:	
Calculated capacity of UPS batteries to drive	
In standby mode (hours):	In alarm mode (minutes):
13.2.4 Batteries	
Location: Type:	Nominal voltage; Amp/hour rating;
Calculated capacity of batteries to drive the	ystem:
In standby mode (hours):	In alarm mode (minutes):
☐ Batteries are marked with date of manufa	ture

13.3 Notification Appliance Power Extender Panels	This system does not have power extender panel
13.3.1 Primary Power	
Input voltage of power extender panel(s):	Power extender panel amps:
Overcurrent protection: Type:	Amps:
Location (of primary supply panel board):	
Disconnecting means location:	
13.3.2 Engine-Driven Generator	This system does not have a generate
Location of generator:	— A management
Location of fuel storage;	Type of fuel:
13.3.3 Uninterruptible Power System	☐ This system does not have a UPS
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system compo	nents connected to it:
To star Mr. 1 ()	In alarm mode (minutes):
13.3.4 Batteries	·
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	, any nour raing.
	In alarm mode (minutes):
	cry calculations are attached
RECORD OF SYSTEM INSTALLATION Fill out after all installation is complete and wiring has been cha	ecked for opens, shorts, ground faults, and improper
branching, but before confucting operational acceptance tests.	Grandy of the state of the stat
	· · · · · · · · · · · · · · · · · · ·
The system has been installed in accordance with the following	· · · · · · · · · · · · · · · · · · ·
The system has been installed in accordance with the following	· · · · · · · · · · · · · · · · · · ·
The system has been installed in accordance with the following NFPA 72. Edition:	· · · · · · · · · · · · · · · · · · ·
The system has been installed in accordance with the following NFPA 72. Edition: NFPA 70. National Electrical Code, Article 760, Edition:	· · · · · · · · · · · · · · · · · · ·
The system has been installed in accordance with the following NFPA 72. Edition: NFPA 70. National Electrical Code, Article 760, Edition: Manufacturer's published instructions	· · · · · · · · · · · · · · · · · · ·
The system has been installed in accordance with the following NFPA 72. Edition: NFPA 70. National Electrical Code, Article 760, Edition: Manufacturer's published instructions Other (specify):	· · · · · · · · · · · · · · · · · · ·
	requirements: (Note any or all that apply.)

Organization:

15.	. REGORD C	F SYSTEM OPERATIO	NAL ACCE	PTAN	CE TEST				
	☐ New system								
	All operational features and functions of this system were tested by, or in the presence of, the signer shown below, on the date shown below, and were found to be operating properly in accordance with the requirements for the following:								
	☑ Modifications to an existing system								
	All newly modified operational features and functions of the system were tested by, or in the presence of, the signer shown below, on the date shown helow, and were found to be operating properly in accordance with the requirements of the following:								
	□ <i>NFPA 72</i> , Fð	lition:							
	□ NFPA 70, Na	ntional Electrical Code. Arti	ele 760, Editie	on:					
	Manufacture	r's published instructions			•				
	Other (specify):								
	□ Individual de	evice testing documentation	[Inspection a	nd Testi	ng Form (Figure 14,6.2	.4) is attached]			
	Signed:		Printed :	name:	Tim Johnson	Date:	12-14-11		
	Organization:	Norris Inc	Title:	Techni	cian	Phone:	207-883-3473		
16.	16. CERTIFICATIONS AND APPROVALS								
1	6.1 System Ins	stallation Contractor:							
		pecified herein, has been in:	stalled and tes	ted acco	rding to all NFPA stan	darđs cited herein,			
	Signed:		Printed r	name;		Date:			
•	Organization:		Title:			Phone:			
		vice Contractor:							
Τ	he undersigned	has a service contract for th	is system in e	ffect as	of the date shown below	٧.			
í	Signed:		Printed r	name:		Date:			
(Organization:		Title:			Phone:			
1	6.3 Supervisins	g Station:							
Т	his system, as sp	pecified herein, will be mon	itored accordi	ng to all	NFPA standards cited	herein.			
5	Signed: Printed name: Date;								

Phone:

Title:

16. CERTIFICATIONS AND APPROVALS (continued)

16.4 Property or Owner Representative:

This system, as specified herein, will be monitored according to all NFPA standards cited herein.

Signed:	Printed name:	Date:					
Organization:	Title:	Phone:					
16.5 Authority Having Jurisdiction;							
I have witnessed a satisfactory acceptance test of this system and find it to be installed and operating properly in accordance with its approved plans and specifications, with its approved sequence of operations, and with all NFPA standards cited herein.							
Signed:	Printed name:	Date:					
Organization:	Title:	Phone:					