

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED**

**Building or Use Permit Pre-Application  
Additions/Alterations/Accessory Structures  
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction: 18 Applebee Circle FoxHart, ME 04103


Tax Assessor's Chart, Block & Lot Number		Owner:	Telephone#:
Chart# <u>377</u>	Block# <u>F</u>	Lot# <u>004</u>	<u>MARTHA M. SKONER</u>
Owner's Address:		Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee
<u>18 Applebee Circle</u>			<u>\$7556.28</u> <u>\$20.00</u>
Proposed Project Description:(Please be as specific as possible)			
<u>converting deck to enclosed porch</u>			
Contractor's Name, Address & Telephone		Rec'd By:	
<u>Paul Davis Systems ME-GA 1932 Broadway S. Portland ME 04101</u>		<u>(207) 775-0070</u>	

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC(Heating, Ventilation and Air Conditioning) Installation must comply with the 1993 BOCA Mechanical Code.

- You must include the following with you application:
- 1) A Copy of Your Deed or Purchase and Sale Agreement ✓
  - 2) A Copy of your Construction Contract, if available.
  - 3) A Plot Plan (Sample Attached)

If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks



- 4) Building Plans (Sample Attached)
- A complete set of construction drawings showing all of the following elements of construction:
- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
  - Floor Plans & Elevations
  - Window and door schedules
  - Foundation plans with required drainage and dampproofing
  - Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

**Certification**

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Martha M. Skoner Date: 6-11-98

~~City Review Fee: \$150.00~~ Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Paul Davis Systems of Maine-GC  
1932 Broadway

South Portland, ME 04101  
(207) 775-0070  
(207) 775-3313  
06/10/98

Client: Martha Skoner  
Address: Applebee Circle  
Portland, ME 04103

Res. Ph: (207)797-8619

Estimator: Anthony Christensen

Bus. Ph: (207)775-0070  
Fax: (207)775-3313

Estimate: SKONER

File Number: DECK ADDITION

Room: Deck	LxWxH: 12'0" x 12'0" x 10'0"	
Footings - labor & materials ✓		3 EA
6" x 6" square wood post (treated) ✓		24 LF
Remove Deck handrail - treated lumber ✓		24 LF
Remove and reset decking to install cross bridging ✓		32 SF
Bridging installed for extra stability ✓		13 BY
Install bug screening with furring from below ✓		144 SF
Install joist hangers to reinforce floor system ✓		10 EA
Provide additional lag bolts every other bay ✓		1 LS
2" x 8" lumber (sistered to reinforce exterior of floor joists) ✓		24 LF
R&R Siding - beveled - pine or equal (clapboard) ✓		36 SF
Exterior - paint two coats ✓		576 SF
Secure roof deck to structure and flash ✓		12 LF
Rafters - (2x6) - stick frame roof (using rafter length) ?		154 LF
Sheathing - plywood - 1/2" CDX ✓		144 SF
Drip edge ✓		36 LF
3 tab - 25 yr. - (hvy.wt)comp. shingle rfg - incl. felt ✓		2 SQ
Soffit & fascia - wood - 1' overhang ✓		12 LF
Trim board - 1" x 6" - frieze board ✓		12 LF
Paint exterior soffit - wood		12 SF
Fascia - 1" x 6" #1 pine ✓		28 LF
Trim board - 1" x 2" - sub fascia ✓		40 LF
Paint trim ✓		92 LF
Stud wall - 2" x 4" - 16" oc ✓		336 SF
Header - double 2" x 6" ✓		30 LF
Window trim (jamb & casing) ✓		102 LF
Paint trim ✓		102 LF
Storm window - aluminum, 12 - 24 ✓		8 EA
Door opening trim (jamb & casing) ✓		1 EA
Paint door trim & jamb (per side) ✓		2 EA
Storm door assembly - High grade ✓		1 EA
Sheathing - plywood - 1/2" CDX ✓		336 SF
House wrap (air/moisture barrier) Du Pont Tyvek or equal ✓		336 SF
Siding - beveled - pine or equal (clapboard) ✓		336 SF
Exterior - paint two coats		336 SF
Trim board - 1" x 6" - installed		32 LF
Trim board - 1" x 2" - installed		20 LF
Paint trim		52 LF

Grand Total

\$7,556.88



Anthony Christensen  
Estimator

**City of Portland, Maine – Building or Use Permit Application** -389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: <b>18 Apples Circle</b>	Owner: <b>Martha M. Shoner</b>	Phone: <b>797-8619</b>	Permit No: <b>980656</b>
Owner Address: <b>SAA 04103</b>	Lessee/Buyer's Name:	Phone:	BusinessName:
Contractor Name: <b>Paul Davis Systems</b>	Address: <b>1932 Broadway, So. Pkld, ME 04106</b>	Phone: <b>775-0070</b>	<div style="border: 2px solid black; padding: 5px; text-align: center;"> <b>PERMIT ISSUED</b>                  JUN 22 1998  <b>CITY OF PORTLAND</b> </div>
Past Use: <b>1-fam</b>	Proposed Use:	COST OF WORK: <b>\$ 7,556.00</b>	
Proposed Project Description: <b>Convertin g deck to enclosed porch</b>		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: Type:
Signature: _____ Date: _____		Signature: _____ Date: _____	Zone: CBL: <b>377-Y-004</b>
Permit Taken By: <b>SP</b>	Date Applied For: <b>11 June 1998</b>		

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

SCANNED

02/08/11

PERMIT ISSUED WITH REQUIREMENTS

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	PHONE:		
White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector			

Zoning Approval: <input type="checkbox"/> Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj Dminor Dmm	<b>Zoning Appeal</b> <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied	<b>Historic Preservation</b> <input type="checkbox"/> Not in District or Landmark <input checked="" type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review
<b>Action:</b> <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied	Date: _____	CEO DISTRICT <span style="border: 1px solid black; padding: 2px 5px;">7</span> K



BUILDING PERMIT REPORT

DATE: 19 June 98 ADDRESS: 18 Applebee Circle (377-F-004)  
REASON FOR PERMIT: To convert deck to porch  
BUILDING OWNER: Martha M. Skener  
CONTRACTOR: Paul Davis Systems  
PERMIT APPLICANT: \_\_\_\_\_  
USE GROUP R-3 (deck) BOCA 1996 CONSTRUCTION TYPE 5A

CONDITION(S) OF APPROVAL

This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: \*1, 2, 4, 9, 20


1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".
9. Headroom in habitable space is a minimum of 7'6".
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")
12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the

provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
19. The Sprinkler System shall maintained to NFPA #13 Standard.
20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code.
24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
25. All requirements must be met before a final Certificate of Occupancy is issued.
26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).
28. Please read and implement the attached Land Use-Zoning report requirements.
- X 29. *The 6x6 wood post (Theudect) must be secured to the foundation and braced.*
- X 30. *Your plan and material list shows 2x6 rafters on a 12' span. This does not meet the bldg code req. a minimum of 2x8 @ 16" oc.*
31. \_\_\_\_\_
32. \_\_\_\_\_

  
P. Samuel Holmes, Code Enforcement

cc: Lt. McDougall, PFD  
Marge Schmuckal