
City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Permit No: 9 8 0 7 1 4 Location of Construction: Owner: Phone: 797-0304 257 Auburn St Bartley, Greg Lessee/Buyer's Name: Owner Address: Phone: BusinessName: 04103 SAA Permit Issued: Phone: Contractor Name: Address: JUI - 2 1998 COST OF WORK: Past Use: Proposed Use: PERMIT FEE: 12,000.00 80.00 INSPECTION: **FIRE DEPT.** □ Approved 1-fam Use Group **R-3** Type; **5**/3 ☐ Denied Zone: CBL: BOCA96 379-A-001 Signature: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P/4/D.) to Cemplin Action: Approved Special Zone or Reviews Make Interior Renovations Approved with Conditions: ☐ Shoreland MA Denied □Wetland Addition of Deck ☐ Flood Zone ~~ □ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Date Applied For: Permit Taken By: 26 June 1998 MG **Zoning Appeal** ☐ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. 2. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Interpretation ☐ Approved tion may invalidate a building permit and stop all work... ☐ Denied **Historic Preservation** ☐ Not in District or Landmark ☑Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Approved with Conditions authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, ☐ Denied if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 26 June 1998 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE: PHONE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE **CEO DISTRICT**

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

EO DISTRICT

ocation of Construction: 257 Auburn St		Owner: Bartley, Greg		Phone:	797-0304	Permit No: 9 6	1120
Owner Address:	Lessee	/Buyer's Name:	Phone:	Business		PERMIT IS	COLLED
SAA 04103						The second secon	SOULD
Contractor Name:	Addre	ss:	Phon	e:		Permit Issued:	1000
ast Use:	Propos	sed Use:	COST OF WOR	K:	PERMIT FEE:	- JUL - 2	. 1930
			\$ 12,000.0	0	\$ 80.00	017/05/00	57.4.61
1-fam			FIRE DEPT. □		INSPECTION:	CITY OF PO	KILANU
		(Denied	Use Group 4-3 Type:	Zone: CRI:	
		1	Signature:		Signature: Tabella	Zone: CBL: 37	9-A-001
Proposed Project Description	:			CTIVITIE	Signature: The Signature: S DISTRICT (P. D.)	Zoning Approval:	1 Carille
				Approved		Special Zone of	
Make Interior Renovations			Approved with Conditions:			□	
Addition of De	k			Denied		□ □ Wetland	//
			Signature:		Date:	☐ Flood Zone → ☐ Subdivision	t N/1/49
Permit Taken By:		Date Applied For:			Date.	☐ Site Plan maj	□minor □mm □
	KC	81	5 June 1998			Zoning A	nnoal
. This permit application	does not preclude the Applicar	nt(s) from meeting applicable Sta	te and Federal rules.			□ Variance	ppear
	t include plumbing, septic or e	• • •	io mid i odvidi i divo.			☐Miscellaneous	
		six (6) months of the date of issue	ance False informs			☐ Conditional Use	е
	uilding permit and stop all wo		ance. Paise informa-			□Approved	
·				٥.		☐ Denied	
				WITH	RMIT ISSUED REQUIREMENTS	Historic Pre	servation
				ואוייי	REOLLINGUED	-□ Not in District o	or Landmark
					ESTREMENTS	☐ Does Not Requ	
						☐ Requires Revie	7 V
						Action:	
		CERTIFICATION				☐ Appoved	
		property, or that the proposed wo				en Approved with	Conditions
_	**	thorized agent and I agree to con	* *				
		I certify that the code official's at force the provisions of the code(ve the authority to enter	all Date:	
areas covered by such pen	nt at any reasonable nour to en	torce the broxisions of the code(s) applicable to such	i perimt			
			26 June	1998	¥		
SIGNATURE OF APPLICA	NT	ADDRESS:	DATE:		PHONE:		
RESPONSIBLE PERSON I	N CHARGE OF WORK, TITL	Е			PHONE:	CEO DISTRICT	1-7
	Milian Dameis Da	ak Casas Assassasis C	D.D.W. Di-l- D-	ublic Ell-	luani Cand Investor		
•		sk Green-Assessor's Cana	=		ivory Caru-Inspector		TAL Vell
				M			27 7 7






Department of Urban Development Joseph E. Gray, Jr. Director

CITY OF PORTLAND



Building or Use Permit Application Additions/Alterations/Accessory Structures To Detached Single Family Dwelling

As an applicant for a building permit, you are about to enter into a relationship with our Office. We welcome any questions, comments or suggestions that will make the process more efficient. Attached you will find an application and some samples of the submissions you will provide at application time. Please read <u>ALL</u> of the information and if you need any further assistance please call 874-8703 or 874-8693.



389 Congress St Portland, Maine 04101 (207) 874-8700 FAX 874-8716 TTY 874-8936

CONTRACTOR

BUILDING PERMIT REPORT

PERMIT APPLICANT USE GROUP **BOCA 1996** CONSTRUCTION TYPE

CONDITION(S) OF APPROVAL This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: $\frac{x}{1}$, $\frac{x}{2}$, $\frac{x}{8}$, $\frac{x}{12}$, $\frac{x}{16}$, $\frac{x}{24}$, $\frac{x}{36}$, $\frac{x}{24}$

5.

 $X_{1.}$ This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. × 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services

must be obtained. (A 24 hour notice is required prior to inspection) 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing

not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the Boor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. 3. Precaution must be taken to protect concrete from freezing.

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996) 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from

building code. -★ 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such

that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". 9. Headroom in habitable space is a minimum of 7'6". Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group 10. minimum 11" tread. 7" maximum rise. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")

*****12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height

not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension

shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. X16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. 18. The Fire Alarm System shall be maintained to NFPA #72 Standard. 19. The Sprinkler System shall maintained to NFPA #13 Standard. 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996) 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services. 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics) **X**24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. 25. All requirements must be met before a final Certificate of Occupancy is issued. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA **X**26. National Building Code/1996). 27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). 28. Please read and implement the attached Land Use-Zoning report requirements. This permit does NOT authorize any New dwelling units ⋠ 29. 30. 31. **32**.

Marge Schmuckal PSH 6-28-98

cc: Lt. McDougall, PFD

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE **PERMIT IS ISSUED**

Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: BURN Tax Assessor's Chart, Block & Lot Number Owner: Telephone#: Proposed Project Description:(Please be as specific as possible) 00 Rec'd By:

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation. •All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code. •All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

•HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application: 1) A Copy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if av 3) A Plot Plan (Sample Attached) If there is expansion to the structure, a complete plot plan (Site Plan) must include The shape and dimension of the lot, all existing buildings (if any), the proposed structure property lines. Structures include decks porches, a bow windows cantilever sections and pools, garages and any other accessory structures.

4) Building Plans (Sample Attached) A complete set of construction drawings showing all of the following elements of construction:

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

Floor Plans & Elevations Window and door schedules

Scale and required zoning district setbacks

Foundation plans with required drainage and dampproofing

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized

representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the


Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included. Certification


codes applicable to this permit. Signature of applicant: Site Review Fee: \$150.00/Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.


The Comments of the Company of Machine Englands of Tope Tope Tope Foundation:

Tope Foundation:

Foundation:
France:
F







Applicant: Grey BArTley C-B-L: 379-1-192 Address: 247 Auburn 87 CHECK-LIST AGAINST ZONING ORDINANCE Date - ENSKy - 1920 Zone Location - 2-2 Interior or corner lot -

Proposed Use Work- MAKE INT. Teno - Car St. Deck 12X24

Servage Disposal -

- Lot Street Frontage -

Front Yard - WH Rear Yard - 25' reg - 62' 8hor -Side Yard - 12' reg - 21' 9 48' 8hom

Projections - -

Width of Lot -

24;862 Lot Area -

Area per Family -

Off-street Parking -Loading Bays -

Site Plan -Shoreland Zoning/Stream Protection -

Flood Plains -

Lot Coverage/Impervious Surface -

