



Residential Remodel
 53 Summit Park Drive
 Portland, ME

(2) 1.75"x7.25" LVLs SUPPORTING CEILING LOAD ONLY. RAFTERS CARRY ROOF LOADS TO SIDE WALLS. TRIBUTARY WIDTH IS 7' EA. SIDE @ 10 LBS/SF DEAD FOR A LOAD OF 140 LBS/LF x 11.5' FOR A TOTAL LOAD AT EA. END OF THE BEAM OF 805 LBS. THERE WILL BE MIN 3 STUD COL. IN WALL EA END. END #1 IS OVER THE EXTERIOR FOUND. WE WILL PLACE A LALLY COL. UNDER END #2 WITH A 6x6 NOMINAL SQUASH BLOCK UNDER THE COL. WE WILL PLACE A 3.5" STEEL COL. UNDER THAT W/ A 4" CAP AND A 6" STEEL BASE ON THE CONC. SLAB



1 BUILDING SECTION
 SCALE: 1/8" = 1'-0"



DATE	NO	REMARKS	BY
06-14-15	A	ISSUED FOR CLIENT REVIEW	JJO

CODE: IBC 2009
 TOWN: PORTLAND
 DATE: 06-11-15
 SCALE: As Noted
 DRAWN: JJO
 TITLE: BUILDING SECTION
 FILE:
 SHEET: A1-02