

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 476 Summit Street		Owner: Grace Baptist Church	Phone: **797-5509	Permit No: 990344
Owner Address:	Lessee/Buyer's Name:	Phone:	Business Name:	<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED APR 16 1999 CITY OF PORTLAND </div>
Contractor Name: Tia Brown	Address:		Phone:	
Past Use: Church	Proposed Use: Same	COST OF WORK: \$ 23,152.56	PERMIT FEE: \$ 135.00	Zoning: 384-A-021 CBL: 384-A-021 Zoning Approved: 4/15/99 Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site, Plan, Maj. Minor, Dmm <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Historic Preservation <input type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review
Proposed Project Description: Construct new foyer on front of church		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: 44 Type: 50 600296	
Signature: _____		Signature: _____	Signature: _____	Date: _____
Permit Taken By: SP	Date Applied For: 4-8-99			

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

*****Call Pastor Boyle for Pick-Up 797-5509**

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT _____ ADDRESS: _____ DATE: **4-8-99** PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____
 White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT 2

COMMENTS

Lined area for handwritten or typed comments.

Inspection Record	
Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

BUILDING PERMIT REPORT

DATE: 15 APRIL 99 ADDRESS: 476 Summit St CBL: 384-A-021
REASON FOR PERMIT: To Construct New Foyer on Church
BUILDING OWNER: Grace Baptist Church
PERMIT APPLICANT: ↑

USE GROUP A-4 BOCA 1996 CONSTRUCTION TYPE 5B


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: *1, *2, *11, *13, *27, *32, *33

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approval from the Development Review, Coordination and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (68") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self-closing devices. (Section 710.0)

18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
 In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
34. _____
35. _____
36. _____


 Present/In Abs, Building Inspector
 cc: Marge Schmuckal, PFD
 Marge Schmuckal, Zoning Administrator

PSH 12-1-98

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

Timothy W. Brown Construction
PO Box 519
Gorham, Maine 04038-0519
(207)839-3959

Grace Baptist Church
476 Summit Street
Portland, Maine 04103
(207)797-5509

March 8, 1999
Job: Entry Remodeling
Job Loc.: Same

Time Schedule
May 3 - 14, 1999

Monday May 3rd:

1. Demolish existing entry roof
2. Remove stump
3. Cut & remove designated blacktop
4. Excavate for footing
5. Pour footing

Tuesday May 4th:

1. Prep for concrete slabs
2. Prep for retaining wall
3. Excavate drainage
4. Build foundation wall
5. Pour concrete bond beam on foundation wall
6. Pre-cut studs & framing members
7. Prime exterior trim

Wednesday May 5th:

1. Pour slabs
2. Pour concrete bond beams
3. Build walls and stack
4. Apply second coat of exterior paint

Thursday May 6th:

1. Stand walls
2. Construct roof
3. Trim roof & apply exterior trim
4. Shingle roof
5. Start rough electrical

Marge - Pastor Boyle
measured from
front of entryway to
curb is 38 ft.

See memo

**Grace Baptist Church
Time Schedule Continued
Page Two of Two**

Friday May 7th:

1. Insulate
2. Vinyl siding applied
3. Final coat of exterior paint applied

Saturday May 8th:

1. Extra day

Monday May 10th:

1. Sheetrock hung & taped
2. Pavers installed
3. Loam and seed lawn
4. Gutters installed by sub-contractor's crew
5. Interior stain applied

Tuesday May 11th:

1. Taping and sanding
2. Suspended ceiling installed

Wednesday May 12th:

1. Finish carpentry

Thursday May 13th:

1. Finish electrical
2. Interior stain finished
3. Paint walls

Friday May 14:

1. Finish coats of paint

Saturday May 15:

1. Carpet installed
2. Final Cleaning

Timothy W. Brown Construction
PO Box 519
Gorham, Maine 04038-0519
(207)839-3959

Grace Baptist Church
476 Summit Street
Portland, Maine 04103
(207)797-5509

March 8, 1999
Job: Entry Remodeling
Job Loc.: Same


Estimate


1. Demolition:	
Labor - 56 Man-hours	
Disposal Fee	\$ 157.50
Rental of Equipment Fees	<u>402.00</u>
Total Demolition	\$ 559.50
2. Site Work:	
Excavating:	
Labor - 67 Man-hours	
Rental of Equipment Fees	\$ 325.00
Materials	<u>735.45</u>
	\$1,060.45
Foundation and Slab:	
Labor - 42 Man-hours	
Materials	<u>\$1,171.24</u>
Total Site Work:	\$2,321.69
3. Carpentry:	
Labor - 82 Man-hours	
Materials	\$8,756.47
Gutters - Contracted by Quality Insulation	<u>700.00</u>
Total Carpentry:	\$9,456.47


Grace Baptist Church
Remodeling
Page Two of Two


4. Electrical:	
Labor - 16 Man-hours	
Materials	\$ 687.65
5. Insulation:	
Labor - 8 Man-hours	
Materials	\$ 664.92
6. Suspended Ceiling:	
Labor - 16 Man-hours	
Materials	\$ 807.36
7. Plumbing:	
Labor - 4 Man-hours	
Materials	\$ 100.00
8. Sheetrocking & Taping:	
Labor - 10 Man-hours	
Materials	\$ 154.49
9. Painting:	
Labor - 32 Man-hours	
Materials	\$ 616.00
10. Flooring:	
Labor - 7 Man-hours	
Materials \$9.00/yard X 50 yards	\$ 450.00
Total Materials, Rental Fees & Disposal Fees	\$13,501.50
Total Labor	<u>9,520.00</u>
Sub-Total	\$23,021.50
Building Permit	110.25
Electrical Permit	<u>20.81</u>
Total Projected Cost	\$23,152.56

*After 30 days material prices may increase.









Existing Auditorium


1' Anchor Bolt
 Match Existing Grade Line
 4' Form Concrete Bond Beam
 4' Existing Foundation
 8' Cement Block
 1/2" Rebar
 186
 Fig 1 F

Remove Top Brick Course pour in Concrete Bond Beam Insert 1/2" anchor Bolts into Concrete Every 3'
 Existing Exterior Brick facing
 8" Cement Block
 12" Cement Block

25'
 Interior Grade Line
 40"
 Existing Cement Block walls
 Fig 2 F

Fig. Plan
 1/2" = 1'

Foundation Plan
 1/4" = 1'



Floor Plan
1/4" = 1'

Remove Existing Paving
Fill to 4" Below Finish Grade
Level add 4" new lean and
Seed

30' to 45' to Center

29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <u>476 SUMMIT ST. PORTLAND</u>		
Total Square Footage of Proposed Structure		Square Footage of Lot
Tax Assessor's Chart, Block & Lot Number Chart# <u>384</u> Block# <u>A</u> Lot# <u>021</u>	Owner: <u>GRACE BRATTS Church</u>	Telephone# <u>797 5309</u>
Owner's Address: <u>476 SUMMIT ST.</u>	Lessee/Buyer's Name (If Applicable)	Cost Of Work: <u>Fee</u> <u>\$ 23,152.56 \$ 135.00</u>
Proposed Project Description:(Please be as specific as possible) <u>New BOYER on FRONT of Church</u>		
Contractor's Name, Address & Telephone <u>Jim Brown</u>		Rec'd By: <u>[Signature]</u>
Current Use: <u>Church</u>		Proposed Use: <u>SAME</u>

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC(Heating, Ventillation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.


Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <u>[Signature]</u>	Date: <u>4/8/99</u>
--	---------------------

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00/construction cost thereafter.
Additional Site review and related fees are attached on a separate addendum

PASTOR BOYIE





CITY OF PORTLAND

July 9, 1999


384-A-21

Reverend Harry Boyle
476 Summit St.
Portland, ME 04103

Re: Permit #981412

Dear Rev. Boyle,

In response to your request to extend your permit from 1 to 5 years, The City's Building Code expires permits after 6 months if no work takes place. When you are ready to proceed, you must apply for a new permit. I have attached a copy of the Ordinance for your convenience.

Sincerely,

Mike Nugent
Manager of Inspection Services

7 APR 2000 BOYLE

APPLICATION FOR EXEMPTION FROM SITE PLAN REVIEW

GRACE BAPTIST church

3/11/99

Applicant
4176 SUMMIT ST

Application Date

Applicant's Mailing Address
727 5509

Project Name/Description

Consultant/Agent/Phone Number

Address of Proposed Site

Description of Proposed Development:

ERASE ~~FOR~~ AND ENCLOSE Foyer

Please Attach Sketch/Plan of Proposal/Development

Criteria for Exemptions:

See Section 14-523 (4)

- a) Within Existing Structures; No New Buildings, Demolitions or Additions
- b) Footprint Increase Less Than 500 Sq. Ft.
- c) No New Curb Cuts, Driveways, Parking Areas
- d) Curbs and Sidewalks in Sound Condition/ Comply with ADA
- e) No Additional Parking / No Traffic Increase
- f) No Stormwater Problems
- g) Sufficient Property Screening
- h) Adequate Utilities

Applicant's Assessment
(Yes, No, N/A)

Planning Office
Use Only

Applicant's Assessment (Yes, No, N/A)	Planning Office Use Only
	✓
LOW	✓
YES	✓
	✓
YES	✓
YES	✓
YES	✓
YES	✓

Planning Office Use Only:

Exemption Granted ✓

Partial Exemption

any future development of the site will require installation of sidewalk and granite curb along frontage of site.

Planner's Signature

[Signature]

Date

3/19/99

White - Planning Office

Pink - Inspections

Yellow - Applicant