




FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, 2/28/97



To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

970166

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 193 Lambert St Use of Building 1. Xfam No. Stories New Building Existing " Name and address of owner of appliance Richard Vessey Installer's name and address Residential Services 799-9256 Telephone 1155 Sawyer Rd- Cape Eliz ME 04107

General Description of Work

To install replacement boiler

IF HEATER, OR POWER BOILER

Location of appliance utility rm Any burnable material in floor surface or beneath? no If so, how protected? Kind of fuel? oil - #2 Minimum distance to burnable material, from top of appliance or casing top of furnace 3 ft From top of smoke pipe 25 in From front of appliance 30 in From sides or back of appliance 1 ft Size of chimney flue 6 in Other connections to same flue no If gas fired, how vented? Rated maximum demand per hour 87,000 btu Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner Beckett Labelled by underwriters' laboratories? yes Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom Type of floor beneath burner concrete Size of vent pipe n/a Location of oil storage bedroom Number and capacity of tanks 275 glns Low water shut off yes Make safeguard No. OEM 170 Will all tanks be more than five feet from any flame? yes How many tanks enclosed? one Total capacity of any existing storage tanks for furnace burners 275

IF COOKING APPLIANCE


Location of appliance Any burnable material in floor surface or beneath? If so, how protected? Height of Legs, if any Skirting at bottom of appliance? Distance to combustible material from top of appliance? From front of appliance From sides and back From top of smokepipe Size of chimney flue Other connections to same flue Is hood to be provided? If so, how vented? Forced or gravity? If gas fired, how vented? Rated maximum demand per hour

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

replacement Martin Barry Master oil burner # MS03605

Amount of fee enclosed? \$ 15

APPROVED:



Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Handwritten signatures and initials

385-A-006