

**East Elevation, Facing Morningstar Lane** 



## Fire Department Checklist



**Scale:** None as shown

Elevation dimensions reference city datum.

1st Floor Main Dwelling Unit (MDU): 685.7 sq. ft.

1st Floor Accessory Dwelling Unit (ADU): 530.6 sq. Ft.

Percentage ADU sq. Footage of overall building area: 23.1%

1st Floor Total Area: 1216.3 sq. ft.
2nd Floor Full Head Height Area: 792 sq. ft.
2nd Floor Limited Head Height Area: 288 sq. ft.

2nd Floor Total Area: 1080 sq. ft.

Total of 1st & 2nd Floor Areas: 2296.3 sq. Ft.

Proposed Use of Structure: Residential Dwelling

**Proposed Fire Protection Measures:** 

NFPA 13-D Sprinklers
Centrally Monitored Alarm System (Cunningham)
Hard-wired smoke, heat and CO Detectors
A-B-C Fire Extinguishers on all levels
Grease fire throw blankets in both kitchens
1.5" Hose Station at exterior rear of the building with 3-way nozzle.

On-Site Fuel Storage:

240 gallons propane < 10 gallons gasoline

<u>Hydrant Location:</u> Approx. 80' away, across Morningstar Lane

Owner/Builder/"Architect":

Frederick A. Writt 207-653-5347

## Revisions

| Date | Description |
|------|-------------|
|      |             |
|      |             |
|      |             |
|      |             |
|      |             |
|      |             |
|      |             |
|      |             |