

**City of Portland, Maine – Building or Use Permit Application** 379 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: <b>Arboretum Pines, Portland</b>	Owner: <b>Chris &amp; Marriane Howard</b>	Phone: <b>797-6553</b>	Permit No: <b>000620</b>
Owner Address: <b>N/A</b>	Lessee/Buyer's Name: <b>N/A</b>	Phone: <b>N/A</b>	Business Name:
Contractor Name: <b>Goduti Building Co.</b>	Address: <b>9 Deering St., Portland, ME</b>	Phone: <b>774-2753</b>	<b>PERMIT ISSUED</b> <b>JUN 9 2000</b> <b>CITY OF PORTLAND</b>
Past Use: <b>Single Family</b>	Proposed Use: <b>Moving House</b>	COST OF WORK: <b>\$0</b>	
Proposed Project Description: <b>Amendment to permit #000558</b> <b>moving whole house</b> <b>RELOCATION of dwelling on Lot</b> <b>House NOT BUILT as of this date</b>		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group <b>A.3</b> Type <b>5B</b> <b>BOCA 99</b>
Permit Taken By: <b>K</b>	Date Applied For: <b>June 8, 2000 G</b>	Signature: <i>[Signature]</i>	Signature: <i>[Signature]</i>

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

**\*\* PU James 776-3768**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT	ADDRESS:	DATE: <b>June 8, 2000</b>	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		PHONE:	

**White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector**

Zone: **GBL**

Zoning Approval: **386A-3/021**

**Special Zone of Reviews:**

Shoreland

Wetland

Flood Zone

Subdivision

Site Plan maj  minor  mm

**Zoning Appeal**

Variance

Miscellaneous

Conditional Use

Interpretation

Approved

Denied

**Historic Preservation**

Not in District or Landmark

Does Not Require Review

Requires Review

Action:

Approved

Approved with Conditions

Denied

Date: \_\_\_\_\_

CEO DISTRICT 2

COMMENTS

6/16/00 Shacks OK Pre-Open w/ Tim Gradwell lines string OK  
7/16/00 OK Per Bob Hill

8/16/00 Framing & Close-In - discuss fire rating of  
garage space - stair windows OK OK

12/8/00 Final - Re-Inspection Handwritten OK OK

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

Inspection Services  
Michael J. Nugent  
Manager



Department of Urban Development  
Joseph E. Gray, Jr.  
Director

**CITY OF PORTLAND**



**Building or Use Permit Application  
Additions/Alterations/Accessory Structures  
To Detached Single Family Dwelling**

As an applicant for a building permit, you are about to enter into a relationship with our Office. We welcome any questions, comments or suggestions that will make the process more efficient. Attached you will find an application and some samples of the submissions you will provide at application time. Please read **ALL** of the information and if you need any further assistance please call 874-8703 or 874-8693.

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED**

**Building or Use Permit Pre-Application  
Additions/Alterations/Accessory Structures  
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction: <u>Albion Pkwy, Portland</u>		
Tax Assessor's Chart, Block & Lot Number Chart# <u>386A</u> Block# <u>A</u> Lot# <u>231</u>	Owner: <u>Chris + Mary Ann Howard</u>	Telephone#: <u>797-6553</u>
Owner's Address:	Lessee/Buyer's Name (If Applicable)	Cost Of Work:      Fee \$ <u>—</u> \$ <u>30.00</u>
Proposed Project Description:(Please be as specific as possible) <u>Amendment to Permit 000558 moving whole House - See Plans</u>		
Contractor's Name, Address & Telephone <u>Godwin Building Company Portland 04101 774-2753</u>		Rec'd By: <u>J. S. Galt</u>

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)

*APV James  
776-3768*


If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

**4) Building Plans (Sample Attached)**

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.



**Certification**

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <u>J. S. Galt</u>	Date: <u>6/8/00</u>
---	---------------------

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

**BUILDING PERMIT REPORT**

DATE: 8 June 2008 ADDRESS: Lot #21 Alice Court / Sub. Prior CBL: 386A-B-21  
 REASON FOR PERMIT: Relocating Proposed D/u on site (Building with bldg.)  
 BUILDING OWNER: The Howards  
 PERMIT APPLICANT: \_\_\_\_\_ / CONTRACTOR Co. d. u. Ti Bldg Co  
 USE GROUP: B-3 CONSTRUCTION TYPE: 59 CONSTRUCTION COST: \_\_\_\_\_ PERMIT FEES: \$30.00

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments)  
 The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

**CONDITION(S) OF APPROVAL**

This permit is being issued with the understanding that the following conditions are met: \*1 \*36 \*37 #3 / #38

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A,B,H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)

21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.

22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.

23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)

24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.

26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).

27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

28. All requirements must be met before a final Certificate of Occupancy is issued.

29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).

30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

31. Please read and implement the attached Land Use Zoning report requirements.

*All previous conditions are still in effect -*

32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

33. Bridging shall comply with Section 2305.16.

34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

~~36. All conditions on original permit shall be adhere to~~

~~37. Now plans shall be submitted for approval on changes in footprint and garage door locations~~

~~38. The Development Review co-ordinator shall assign a different Street Number to this house since it is now facing GARSOE instead of ALICE CT,~~

*[Signature]*  
E. Samuel Hoffes, Building Inspector  
Cc. Lt. McDougall, PFD  
Marge Schmuckal, Zoning Administrator

PSH 1/26/00

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

\*\*\*\* ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE ) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.

# Amendment-REVISED House Location.

Applicant:

Date: 4/8/00

Address: Alice Ct & Garsoe C-B-L: 386A-B-21

## CHECK-LIST AGAINST ZONING ORDINANCE

Date - New

Zone Location - R-2

Interior or corner lot -

Proposed Use/Work - changing location of house (not built yet) facing Garsoe Now with garage

Sewage Disposal - City

Lot Street Frontage - 50' req - 80' scaled

Garsoe Front Yard - 25' req - 52' scaled

OK → Rear Yard - 25' req - 20' - see calcs on corner lot rear yard reduction 14-428

Side Yard - 20' req. of Alice St side - 37' scaled  
14' req. on other side - 34' scaled

Projections - no rear decks

Width of Lot - 80' req - 100' + scaled

Height - 35' MAX - 2 story show -

Lot Area - 10,000<sup>sq</sup> - 24,548<sup>sq</sup>

Lot Coverage/ Impervious Surface - 20% = 4909.6<sup>sq</sup>

Area per Family - 10,000<sup>sq</sup>

Off-street Parking - 2 req - 2 show

Loading Bays - N/A

Site Plan - minor/minor

# 20000085  
Shoreland Zoning/ Stream Protection - N/A

Flood Plains - panel 2 - Zone X

Sec. 14-428. Corner lots.

In case a dwelling house has its front yard upon the long side of a corner lot, the rear yard may be reduced to a depth not less than the width required for a side yard on the lot, provided the aggregate of the widths of both sides and depths of front and rear yards is not less than the similar aggregate of required dimensions of all yards required if the front yard were faced on the short side of the lot.

(Code 1968, § 602.19.G)

↗ GARSOLE

Existing facing long side- aggregate of yards		Required setbacks if facing on short side	
Front yard	52' feet	Front yard	25 feet
Rear yard	20' feet	Rear yard	25 feet
Side yard -rt	37 feet	Side yard -rt	14 feet
Side yard -lft	34 feet	Side yard -lft	20 feet

TOTALS 143 feet is greater than 84 feet

OK for The

This is CALCS on The  
reduction of The REAR yd  
for 25' to show 20'



**SEBAGO TECHNICS, INC.**  
 12 Westbrook Common  
 P.O. Box 1339  
 WESTBROOK, ME 04098-1339

*Received  
 6/7/00*

**LETTER OF TRANSMITTAL**

*Hand Carried*

Phone (207) 856-0277 FAX (207) 856-2206

TO City of Portland - Planning Dept

DATE	<i>6/7/00</i>	JOB NO.	<i>00195</i>
ATTENTION	<i>Marge Schmuckel</i>		
RE:	<i>Lot 21 Auburn Pines Sub.</i>		
	<i>- Revised Plot Plan -</i>		

WE ARE SENDING YOU  Attached  Under separate cover via \_\_\_\_\_ the following items:

- Shop drawings     Prints     Plans     Samples     Specifications  
 Copy of letter     Change order     \_\_\_\_\_

COPIES	DATE	NO.	DESCRIPTION
<i>4</i>			<i>11x17 Plot Plans of Lot 21</i>
			<i>Needs An Amendment</i>
			<i>Original Permit Issued</i>
			<i>386A-B-21 5/19/00</i>

THESE ARE TRANSMITTED as checked below:

- For approval     Approved as submitted     Resubmit \_\_\_\_\_ copies for approval  
 For your use     Approved as noted     Submit \_\_\_\_\_ copies for distribution  
 As requested     Returned for corrections     Return \_\_\_\_\_ corrected prints  
 For review and comment     \_\_\_\_\_  
 FOR BIDS DUE \_\_\_\_\_     PRINTS RETURNED AFTER LOAN TO US

REMARKS \_\_\_\_\_

*Marge,*  
 Please review this Plot Plan for Lot 21 of Auburn Pines  
 Subdivision. Please feel free to call w/ any questions or comments.


COPY TO Goduti Building Company

SIGNED: \_\_\_\_\_

*[Signature]*


*If enclosures are not as noted, kindly notify us at once.*

*Use For - Revised Bldg location*



**LEGEND**

EXISTING	DESCRIPTION	PROPOSED
---	PROPERTY/ROW	---
---	SETBACK	---
---	CENTERLINE	---
---	BUILDING	▬▬▬▬▬▬
---	EDGE PAYEMENT	▬▬▬▬▬▬
---	CONTOURS	124
---	WATER	8"W
---	SEWER	8"S
---	STORM DRAIN	12"SD
□	CATCH BASIN	
⊙	MANHOLE	
	SPOT GRADE	30x20



LOCATION MAP

MATCH EXISTING GRADES AT THE BACK SIDE OF THE SIDEWALK

FOUNDATION WALL IS ABOVE FFE TO FORM RETAINING WALL

**GENERAL NOTES**

1. APPLICANT: GODUTI BUILDING COMPANY, INC.  
9 DEERING STREET  
PORTLAND, MAINE 04101
2. THE LOT SHOWN HEREON IS PART OF A SUBDIVISION SITUATED WITHIN THE CITY OF PORTLAND'S R2 RESIDENTIAL ZONE SINGLE FAMILY HOMES.
3. PLAN REFERENCES:  
A) SUBDIVISION PLAN OF AUBURN PINES SUBDIVISION DATED THROUGH JULY 7, 1999 BY PINKHAM & GREER ENGINEERS.
4. EXISTING TOPOGRAPHIC INFORMATION IS BASED UPON SAID PLAN WITH ELEVATIONS THAT ARE REFERENCED TO A STANDARD DISK AUBURN RM-1 ELEVATION 122.31 N.A.Y.D. DATUM.
5. PROPOSED UTILITY LOCATION AND ELEVATION IS BASED UPON THE PLAN REFERENCED IN NOTE 3A. CONTRACTOR SHALL VERIFY LOCATION AND INVERTS OF UTILITY STUBS PRIOR TO CONSTRUCTION.

*Received 6/8/00*

**Sebago Technics**  
Engineering & Planning for the Future  
One Chabot Street  
Westbrook, Me 04098-1339  
Tel (207) 856-0277

**PLOT PLAN**  
OF:  
**LOT 21 AUBURN PINES SUBDIVISION**  
ALICE COURT  
PORTLAND, MAINE  
FOR:  
**GODUTI BUILDING COMPANY, INC.**  
9 DEERING STREET  
PORTLAND, MAINE 04101

DESIGN BY:	SAG
DRAWN BY:	BRF
CHECKED BY:	NJG
DATE:	05-18-00
SCALE:	1"=40'
FIELD BK:	-----
PROJ. NO:	00195
DRAWING:	00195GU
<b>SHEET 1 OF 1</b>	