

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: <i>104 Ocean Street</i>		Owner: <i>State Dental Building</i>		Phone: <i>707-8418</i>	Permit No: 000748
Owner Address: <i>511</i>		Lessee/Buyer's Name: <i>J. J.</i>		Phone: <i>707-8418</i>	Business Name:
Contractor Name: <i>511</i>		Address:		Phone:	Permit Issued: JUL 10 2000 CITY OF PORTLAND
Past Use: <i>single family</i>	Proposed Use: <i>same</i>	COST OF WORK: \$ <i>4,000</i>	PERMIT FEE: \$ <i>50.00</i>	FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	
Proposed Project Description: <i>Renovate sun room and deck adding 5' to deck</i>		Signature:		Signature: <i>[Signature]</i>	
Permit Taken By: <i>K</i>		Date Applied For: <i>July 7 2000 K</i>		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied: <input type="checkbox"/> Signature: _____ Date: _____	
				Zoning Approval: <i>000</i> Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED
WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT	ADDRESS:	DATE: <i>July 7 2000</i>	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: _____

PERMIT ISSUED
WITH REQUIREMENTS
CEO DISTRICT

BUILDING PERMIT REPORT

DATE: 9 Feb 2008 ADDRESS: 106 Carey St. CBL: 387-A-906

REASON FOR PERMIT: Renovate sun room, deck, addng 5' to deck.

BUILDING OWNER: Danise Higgins

PERMIT APPLICANT: _____ / CONTRACTOR Owner

USE GROUP: B-3 CONSTRUCTION TYPE: 5-2 CONSTRUCTION COST: 4,000.00 PERMIT FEES: 900.00

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: 4/22, 4/13, 4/22, 2/29
7/34, 4/23

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.52
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B, H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrail that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0), Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches: (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

7/7

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFP A 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
 24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
 27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
 28. All requirements must be met before a final Certificate of Occupancy is issued.
 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
 31. Please read and implement the attached Land Use Zoning report requirements.
 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
 33. Bridging shall comply with Section 2305.16.
 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).
- The proposed sign requirements of 16" O.C. Spacing 10.5' does not meet code please meet the city framing before work begins*


 L.R. McDougall, PFD
 Building Inspector
 Marge Schmuckal, Zoning Administrator

PSH 1/2600

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE
PERMIT IS ISSUED**

**Building or Use Permit Pre-Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction: 1106 Adams St

Tax Assessor's Chart, Block & Lot Number Chart# <u>387</u> Block# <u>A</u> Lot# <u>106</u>	Owner: <u>AS</u>	Telephone#: <u>207-84119</u>
Owner's Address: <u>504A</u>	Lessee/Buyer's Name (If Applicable)	Cost of Work: <u>\$4000</u> Fee: <u>\$100.00</u>

Proposed Project Description: (Please be as specific as possible)
REPAIR EXISTING SEWERAGE AND
REPAIR EXISTING ROOF

Contractor's Name, Address & Telephone: SHANE Read By: (Signature)

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

• All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
• All plumbing must be conducted in compliance with the State of Maine Plumbing Code.


• All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
• HVAC/Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)

If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the adjacent property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, slides, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks



4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: (Signature) Date: 7-2-2000

Building Permit Fee: \$30.00 for the 1st \$1000 cost plus \$6.00 per \$1,000.00 construction cost thereafter.

THIS IS NOT A BOUNDARY SURVEY

INSPECTION OF PREMISES

HEREBY CERTIFY TO Douglas Title Co.,

Peoples Heritage Savings Bank and its Title Insurers

The monumentation is in harmony with current deed description.

The building setbacks are in conformity with town zoning requirements.

The dwelling does not appear to fall within the special flood hazard zone as delineated by the Federal Emergency Management Agency.

The land does not appear to fall within the special flood hazard zone as indicated on community-panel # 230051 0002 B.

106 Caron Street
Portland Maine

Job Number: 306-29

Inspection Date: 2-19-98

Scale: 1" = 30'


Buyer: Daniel M. Higgins

Seller: Eleanor L. Fraser &

Kenneth M. Fraser

R-2 Zone

REAR: 25' req - 40' shown
SIDE: 12' req - 29' shown
FRONT: 12' req



(bituminous)

Caron Street

To Alice St. →

ENCLOSURE 1 of 4

THIS PROPERTY IS SUBJECT TO ALL RIGHTS AND EASEMENTS OF RECORD. THOSE THAT ARE EVIDENT ARE SHOWN. THIS PLAN MIGHT NOT REVEAL CONFLICTS WITH ADJUTING DEEDS.

BRUCE R. BOWMAN, INC.
P.O. Box 12 A
Cumberland, Maine 04021
Phone: (207) 829-3959
Fax: (207) 829-3522




PLAN BOOK 47 PAGE 6 LOT PO 27,28
DEED BOOK 4687 PAGE 270 COUNTY Cumberland
THIS PLAN IS NOT FOR RECORDING Drawn by: MAM

V	VACANT	0	OTHER
10	STORY HEIGHT	2.5	3.0
10	EXTERIOR WALLS	4 BLOCK	7 STONE
	1 FRAME	2 BRICK	5 STUCCO
	3 MAS & FRAME	6 ALUM/VINYL	9 CONCRETE
	BASED RANCH	7 CONDO	13 MANSION
	2 SPLIT LEVEL	8 CANTAMP.	14 GAMBRIL
	3 RANCH	9 TOWNHSE/ROW	15 GARISON
	4 CAPE	10 COTTAGE	16 OTHER
	5 OLD STYLE	11 BUNGALOW	12 DUPLEX
	6 COLONIAL	12 DUPLEX	
	ERECTED 1972	EST - 1	REMODELED 19
	LIVING ACCOMMODATIONS	RED ROOMS 03	FAMILY ROOMS 1
	NO KITCHEN	1 YES	NO BATH 1 YES
	REMODELED	NO	REMODELED 2 NO
	BASEMENT	1 NONE	2 CRAWL
	HEATING	1 NONE	2 GAS
	CENTRAL AIR CONDO.	1 NONE	2 GAS
	HEATING FUEL TYPE	1 NONE	2 GAS
	HEATING SYSTEM TYPE	1 NONE	2 GAS
	ATTIC	1 NONE	2 WARM AIR
	INTERIOR CONDITION	1 NONE	2 UNFIN
	PHYSICAL CONDITION	1 EX 2	2 EX 3
	SFLA	COND 1 INTERIOR	COND 2 CORNER
	MARKET ADJUSTMENT	CUV	EX VG GD
	GRADE	AA	A B C D E F
	COST & DESIGN FACTOR		
	GROUND FLOOR AREA		
	OTHER FEATURES	1 BRICK TRIM	2 STONE TRIM
		3 REC ROOM	4 FIN. BSMT LIVING AREA
		5 WB FP.	6 METAL FP.
		7 WOOD COAL BURNING	8 BSMT GARAGE
		9 UNFINISHED AREA (-)	10 UNHEATED AREA (-)

800	1 SEE DETAILED CARD	2 SEE DETAILED REPORT	TOTAL GROSS VALUE
810	MISCELLANEOUS IMPROVEMENTS		
804			
803			
802			
801	DELETE 801-810	TYPE CODE QTY YR	SIZE
OTHER BUILDINGS & YARD IMPROVEMENTS			
799	DELETE 801-810	TYPE CODE QTY YR	SIZE
R1	Plastic Liner		
R2	Prefabricated Vinyl		
R3	Reinforced Concrete		
R4	Fiberglass		
R5	Gunite		
R1	Carport		
R2	Canopy		
R3	Frame/DB Detached Garage		
R4	Brick/Stone Detached Garage		
R5	Frame Shed		
R6	Metal Shed		
10	1s Frame		
11	0FP		
12	EFP		
13	Frame Garage		
14	Frame Utility		
15	Frame Bay		
16	Frame OH		
17	1/2 Frame		
18	Unfin. Attic		
19	Fin. Attic		
20	1s Mas		
21	0MP		
22	EMP		
23	Mas. Garage		
24	Mas. Utility		
25	Mas. Bay		
26	Stone Patio		
27	Mt. Greenhouse		
28	Wood Deck		
29	Conc. Patio		
30	Carport		
31	Mt. Greenhouse		
32	Canopy		
33	Conc. Patio		
34	Mt. Greenhouse		
35	Mt. Greenhouse		
36	Mt. Greenhouse		
37	Mt. Greenhouse		
38	Mt. Greenhouse		
39	Mt. Greenhouse		
40	Mt. Greenhouse		
41	Mt. Greenhouse		
42	Mt. Greenhouse		
43	Mt. Greenhouse		
44	Mt. Greenhouse		
45	Mt. Greenhouse		
46	Mt. Greenhouse		
47	Mt. Greenhouse		
48	Mt. Greenhouse		

RESIDENTIAL	POOLS	ADDITION CODES	ADDITIONS
508		A8	589 DELETE 601-608
507		A7	
506		A6	
505		A5	
504		A4	
503		A3	
502		A2	
501		A1	
465		CD	
464		LWR	
463		1ST	
462		2ND	
461		3RD	
474		AREA	
473		AREA	
472		AREA	
471		AREA	
BUILDING PERMIT RECORD			
NUMBER	DATE	AMOUNT	DESCRIPTION
474			
473			
472			
471			
NOTES			



ENCLOSURE #2
DK BAN

I PROPOSE TO REPLACE EXISTING
SUN PORCH, AS IS, WHERE IS EXISTING
STRUCTURE IS APPROX 12' X 14' AND
ATTACHED TO THE HOUSE, THE
NEW MATERIAL IS AS FOLLOWS;
WALLS 2X4 ROOF 2X6, FLOOR 2X6
ALL 16" ON CTR.

I ALSO PROPOSE ADDING 5' TO
THE EXISTING DECK, TO THE REAR
OF THE PROPERTY. THE DECKING
MATERIAL IS AS FOLLOWS; DECKING
1 1/2", DECK 2X10, SUPPORTS AND
BRACES (SEE VIEW LABELLED 1-1)

THE EXTERIOR SIDING WILL
BE T-111, THE ROOF WILL BE ROLLED
ROOFING, WINDOWS, VINYL SIDINGS
THE SUN-PORCH AND DECK WILL
BE SUPPORTED AS SHOWN ON VIEW
1-1 AND WILL REST ON 8"
SONOTUBES APPROX 4'-6" APART.
ALL CONSTRUCTION WILL BE 16" ON
CTR

James J. Higgins
106 CRENSHAW ST
TEL 797-8415

COMMENTS

11/09 OH ofo Please Sign - Deck not completed (20)

Lined area for handwritten notes or comments.

Inspection Record
Type

Date

Foundation:

Framing:

Plumbing:


Final:

Other:

Blank lines for recording dates.

Blank lines for recording inspection types.



EXISTING
PLAN VIEW ENCL. 3 OF 4



HOUSE SIDE

● INDICATES
EXISTING CONDITIONS
TO BE RE-USED

EXISTING SIDE VIEW




PROPOSED NEW

PLAN VIEW

ENCLOSURE

404




1-1

HOUSE

SIDE VIEW IDENTICAL AS
 EXISTING, EXCEPT ADDITIONAL 5'
 FOR DECK TO THE REAR OF PROPERTY

SECT VIEW 1-1



ELECTRICAL PERMIT

City of Portland, Me.



SIF DC

To the Chief Electrical Inspector, Portland Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 11/2/00
 Permit # 9748
 CBL# 387 A 006

LOCATION: 106 CANON ST. METER MAKE & # _____
 CMP ACCOUNT # _____ OWNER Dan Higgins
 TENANT _____ PHONE # _____

					TOTAL EACH FEE	
OUTLETS	Receptacles	4	Switches	2	Smoke Detector	.20
FIXTURES	Incandescent	4	Fluorescent		Strips	.20
SERVICES	Overhead		Underground		TTL AMPS <800	15.00
	Overhead		Underground		>800	25.00
Temporary Service	Overhead		Underground		TTL AMPS	25.00
METERS	(number of)					25.00
MOTORS	(number of)					1.00
RESID/COM	Electric units					2.00
HEATING	oil/gas units		Interior		Exterior	1.00
APPLIANCES	Ranges		Cook Tops		Wall Ovens	5.00
	Insta-Hot		Water heaters		Fans	2.00
	Dryers		Disposals		Dishwasher	2.00
	Compactors		Spa		Washing Machine	2.00
	Others (denote)					2.00
MISC. (number of)	Air Cond/win					3.00
	Air Cond/cent				Pools	10.00
	HVAC		EMS		Thermostat	5.00
	Signs					10.00
	Alarms/res					5.00
	Alarms/com					15.00
	Heavy Duty(CRKT)					2.00
	Circus/Carnv					25.00
	Alterations					5.00
	Fire Repairs					15.00
	E Lights					1.00
	E Generators					20.00
PANELS	Service		Remote		Main	4.00
TRANSFORMER	0-25 Kva					5.00
	25-200 Kva					8.00
	Over 200 Kva					10.00
	MINIMUM FEE/COMMERCIAL	45.00			TOTAL AMOUNT DUE	35.00
INSPECTION:	Will be ready	<u>11/6/00</u>	or will call		MINIMUM FEE	35.00

CONTRACTORS NAME BAEYAN ELECTRIC MASTER LIC. # 03831
 ADDRESS Box 9739 Portland, Me. LIMITED LIC. # _____
 TELEPHONE 797-8888

SIGNATURE OF CONTRACTOR [Signature]