

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 05-05-1	Issue Date: MAY 17 2005	CBL: 388 A021001
-----------------------	----------------------------	---------------------

Location of Construction: 16 CRESTVIEW DR	Owner Name: COOKE LISA H & M CHRISTOP	Owner Address: 16 CRESTVIEW DR	Phone:
Business Name:	Contractor Name: Owner	Contractor Address: Portland	
Lessee/Buyer's Name	Phone:	Permit Type: <i>Alterations</i> Additions - Dwellings	Zone: R2

Past Use: Single Family Home	Proposed Use: Single Family Home/ install 2 Dormers	Permit Fee: \$30.00	Cost of Work: \$1,000.00	CEO District: 5
FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: <i>P3</i> Type: <i>OB</i> <i>IRC-2003</i>		

Proposed Project Description:
install 2 Dormers *4'8" x 4' Gable*

Signature: _____ Date: *5/17/05*



PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)

Action: Approved Approved w/Conditions Denied

Signature: _____ Date: _____

Permit Taken By: Idobson	Date Applied For: 05/16/2005	Zoning Approval	
-----------------------------	---------------------------------	------------------------	--

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. 2. Building permits do not include plumbing, septic or electrical work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <i>OK</i>	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied
	Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date: <i>JMB 5/17/05</i>	Date: <i>JMB 5/17/05</i>	



CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT _____ ADDRESS _____ DATE _____ PHONE _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ DATE _____ PHONE _____

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 05-0591	Date Applied For: 05/16/2005	CBL: 388 A027001
-----------------------	---------------------------------	---------------------

Location of Construction: 16 CRESTVIEW DR	Owner Name: COOKE LISA H & M CHRISTOPH	Owner Address: 16 CRESTVIEW DR	Phone:
Business Name:	Contractor Name: Owner	Contractor Address: Portland	Phone
Lessee/Buyer's Name	Phone:	Permit Type: Alterations - Dwellings	

Proposed Use: Single Family Home/ install 2 Dormers	Proposed Project Description: install two 4'-8" x 4' Gable Dormers
--	---


Dept: Zoning	Status: Approved	Reviewer: Jeanine Bourke	Approval Date: 05/17/2005
Note:			Ok to Issue: <input checked="" type="checkbox"/>

Dept: Building	Status: Approved	Reviewer: Jeanine Bourke	Approval Date: 05/17/2005
Note:			Ok to Issue: <input checked="" type="checkbox"/>
1) Separate permits are required for any electrical, plumbing, or heating.			

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: <u>16 Crestview Drive</u>		
Total Square Footage of Proposed Structure <u>40 SF</u>	Square Footage of Lot <u>15,000</u>	
Tax Assessor's Chart, Block & Lot Chart# <u>388</u> Block# <u>A</u> Lot# <u>21</u>	Owner: <u>M Chris Cooke</u>	Telephone: <u>207-797-7771</u>
Lessee/Buyer's Name (If Applicable) <u>N/A</u>	Applicant name, address & telephone: <u>M Chris Cooke 16 Crestview Drive Portland, Maine 04103</u>	Cost Of Work: \$ <u>1000</u> — Fee: \$ <u>30.00</u>
Current use: <u>Residential</u>		
If the location is currently vacant, what was prior use: <u>N/A</u>		
Approximately how long has it been vacant: <u>N/A</u>		
Proposed use: <u>Residential</u>		
Project description: <u>2 Dormers</u>		
Contractor's name, address & telephone:		
Who should we contact when the permit is ready: <u>M. Chris Cooke</u>		
Mailing address: <u>16 crestview Drive</u>		
We will contact you by phone when the permit is ready. You must come in and pick up the permit and review the requirements before starting any work, with a Plan Reviewer. A stop work order will be issued and a \$100.00 fee if any work starts before the permit is picked up. PHONE: <u>207-797-7771</u>		



IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APPROVE THIS PERMIT.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <u><i>M Cooke</i></u>	Date: <u>5/13/05</u>
---	----------------------

**This is NOT a permit, you may not commence ANY work until the permit is issued.
If you are in a Historic District you may be subject to additional permitting and fees with the
Planning Department on the 4th floor of City Hall**

This page contains a detailed description of the Parcel ID you selected. Press the **New Search** button at the bottom of the screen to submit a new query.

Current Owner Information

Card Number 1 of 1
 Parcel ID 388 A027001
 Location 16 CRESTVIEW DR
 Land Use SINGLE FAMILY
 Owner Address COOKE LISA H & M CHRISTOPHER JTS
 16 CRESTVIEW DR
 PORTLAND ME 04103
 Book/Page 15081/62
 Legal 388-A-27
 CRESTVIEW DR 8-14
 15000 SF

Valuation Information

Land	Building	Total
\$37,590	\$102,060	\$139,650

Property Information

Year Built 1962	Style Cape	Story Height 1.5	Sq. Ft. 1916	Total Acres 0.344		
Bedrooms 3	Full Baths 2	Half Baths	Total Rooms 6	Attic None	Basement Full	

Outbuildings

Type	Quantity	Year Built	Size	Grade	Condition
------	----------	------------	------	-------	-----------

Sales Information

Date	Type	Price	Book/Page
07/30/1999	LAND + BLDING	\$130,000	15081-062
06/23/1999	LAND + BLDING		14850-236
12/16/1996	LAND + BLDING	\$124,000	12864-080

Picture and Sketch

Picture Sketch

[Click here](#) to view Tax Roll Information.



Any information concerning tax payments should be directed to the Treasury office at 874-8490 or e-mailed.



Systems shows P.P. Did Ferguson on 5/13/05 & E - DR
7/7/05 - for Clear on 5/13/05

But needs Elec. (by Homeowner) permit.

7/8/05 Elec Permit issued @ 2005-460777
@ 2005-46105



DISPLAY THIS CARD ON PRINCIPAL FRONTAGE PERMIT ISSUED
CITY OF PORTLAND

Please Read Application And Notes, if Any, Attached

MAY 17 2005
Permit Number: 050591
CITY OF PORTLAND

This is to certify that COOKE LISA H & M CHRISTOPHER

has permission to install 2 Dormers

AT 16 CRESTVIEW DR

388 A027001

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statutes of the City of Portland regulating the construction, maintenance and use of buildings and structures, and of the application on file in this department.

Apply to Public Works for street line and grade if nature of work requires such information.

Notification and work on this permit must be completed or closed-in. PER NOTICE IS REQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept. _____
Health Dept. _____
Appeal Board _____
Other _____

Department Name


Jamie Bankes
Director - Building & Inspection Services

PENALTY FOR REMOVING THIS CARD

FOR MORTGAGE LENDER USE ONLY

GENERAL NOTES: (1) DISTANCES SHOWN ARE TAKEN FROM PROVIDED TITLE REFERENCES SHOWN BELOW. (2) THIS INSPECTION EXAMINES DWELLING AND ACCESSORY STRUCTURE COMPLIANCE WITH RESPECT TO MUNICIPAL ZONING SETBACK REQUIREMENTS ONLY. (3) A STANDARD BOUNDARY SURVEY SHOULD BE PERFORMED TO RENDER A PROFESSIONAL OPINION AS TO ACTUAL PROPERTY LINE LOCATIONS. (4) THIS INSPECTION DEPICTS ALL VISIBLE STRUCTURAL ENCROACHMENTS WITH RESPECT TO APPARENT PROPERTY LINES AND RECOGNIZES ONLY THOSE EASEMENTS & RIGHTS OF WAY STATED OR SHOWN IN BELOW PROVIDED TITLE REFERENCES AND DOES NOT REVEAL ANY CONFLICTS WITH ADJUTING DEEDS. (5) FLOOD HAZARD DETERMINATION IS MADE BY SCALING DISTANCES ON BELOW REFERENCED FEMA MAP. (6) THIS INSPECTION IS TO BE USED ONLY BY BELOW LISTED LENDER, TITLE COMPANY &/OR ATTORNEY AND ITS TITLE INSURER.

ADDRESS: 16 CREST VIEW DRIVE INSPECTION DATE: SEPT. 23, 1999
PORTLAND, MAINE SCALE: 1"=30'



← To Summit St. **CREST VIEW DRIVE**

SEE PROVIDED TITLE REFERENCES FOR APPLICABLE APPURTENANCES, IF ANY.

APPLICANT: MARK & LISA COOKE REQUESTING PARTY: LEETE & LEMIEUX
 OWNER: PATRICIA DUBE ATTORNEY: JAMES R. LEMIEUX
 LENDER: _____ FILE No. 996793

TITLE REFERENCES:
 DEED BOOK: 12864 PAGE: 80
 PLAN BOOK: 35 PAGE: 21 LOT: 16
 COUNTY: CUMBERLAND

YOUR FILE #: _____
NADEAU & LODGE, INC.
 PROFESSIONAL LAND SURVEYORS
222 SERRANO AVENUE 800 CLEAR BROOK ROAD

ELECTRICAL PERMIT

City of Portland, Me.



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
 National Electrical Code and the following specifications:

Date 7/8/2005
 Permit # 054607
 CBL# 388 A 027

LOCATION: 16 Crestview Drive METER MAKE & # _____
 CMP ACCOUNT # _____ OWNER Mark C Cooke
 TENANT _____ PHONE # 207-797-7771

				TOTAL EACH FEE			
OUTLETS	<u>4</u>	Receptacles	<u>4</u>	Switches	<u>2</u>	Smoke Detector	.20
FIXTURES		Incandescent		Fluorescent		Strips	.20
SERVICES		Overhead		Underground		TTL AMPS <800	15.00
		Overhead		Underground		>800	25.00
Temporary Service		Overhead		Underground		TTL AMPS	25.00
METERS		(number of)					1.00
MOTORS		(number of)					2.00
RESID/COM		Electric units					1.00
HEATING		oil/gas units		Interior		Exterior	5.00
APPLIANCES		Ranges		Cook Tops		Wall Ovens	2.00
		Insta-Hot		Water heaters		Fans	2.00
		Dryers		Disposals		Dishwasher	2.00
		Compactors		Spa		Washing Machine	2.00
		Others (denote)					2.00
MISC. (number of)		Air Cond/win					3.00
		Air Cond/cent				Pools	10.00
		HVAC		EMS		Thermostat	5.00
		Signs					10.00
		Alarms/res					5.00
		Alarms/com					15.00
		Heavy Duty(CRKT)					2.00
		Circus/Carnv					25.00
		Alterations					5.00
		Fire Repairs					15.00
		E Lights					1.00
		E Generators					20.00
PANELS		Service		Remote		Main	4.00
		0-25 Kva					5.00
TRANSFORMER		25-200 Kva					8.00
		Over 200 Kva					10.00
				TOTAL AMOUNT DUE			
MINIMUM FEE/COMMERCIAL 45.00				MINIMUM FEE 35.00		<u>35.00</u>	


DEPT. OF BUILDING INSPECTION
 CITY OF PORTLAND, ME
 JUL - 8 2005
RECEIVED


CONTRACTORS NAME _____ MASTER LIC. # Homeowner
 ADDRESS _____ LIMITED LIC. # _____
 TELEPHONE _____

SIGNATURE OF CONTRACTOR Cash.

2x6 16" OC
Rafters and wall Framing

FRONT ELEVATION






Descriptor/Area

A: 1.5Ft/B
1040 sqft

B: 1Ft/B
96 sqft

C: FG
528 sqft

D: WD
192 sqft



FASTENING SCHEDULE (SEE TABLE 2304.9.1 N.Y.S. RESIDENTIAL CONSTRUCTION CODE FOR COMPLETE DETAILS)

(SEE NOTES A + H FOR ALL FASTENING NOTES)

CONNECTION	FASTENING	LOCATION	NOTES	CONNECTION	FASTENING	LOCATION	NOTES
JOIST TO SILL OR GIRDER	3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL		RAFTER TO PLATE (SEE SECT. 2308.10.1, TABLE 2308.10.1)	3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL	
BRIDGING TO JOIST	3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL EACH END		1" DIAGONAL BRACE TO EACH STUD & PLATE	2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	FACE NAIL	
SOLE PLATE TO JOIST OR BLOCKING	3" x 13" NAIL @ 8" OC 3" x 13" NAIL @ 8" OC 3" x 13" NAIL @ 8" OC	TYPICAL FACE NAIL		BUILT-UP CORNER STUDS	100 COMMON 3" x 13" NAIL @ 8" OC 3" x 13" NAIL @ 8" OC	FACE NAIL	2" OC 16" OC 16" OC
SOLE PLATE TO JOIST OR BLOCKING AT BRACED WALL PANEL	3" x 13" NAIL @ 16" OC 3" x 13" NAIL @ 16" OC 3" x 13" NAIL @ 16" OC	BRACED WALL PANEL		BUILT-UP GIRDER & BEAMS	200 COMMON 3" x 13" NAIL @ 24" OC 3" x 13" NAIL @ 24" OC	FACE NAIL AT TOP & BOTTOM STAGGERED ON OPPOSITE SIDES	
TOP PLATE TO STUD	2 - 100 COMMON 3 - 3" x 14 GAUGE STAPLE @ 12" OC 3 - 3" x 14 GAUGE STAPLE @ 12" OC	END NAIL		BUILT-UP GIRDER & BEAMS	2 - 200 COMMON 3 - 3" x 14 GAUGE STAPLE @ 24" OC 3 - 3" x 14 GAUGE STAPLE @ 24" OC	FACE NAIL AT ENDS	
STUD TO SOLE PLATE	4 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL		JACK RAFTERS TO HIP	4 - 3" x 14 GAUGE STAPLE 3 - 100 COMMON 4 - 3" x 14 GAUGE STAPLE	TOENAIL	
DOUBLE STUDS	100 @ 16" OC 3" x 13" NAIL @ 8" OC 3" x 13" NAIL @ 8" OC	FACE NAIL		JACK RAFTERS TO HIP	4 - 3" x 14 GAUGE STAPLE 3 - 100 COMMON 4 - 3" x 14 GAUGE STAPLE	FACE NAIL	
DOUBLE TOP PLATES	100 @ 16" OC 3" x 13" NAIL @ 12" OC 3" x 13" NAIL @ 12" OC	TYPICAL FACE NAIL		JACK RAFTERS TO HIP	4 - 3" x 14 GAUGE STAPLE 3 - 100 COMMON 4 - 3" x 14 GAUGE STAPLE	FACE NAIL	
DOUBLE TOP PLATES	2 - 100 COMMON 12 - 3" x 13" NAIL @ 12" OC 12 - 3" x 13" NAIL @ 12" OC	LAP SPLICE		ROOF RAFTER TO 2 BY RIDGE BEAM	3 - 3" x 14 GAUGE STAPLE 2 - 100 COMMON 3 - 3" x 14 GAUGE STAPLE	TOENAIL	
DOUBLE TOP PLATES	3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL		ROOF RAFTER TO 2 BY RIDGE BEAM	3 - 3" x 14 GAUGE STAPLE 2 - 100 COMMON 3 - 3" x 14 GAUGE STAPLE	FACE NAIL	
BLOCKING BETWEEN JOISTS OR RAFTERS TO TOP PLATE	3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL		LEADER STRAP	4 - 3" x 14 GAUGE STAPLE 3 - 100 COMMON 4 - 3" x 14 GAUGE STAPLE	FACE NAIL	
RIM JOIST TO TOP PLATE	3" x 13" NAIL @ 8" OC 3" x 13" NAIL @ 8" OC 3" x 13" NAIL @ 8" OC	TOENAIL		JOIST TO BAND JOIST	5 - 3" x 14 GAUGE STAPLE 3 - 100 COMMON 5 - 3" x 14 GAUGE STAPLE	FACE NAIL	
CEILING JOIST TO TOP PLATE	3 - 3" x 14 GAUGE STAPLE @ 8" OC 3" x 13" NAIL @ 8" OC 3" x 13" NAIL @ 8" OC	TOENAIL		WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: C, J SEE NOTE: N SEE NOTE: O	
CEILING JOISTS, LAPS OVER PARTITIONS	3 - 100 COMMON NAIL 4 - 3" x 13" NAIL 4 - 3" x 13" NAIL	TOENAIL	(SEE SECT. 2308.10.4.1, TABLE 2308.10.4.1)	WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: N SEE NOTE: O	
CEILING JOISTS TO PARALLEL RAFTERS	3 - 100 COMMON MINIMUM 4 - 3" x 13" NAIL 4 - 3" x 13" NAIL	FACE NAIL	(SEE SECT. 2308.10.4.1, TABLE 2308.10.4.1)	WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	
CONTINUOUS HEADER TO STUD	4 - 100 COMMON 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL		WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	
CEILING JOISTS TO PLATE	3 - 100 COMMON 5 - 3" x 14 GAUGE STAPLE 5 - 3" x 14 GAUGE STAPLE	TOENAIL		WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	
CONTINUOUS HEADS, 2 PCB.	100 COMMON 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	FACE NAIL		WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	
TOP PLATES, LAPS AND INTERSECTIONS	2 - 100 COMMON 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	FACE NAIL		WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	
CEILING JOISTS TO STUD	4 - 100 COMMON 3 - 3" x 14 GAUGE STAPLE 3 - 3" x 14 GAUGE STAPLE	TOENAIL		WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	
CEILING JOISTS TO PARALLEL RAFTERS	3 - 100 COMMON MINIMUM 4 - 3" x 13" NAIL 4 - 3" x 13" NAIL	FACE NAIL	(SEE SECT. 2308.10.4.1, TABLE 2308.10.4.1)	WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	
CEILING JOIST TO PARALLEL RAFTERS	3 - 100 COMMON MINIMUM 4 - 3" x 13" NAIL 4 - 3" x 13" NAIL	FACE NAIL	(SEE SECT. 2308.10.4.1, TABLE 2308.10.4.1)	WOOD STRUCTURAL PANELS & PARTICLE BOARD	1 1/2" CR LESS 2 - 3" x 14 GAUGE STAPLE 2 - 3" x 14 GAUGE STAPLE	SEE NOTE: P SEE NOTE: F	

LETTER:


NOTE:

A COMMON BOX NAILS ARE PERMITTED TO BE USED EXCEPT WHERE OTHERWISE INDICATED.
 B SPANS ARE 48 INCHES OR MORE FOR NAILING OF WOOD STRUCTURAL PANEL AND PARTICLE BOARD DIAGRAMS AND SHEAR WALLS. REFER TO SECTION 2303, NAILS FOR WALL SHEATHING ARE PERMITTED TO BE COMMON, BOX OR CASING.
 C COMMON OR DEFORMED SHANK
 D COMMON
 E DEFORMED SHANK
 F CORROSION-RESISTANT SIDING OR CASING NAIL
 G FASTENERS SPACED 3 INCHES ON EXTERIOR EDGES AND 8 INCHES ON AT INTERMEDIATE SUPPORTS
 H FOR 1/2 INCH SHEATHING & 1/4 INCH LENGTH FOR 25/32 INCH SHEATHING

LETTER:

NOTE:

J CASING OR FINISH NAILS SPACED 6 INCHES ON PANEL EDGES, 12 INCHES AT INTERMEDIATE SUPPORTS, 16 INCHES (20 INCHES IF STRENGTH AXIS IN THE LONG DIRECTION OF THE PANEL, UNLESS OTHERWISE MARKED)
 K PANEL SUPPORTS AT 24 INCHES, CASING OR FINISH NAILS SPACED 8 INCHES ON PANEL EDGES, 12 INCHES AT INTERMEDIATE SUPPORTS.
 L FOR ROOF SHEATHING APPLICATIONS, 8D NAILS ARE MINIMUM REQUIRED FOR WOOD STRUCTURAL PANELS
 M STAPLES SHALL HAVE A MINIMUM CROWN WIDTH OF 7/16 INCH
 N FOR ROOF SHEATHING APPLICATIONS, FASTENERS SPACED 4 INCHES ON CENTER AT EDGES, 8 INCHES AT INTERMEDIATE SUPPORTS.
 O WALL SHEATHING AND 3 INCHES ON AT EDGES, 8 INCHES AT INTERMEDIATE SUPPORTS FOR SUBFLOOR AND
 P FASTENERS SPACED 4 INCHES ON AT EDGES, 8 INCHES AT INTERMEDIATE



Plot Plan