						PERM	IT ISSUE		
City of Portland, N 389 Congress Street,						issue Date MAF	3 A 20AL T	В Н007001	
Location of Construction:		Owner Name:	*******	Owner Address:		OITY OF	OF PORT AND 16441		
20 Pamela St		Sbrega Dennis	C & 20 Pamela Rd		CITY OF	· PORTLAN	<b>19</b> 7 6441		
Business Name:		Contractor Name			Contractor Addr			Phone	
n/a	-	Joseph Difrance	cesco		13 Knight St. Portland 20787857		3785723		
Lessee/Buyer's Name		Phone:			Permit Type:			Zone: 7	
n/a		n/a		]	Additions - Dwellings			_ K-L	
Past Use: Proposed Use:				Permit Fee: Cost of Work:		<u> </u>			
Single Family		Single Family			FIRE DEPT: Approved INSPECTION:		a <u>L</u>		
						☐ Approved☐ Denied	Use Group: PERMU	3 Type: 55 I ISSUED LIBERAENTS	
Proposed Project Description								Klla	
Built attached deck wit	th screenhous	e and pergola			Signature: Signature			MI	
					PEDESTRIAN ACTIVITIES DISTRIC		proved w/Conditions	. , &	
				Signature:		Date:			
Permit Taken By: cih		Applied For: 26/2001			Zoni	ng Approva	al /		
1. This permit applic	ation does no	t preclude the	Spe	cial Zone or Revie	vs Z	oning Appeal	Hjetorie	c Preservation	
Applicant(s) from Federal Rules.			☐ Sh	oreland	☐ Variance		Not in	District or Landman	
2. Building permits do not include plumbing, septic or electrical work.		│ □ w	etland	☐ Miscellaneous		☐ Does N	lot Require Review		
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work			☐ Flood Zone ☐ Con		ditional Use	Require	es Review		
			☐ Subdivision		Inter	Interpretation		ved .	
			☐ Sit	e Plan	□ Арр	roved	Approv	red w/Conditions	
			Maj [	Minor MM	_ Den	ied	Denied	2	
			Date:	3/20/0	/ Date:		Date:		
							PERI WITH R	MIT ISSUED EQUIREMEN	
hereby certify that I and have been authorized to urisdiction. In additions that have the authority such permit.	by the owner is, if a permit if	to make this appli for work described	med procession and in the	s his authorized application is iss	e proposed wor agent and I agr	ee to conform and the code off	to all applicable I ficial's authorized	aws of this	
SIGNATURE OF APPLICANT ADDRES			SS	DATE		PHONE			
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE				DATE		DIJONE			

DATE

PHONE

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

### Minor/Minor Site Review for New Detached Single Family Dwelling, All Purpose Building Permit Application

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 20	PAMELA ROAD  998 Square Footage of Lot 42,	800
Tax Assessor's Chart, Block & Lot           Number         Chart#         3 88 Block#         H Lot# 7 /7-18	Owner: DENNIS & DIANE SBREGA	Telephone#: 797644/ ** call when fem
Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address:	Cost Of } Work: Fee: 186,
Current use:  use:  Project description:  DECKS, SCREENHOUSE, Pt		
Contractor's Name, Address & Telephone  JOSEPH DIFRANCESCO, 13 KNIGHT		Rec'd By:

A "minor/minor" site plan review is required for New Single Family Homes Only. The Site/Plot plan must be prepared and sealed by a registered land surveyor. The following must be submitted:

- 4 copies of the site/plot plan
- 1 copy of the building/construction plan on 32" x 48"
- 1 copy of the site plan/plot plan and construction/building plan on paper no larger than 11" x 17"

### On all commercial/Minor & Major projects must submit the following:

- 1 copy of the site/plot plan
- 2 copy of the building/construction plan on 32" x 48"
- 1 copy of the site/plot and construction /building plan on paper no larger than 11" X 17"

Please note that single family additions and alterations may be hand drawn on regular paper and only ONE copy of the below details will still need to be submitted.

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

### A PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

### A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing
  Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

# SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

#### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Date: 3-26-01

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

BUILDING PERMIT REPORT
DATE: 27 MAYCH 200 ADDRESS: 20 Panela ST. CBL: 388-4007
REASON FOR PERMIT: To Construct deck-Screenhouse & pergola  BUILDING OWNER: Dennis C. Sprega
BUILDING OWNER: Deads C. Shrega
PERMIT APPLICANT: /CONTRACTOR Joseph Di francesco
use group: $B-3$ construction type: $5B$ construction cost: $872000$ , permit fees: $98659$
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions shall be met: */ * 2, * 6 * 11, * 30 * 34 * 35 * 36

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2

Foundations anchors shall be a minimum of 12" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17

Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the

purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

  In the immediate vicinity of bedrooms
  In all bedrooms
  In each story within a dwelling unit, including basements

  21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- (Section 921.0)
  22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
  24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)

25. Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- -28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

29. All requirements must be met before a final Certificate of Occupancy is issued.

- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
  - 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

32. Please read and implement the attached Land Use Zoning report requirements.

33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

(-34. Bridging shall comply with Section 2305.16.

35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

36. All flashing shall comply with Section 1406.3.10.

37. All signage shall be de	one in accordance with Section 310	02.0 signs of the City's B	uilding Code, (The BOCA	A National Building C	ode/1999).

Cc. Lt. McDougail, PFD

nuel/Hoffses, Building Inspector

Marge Schmuckal, Zoning Administrator
Michael Nugent, Inspection Service Manager


PSH 10/1/00

\*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.


\*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00



PROPERTY OF WILLIAM B. AND NANCY S. TROUBH.

LOCATED AT "20 PAMELA STREET, PORTLAND, MAINE.

PURCHASER - DENNIS C. SBREGA AND DIANE MANCINI.



PROPERTY OF WILLIAM B. AND NANCY S. TROUBH.

LOCATED AT "ZO PAMELA STREET, PORTLAND, MAINE.

PURCHASER - DENNIS C. SBREGA AND DIANE MANCINI.

# Preti Flaherty Beliveau Pachios & Haley, LLC

P.O. Box 9546 One City Center Portland, ME 04112-9546 Phone: (207) 791-3000 Fax: (207) 791-3111 Web Page: www.preti.com

# Fax Cover Sheet

То:	City of Portland	Fax: 874-8716	
	Atm: Chris		
			·
			<del></del>
Date	: 3/27/01	From: Dennis C. Sbrega	
Page	s: 2	CMR:	
Re:	Building Permit: Shre	ga Residence, 20 Pamela Rd.	
	•		

## Message

See attached MLIP with footprint of proposed deck and screened - in porch.

Please contact Heather at (207) 791-3000 extension 3144 if you have any difficulty receiving this transmission.

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS MESSAGE IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

# WARRANTY DEED Joint Tenants (Maine Statutory Short Form)

William B. Troubh and Nancy S. Troubh, of Portland, Maine, for valuable consideration, grant to Dennis C. Sbrega and Diane G.

Mancini, as joint tenants, with a mailing address of 35 Rosedale

Street, Portland, Maine 04103, with Warranty Covenants, the
following described real property situated at 20 Pamela Road,

Portland, Cumberland County, Maine:

A certain lot or parcel of land with the buildings thereon, situated in said Portland, and being more particularly described on Exhibit A attached hereto and made a part hereof.

Meaning and intending to convey the same premises described in a deed from William F. Ball and Barbara C. Ball to Grantor dated November 29, 1979, and recorded in the Cumberland County Registry of Deeds in Book 4536, Page 76. Refrence also to deed from William B. Troubh to Nancy S. Troubh dated April 14, 1982 and recorded in Book 4944, Page 248 and deed of Nancy S. Troubh to Williams B. Troubh and Nancy S. Troubh dated October 27, 1986 and recorded in Book 7456, Page 220.

Witness our hands this 24th day of July, 1992.

Saucel Baudoin Witness

William B. Troubh

By: Paul S. Bulger/

His Attorney In Fact

Witness

Nancy S. Troubh By: Paul S. Bulger /

Her Attorney In Fact

STATE OF MAINE CUMBERLAND, ss

July 24, 1992

Personally appeared the above named William B. Troubh and Nancy S. Troubh, and acknowledged the foregoing instrument to be their free act and deed.

Before me,

Actorney at Law/Notary Public

SEAL

JEANNETTE BEAUDOIN NOTARY PUBLIC, MAINE MY COMMISSION EXPIRES APRIL 11, 1997

WART -

#### EXHIBIT A

a certain lot or parcel of land with the buildings thereon situated on the Northerly side of Pamela Street in the City of Portland, in the County of Cumberland and State of Maine, and being lots numbered thirty (30) and thirty-two (32) as delineated on Plan of Crest View Acres, Section 4, made for Cumberland Savings and Loan Association, dated July 21, 1964, and recorded in Cumberland County Registry of Deeds in Plan Book 65, Page 33.

The above described lot #32 is conveyed subject to a twenty-five (25) foot sewer easement on the Easterly side thereof, as delineated on the aforesaid Plan of Crest View Acres, Section 4, and with the exception of a ten (10) foot strip of land along the Northeasterly sideline of said lot #32 condemned by the City of Portland in accordance with instrument dated August 16, 1976 and recorded in said Registry of Deeds in Book 3895, Page 85.

The above described premises are also conveyed subject to the restriction that no dwelling house costing less than \$15,500 shall be erected upon said premises.

> Recorded Cumberland County Registry of Deeds 07/27/92 12:48:57PM Robert P. Titcomb Register





March 22,2001


PROPOSAL 0013

Dennis and Diane Sbrega 20 Pamela Road. Portland, Maine 04103

Fortiand, Maine 04103	en de la companya de	eq.
	Scope of Work	
Install perforated drain system	n in areas of decks #2 and #3 /	
Connect with new & existing	The same of the sa	
	ge door with white (9) lite metal door.	
3	ng damaged during construction	
Framing under deck will be pr	The state of the s	
	own with stainless steel screws.	
Sono tubes to be 4' deep on st		
	s and roof leaders for rear garage roof and	screen porch roof decl
#1 & #2 and screen po		
Provide light fixture for screer	n porch	
Extra supports will be added f	for hot tube Sec, 40/, p	
25 year shingles to be used $\angle$		
Screen porch will be trimmed		
A screen will be removable L	7 19% ( Albania	
Pergola will be built per drawi		
Trim post with pressure treate	ed - if trimmed with cedar additional cost to	) be \$300.00
Daniel at 1/		oosal \$26,400.00
Deposit of 1/2 proposal price	required.	
All work to be completed in a prof	fessional manner according to standard practices.	Any alteration of deviation
	ying extra costs will be executed only upon writter	
	stimate. All agreements contingent upon strikes,	
	our control	
Autho	orized Signature: John Millian	
ACCEPTANCE OF PROPOS	SAL - The above prices, specifications and condit	ons are satisfactory and are
hereby accepted. You are author	ized to do the work as specified. Payment will be	made as outlined above.
3	signature:	
	Checks made payable to	
	Joseph DiFrancesco	








OF PROPERTY, REVIEW W/OWNER.

### GENERAL NOTES

- L VERIFY ALL EXISTING EPHDITIOUS, ELEVATIONS, GRADES
- 2. REPAIR & REPLACE ANY LAWAL OR LANDSCAPING DEMARKS
  DURING CONSTRUCTIONS, FEDTILIZE & RESERVE LAWEL AS DEC.
  3. LUMBER SIZES SHOWN ARE NOWNERS.
- A FRAMING UNDER DECK TO BE PRESSURE TRENTED.
- 5. DECKING TO BE "TREX" 5/4 x 6" SECURED WITH SK SCREWS!
- 6, FOOTINGS TO BE 4-0" DEEP ON STABLE SOIL.
- 7. PAINTING WILL BE BY OWNER!
- 8, PROVIDE WHITE ALUMINUM BUTTERS \$ POOF LEADERS FOR REAR GARAGE ROOF AND ROOF OVER SCHEEN PORCH & DEZK#1 & DEZK#1
- 9. PROVIDE WEATHER PROOF LIGHT FIX AND CONV. OUTLETS AND ALL
- O PROVIDE SUFFORTS POR HOT TUB PER MESTS INSTRUCTIONS
- II. VERTICAL SIDES AT ENDS OF SCREEN HOUSE AND DEELS
  TO BE 1"x2" VERTICAL WITH ">" CPACE DETWEEN, ACCESS
  PANISH SAME."
- 12. FRAMING SPACING FOR DECK (TREX) PER MEGES. INSTRUCTIONS,
- 13, SOMERING MATERIAL, CREWCTED BY OWNER
- 14. TIZEX COLOR TELECTED BY OWNER."
- IS. SCREENS TO FIT TIGHT WITH CLIPS AND BE EASILY REMOVEMBLE.
- 16. ROOPING OVER SCREEN PURCH TO BE 25 YEAR SHINGLE.
- 17. COLUMNS 8" HOLLOW MODD WITH INTERLAL LALLY COL. SUPPORT
- IR ALL WORK PER APPLICABLE CODES,




·SBREGA ·

20 PAMELA IZD. .

- PORTLAND, MAINE 04103

OCT. 20, 1000

OWE.



SCALE 1" = 40'