

G.C. TO CONFIRM DECK LOCATION WITH DOOR OPENING - ALLOW FOR APPROPRIATE CLEARANCES AND ADJUST LOCATION ACCORDINGLY 2X10 PT LEDGER FASTENED INTO FOUNDATION WALL WITH STRUCTURALLY APPROVED FASTENERS. $7'-0\frac{3}{4}$ " SUGGESTED JOIST 2X10 PT @ 12" O.C. ALL JOIST TO BE HUNG ON BOTH **ENDS WITH** STRUCTURALLY APPROVED HANGER AND NAILS. G.C. TO **CONFIRM SIZE OF** JOIST AND THAT $4'-3\frac{3}{4}$ " FLOOR IS STURDY. 4X4 PT POST TO BE PLACED ON 8" SONO TUBE 4'-0" MIN. BELOW GRADE (SEE DETAIL, TYPICAL FOR ALL POSTS) (2) 2X10 PT RIM JOIST, TYPICAL FOR ALL 2X12 PT STRINGERS 10'-0" AT 12" O.C.

SIDE PORCH FRAMING PLAN
1/2" = 1'-0" (WHEN PRINTED AT 24"X36")

APRIL 13, 2017

SICHMOND

TIMM

S

SIDE PORCH

A4

PROGRESS PRINT TON A PROGRESS **PLANS**