

**City of Portland, Maine – Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 71 Front Hill Road, 04107		Owner: Kirk & Carolyn Mutchka		Phone: 737-3744	Permit No: <del>000559</del> 000560
Owner Address: 71 Front Hill Road, 04107		Lessee/Buyer's Name:		Phone:	Business Name:
Contractor Name: Vanguard Shore, MI		Address: 1 Scituate Rd, Cumberland ME		Phone:	
Past Use: Single Family Dwelling		Proposed Use: SAME		COST OF WORK: \$ 42,000.00	PERMIT FEE: \$ 222.00
Proposed Project Description: Raise roof of garage, add 2nd floor Master bedroom, Master bathroom, playroom 25 x 20.		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: R-3 Type: 5B	
		Signature: _____		Signature: <i>POC 44</i>	
Permit Taken By: KW		Date Applied For: MC 5/17/00		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	
				Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied	
Permit Taken By:		Date Applied For:		Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan major <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

CONTACT Don Labrie @ 821-9206 (pager) when Permit is ready for P/U


**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT	ADDRESS:	DATE: 5/17/00	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:

**PERMIT ISSUED WITH REQUIREMENTS**  
CEO DISTRICT




*One Birkdale Road • Cumberland, ME 04021  
(207) 284-9208 • (207) 774-2350 • 1-800-281-9208*

May 24, 2000

To: Marge Schmarkel, City of Portland  
From: Scott Munson  
Re: Murchie Addition  
71 Frost Hill Road  
Portland, Me

As per your conversation with Don Labrie about the Murchie addition, they have agreed to  
discontinue the bar sink, refrigerator and microwave in the new addition entirely. I'm not going  
to change the blueprints because of cost and assume that this letter will serve as notice of the  
deletion to the plans. Any questions, please page me at 821-4992.

*Received 5/25/00*



*One Birkdale Road • Cumberland, ME 04021  
(207) 284-9208 • (207) 774-2350 • 1-800-281-9208*

May 17, 2000

To: Marge Schmarkel  
From: Scott Munson, Eastern Shore Home Improvement  
Re: Murchie Setback, 71 Frost Hill Road, Portland, Me

Our side setback is only 12 feet on the right side of the garage and 14 feet is required. As per our conversation on 5/16/00 we will have to fit this in under City Code S14-436 #2.

The house and garage footprint are 1,540 square feet. The measurements are as follows:

House 26ft x 32ft = 832 square feet  
Rear Addition 14ft x 22ft = 308 square feet  
Garage 20ft x 20ft = 400 square feet

TOTAL SQ. FBFT = 1,540

The 2nd floor addition above garage is proposed at 26 ft x 20 ft = 520 sq feet. This square footage represents approx. 34% of square footage of the foot print. This falls well below the 80%, as in the code.

Any further questions, please page me at 821-4992.

Thank You

*See updated  
plan 5/24/00 stating  
that all kitchen  
facilities shall be  
removed*

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE  
PERMIT IS ISSUED**

**Building or Use Permit Pre-Application  
Additions/Alterations/Accessory Structures  
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction: 71 East Hill Rd, Portland

Tax Assessor's Chart, Block & Lot Number Chart# <u>3888 A</u> Block# <u>A</u> Lot# <u>035</u>	Owner: <u>Kirk &amp; Carolyn Murchie</u>	Telephone#: <u>797-3244</u>
Owner's Address: <u>71 East Hill Rd</u>	Lessee/Buyer's Name (If Applicable)	Cost Of Work: <u>\$413,000.00</u> Fee <u>\$280</u>

Proposed Project Description: (Please be as specific as possible) Raise roof of garage, add 2nd floor Master B-R, Master Bath, Playroom - 26'x20' - See Plans

Contractor's Name, Address & Telephone Eastern Shore H.I. 1 Birkdale Rd, Cumberland ME Reg'd By: JD

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
  - All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
  - All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
  - HVAC/Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.
- You must include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)

- If there is expansion to the structure, a complete plot plan (Site Plan) must include:
  - The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other necessary structures.
  - Scale and required zoning district setbacks

**4) Building Plans (Sample Attached)**


- A complete set of construction drawings showing all of the following elements of construction:
- Cross Sections w/ Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

**Certification**

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: [Signature] Date: 5-17-00

Building Permit Fee: \$30.00 for the 1st \$1000 cost plus \$6.00 per \$1,000.00 construction cost thereafter.



PROPOSED 20' X 26' SECOND  
 STORY ADDITION ABOVE EXISTING  
 GARAGE  
 OKS

using 14-436 #2

NO closer to lot line

front 25' req - 26' shown  
 ↓  
 to Property line

BUILDING PERMIT REPORT

DATE: 17 May 2008 ADDRESS: 31 Frost Hill Rd. CBL: 388A-9-035

REASON FOR PERMIT: Raise roof of garage add 2nd floor Master bedroom/bath

BUILDING OWNER: The Murchie's CONTRACTOR: Eastern Shore HI

PERMIT APPLICANT: \_\_\_\_\_ USE GROUP: R-3 CONSTRUCTION TYPE: 513 CONSTRUCTION COST: 47000 PERMIT FEES: 2820g

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments)  
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: K 1 x 8 x 11 x 13 x 15 x 19  
A 22 x 2 #3

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. Guardsails & Handrails: A guardsail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A,B,H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) See attached
11. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0) See attached
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
14. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
15. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
16. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
17. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

5/17

419. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
- In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year"
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 M.R.S.A refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- X 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- X 28. All requirements must be met before a final Certificate of Occupancy is issued. *see attached*
- X 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements. *see attached*
- X 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- X 33. Bridging shall comply with Section 2305.16.
- X 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

  
 Sarah M. Fortis, Building Inspector  
 cc: L. M. Dougal, PFD  
 Marge Schmuckel, Zoning Administrator

PSH 12660

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

\*\*\*\* ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.

LAND USE - ZONING REPORT

ADDRESS: 71 First Hill Rd DATE: 5/25/00

REASON FOR PERMIT: Raise bed of garage - Add master Bedroom in Playroom

BUILDING OWNER: Murche C-B-I.

PERMIT APPLICANT: ~~Essex~~ Shore

APPROVED: WPH conditus DENIED: \_\_\_\_\_  
#1, #6 #10

CONDITION(S) OF APPROVAL

1. This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
2. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
3. The footprint of the existing \_\_\_\_\_ shall not be increased during maintenance reconstruction.
4. All the conditions placed on the original, previously approved, permit issued on \_\_\_\_\_ are still in effect for this amendment.
5. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will not be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the \_\_\_\_\_ in place and in phases.
6. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
7. Our records indicate that this property has a legal use of \_\_\_\_\_ units. Any change in this approved use shall require a separate permit application for review and approval.
8. Separate permits shall be required for any signage.
9. Separate permits shall be required for future decks, sheds, pool(s), and/or garage.
10. This is not an approval for an additional dwelling unit. You shall not add any additional kitchen equipment, such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals. - received your letter stating any such equipment shall not be installed
11. Other requirements of condition \_\_\_\_\_


Marge Schmuckal Marge Schmuckal, Zoning Administrator




## Egress Windows

At least 1 egress window (or exterior door) is required to be provided in sleeping rooms, below the fourth story to be considered an egress window, all of the following 4 conditions must be met.

Double hung windows




Casement Windows




- Total net clear opening must be a minimum of:
- Egress windows not at grade 5.7 square feet or 821 square inches
- Grade level egress windows 5.0 square feet or 720 square inches

**Caution** . . . . . A window which may meet the minimum opening width & height requirements (of condition 1 & 2) does not qualify as an egress window unless it also meets the total square foot opening requirement. (condition #3)

- 4 Lowest point of the opening must not be more than 44 inches above the floor



# Stairs



	A Maximum Riser Height	B Minimum Tread Depth	C Handrail Height Not part of Guardrail	D Solid Riser Opening	E Guards Height
1 & 2 Family Dwelling	7 3/4"	10"	34" to 38"	4" Maximum Different	42"
All Other Use Groups	7"	11"	34" to 38"		42"

\*Guards along open-sided floor areas and along stairs located less than 36 inches (914mm) above the floor or grade below shall not be less than 36 inches (914mm) in height.

\*Guards shall be located along open-sided walking surfaces, mezzanines, stairways, ramps and landings which are located more than 15 1/2 inches (394mm) above the floor or grade below. The guards shall be constructed in accordance with Section 1021.0.



\*Handrail extensions & returns are not required for stairways within a dwelling with Section 1022.2.3.

\*There must not be a variation exceeding 3/16 of an inch in the depth of adjacent treads or in the height of adjacent risers.

Section 1014.6.2.

\*The difference between the largest and the smallest tread or between the largest and the smallest riser cannot exceed 3/8 of an inch. Section 1014.6.2.

W=36" for 1&2 family homes and occupancies with less than 50 people  
 Section 1014.3  
 Exception #3



# PLUMBING APPLICATION

## PROPERTY ADDRESS

Town or Plantation: Bethesda  
 Street: 97 Fraser Hill  
 Subdivision Lot #: 97 Fraser Hill  
**PROPERTY OWNERS NAME**  
 Last: Prochke First: Mark  
 Applicant Name: David Small  
 Mailing Address of Owner/Applicant (If Different): P.O. Box 5333, Cumberland, MD 21502

### Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspectors to deny a Permit.

Signature of Owner/Applicant: David Small

Date: 8/19

Local Plumbing Inspector Signature

Date Approved

878A-A-035

Department of Human Sciences  
 Division of Health Engineering

PURPLE AND  
 Date Permitted Issued: 8/19/02  
 Local Plumbing Inspector Signature: [Signature]  
 L.P.I. # 011144  
 7391 TOWN COPY  
 \$1011011 FEE Double Fee Charged

### Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

## PERMIT INFORMATION

**This Application is for:**

1.  NEW PLUMBING  
 2.  RELOCATED PLUMBING

**Type of Structure To Be Served:**

1.  SINGLE FAMILY DWELLING  
 2.  MODULAR OR MOBILE HOME  
 3.  MULTIPLE FAMILY DWELLING  
 4.  OTHER - SPECIFY \_\_\_\_\_

**Plumbing To Be Installed By:**

1.  MASTER PLUMBER  
 2.  OIL BURNERMAN  
 3.  MFG'D. HOUSING DEALER/MECHANIC  
 4.  PUBLIC UTILITY EMPLOYEE  
 5.  PROPERTY OWNER

LICENSE # 6776017

Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Number		Type of Fixture	
	Column 2	Column 1	Type of Fixture	Type of Fixture
<p><b>OR</b></p> <p>HOOK-UP: to an existing subsurface wastewater disposal system.</p> <p><b>OR</b></p> <p>HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.</p> <p>HOOK-UP: to an existing subsurface wastewater disposal system.</p> <p>PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.</p>			Hosebibb / Sillcock	Bathub (and Shower)
			Floor Drain	Shower (Separate)
			Urinal	Sink
			Drinking Fountain	Wash Basin
			Indirect Waste	Water Closet (Toilet)
			Water Treatment Softener, Filter, etc.	Clothes Washer
			Grease / Oil Separator	Dish Washer
			Dental Cuspidor	Garbage Disposal
			Bidet	Laundry Tub
			Other: _____	Water Heater
		Fixtures (Subtotal) Column 2	Fixtures (Subtotal) Column 1	
		Fixtures (Subtotal) Column 2	Fixtures (Subtotal) Column 1	
		<b>Total Fixtures</b>	<b>Total Fixtures</b>	

SEE PERMIT FEE SCHEDULE FOR CALCULATING FEE

Fixture Fee	
Transfer Fee	
Hook-Up & Relocation Fee	
Permit Fee	
<b>Total</b>	<u>24</u>

1099008 66 1/2  
 Page 1 of 1  
 HHE-211 Rev. 6/94  
 3:51  
 See Change 10.

# ELECTRICAL PERMIT

## City of Portland, Me.

S/F | DC



P 16992  
10:32  
66

To the Chief Electrical Inspector, Portland Maine:  
The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 7/25/09  
Permit # 643  
CBL# 388A-B-635

SITE LOCATION: 71 West Hill

OWNER Marchie TENANT \_\_\_\_\_

				TOTAL EACH FEE				
OUTLETS	Receptacles	14	Switches	9	Smoke Detectors	3	.20	5.00
FIXTURES	Incandescent	5	fluorescent		Strips	2	.20	1.40
SERVICES	Overhead		Underground		TTL AMPS	<800	15.00	
	Overhead		Underground			>800	25.00	
	Temporary Service		Overhead		TTL AMPS		25.00	
METERS	(number of)						25.00	
MOTORS	(number of)						1.00	
RESID/COM	Electric units						2.00	
HEATING	oil/gas units		Interior		Exterior		1.00	
APPLIANCES	Ranges		Cook Tops		Wall Ovens		2.00	
	Insta-Hot		Water heaters		Fans		2.00	
	Dryers		Disposals		Dishwasher		2.00	
	Compactors		Others (denote)		Washing Machine		2.00	
MISC. (number of)	Air Cond/win						2.00	
	Air Cond/cent				Pools		3.00	
	HVAC		EMS		Thermostat		5.00	
	Signs						10.00	
	Alarms/res						5.00	
	Alarms/com						15.00	
	Heavy Duty(CRKT)						2.00	
	Circus/Carnv						25.00	
	Alterations						5.00	
	Fire Repairs						15.00	
	E Lights						1.00	
	E Generators						20.00	
PANELS	Service		Remote		Main		4.00	
TRANSFORMER	0-25 Kva						5.00	
	25-200 Kva						8.00	
	Over 200 Kva						10.00	
INSPECTION:	MINIMUM FEE/COMMERCIAL	35.00	TOTAL AMOUNT DUE		MINIMUM FEE	25.00	35.00	
	Will be ready _____		or will call _____					

CONTRACTORS NAME Volson Electric MASTER LIC. # 15110  
 ADDRESS 24 Sunset Rd Scarborough LIMITED LIC. # \_\_\_\_\_  
 TELEPHONE 883-8085 Aug. 26/5027 me 04094  
 SIGNATURE OF CONTRACTOR [Signature]