



TYPICAL ROAD CROSS SECTION
NOT TO SCALE

- NOTES:**
- 1) LOAM AND SEED SHALL BE IN ACCORDANCE WITH MDT SPECIFICATIONS 615 AND 618, METHOD #1.
 - 2) AGGREGATE SUBBASE SHALL BE IN ACCORDANCE WITH MDT SPECIFICATIONS, SECTION 403 AND SHALL NOT CONTAIN PARTICLES OF ROCK EXCEEDING 6" IN ANY DIMENSION. MATERIAL FOR ROAD EMBANKMENT SHALL BE SUITABLE EXCAVATED MATERIAL APPROVED BY TOWN INSPECTOR AND MUST MEET MDT SPECIFICATION 703.19 GRANULAR BORROW. SUITABLE GRANULAR FILL MATERIAL SHALL CONSIST OF HARD DURABLE MINERALS LESS VERY FINE SANDS, SILT, CLAY OR ORGANIC MATERIALS. MATERIAL IS TO BE PLACED IN LIFTS NOT TO EXCEED 12 INCHES. COMPACTION SHALL BE ACHIEVED BY MECHANICAL MEANS OF A "DYNAPAC", RIDING ROLLER, OR TRACKING WITH HEAVY EQUIPMENT.
 - 3) ENTIRE WIDTH OF ROAD AND SHOULDERS IS TO BE STRIPPED AND GRUBBED OF TOP SOIL, ORGANICS AND ALL DELETERIOUS MATERIAL. ALL STUMPS AND UNSUITABLE MATERIAL (IF ANY) SHALL BE REMOVED IF WITHIN 5 FEET OF FINISHED GRADE UNDER PAVED AREAS.
 - 4) SEE GRADING PLAN & PROFILE FOR GRADING INTENT.
 - 5) ALL PROPOSED INFRASTRUCTURE LOCATED WITHIN THE ROAD RIGHT OF WAY SHALL MEET CITY OF PORTLAND TECHNICAL MANUAL STANDARDS.




PLAN VIEW



VERTICAL GRANITE CURB DETAIL
N.T.S.

NOTE: PER MDT ITEM 703.06 (B) TYPE D



DESIGN OR POST SPEED (MPH)	65	60	55	50	45	40	35	30	25
"L" IN FEET/INCH OF THICKNESS	65	60	55	50	45	40	35	30	25

NOTES:


1. THE ABOVE LENGTHS ARE INTENDED FOR PROFILE GRADES OF 2% OR LESS. WHEN PROFILE GRADES ARE GREATER THAN 2%, "L" MAY BE ADJUSTED TO SUIT FIELD CONDITIONS WHEN DIRECTED BY THE RESIDENT.
2. WHEN CONSTRUCTING BUTT JOINTS AT INTERSECTIONS OR RAMP, "L" SHALL BE 16 FT/INCH OF THICKNESS UNLESS OTHERWISE DIRECTED BY THE RESIDENT.
3. SPECIAL ATTENTION SHALL BE PAID TO CURB SECTIONS TO ASSURE PROPER DRAINAGE AND THAT THERE ARE NO FLAT AREAS. "L" MAY BE ADJUSTED TO SUIT FIELD CONDITIONS WHEN DIRECTED BY THE RESIDENT.

PAVEMENT OVERLAY BUTT JOINT DETAIL (ROADWAYS)
NOT TO SCALE

TRAFFIC SIGNS


IDENTIFICATION NUMBER	SIGN HEIGHT	SIGN WIDTH	POST PER SIGN	TEXT	NUMBER OF SIGNS REQ'D.	SIGN AREA SQ. FT.		REMARKS
						NOM. AREA	TOTAL AREA	
R1-1	24"	24"	1	STOP	1	4.0	4.0	PER MUTCD

NOTE: ALL SIGNS SHALL CONFORM TO MUTCD STANDARDS AND MDT ITEM 645




* ALL ROAD CROSSINGS AND DRIVEWAY CROSSINGS SHALL BE IN CONDUIT AS APPROVED BY PROVIDER

COMMON TRENCH DETAIL
ELECTRIC/TELEPHONE/FIRE ALARM/CABLE
NOT TO SCALE




SAWCUT DETAIL
NOT TO SCALE



NEW PIPE TO EXISTING MANHOLE CONNECTION DETAIL - 4" TO 24"
NOT TO SCALE


NOTE: CONNECTION TO EXISTING MANHOLE
ALL NEW PENETRATIONS INTO EXISTING MANHOLES SHALL BE PERFORMED BY PORTLAND WATER DISTRICT CREWS. TO SCHEDULE WORK, CONTACT THE DISTRICT'S WASTEWATER OPERATIONS DIVISION AT LEAST TWO WORKING DAYS PRIOR TO THE DATE THE WORK IS TO BE PERFORMED.



NOTES:

1. LOCATE RISER ON POLE AWAY FROM TRAFFIC.
2. BOND GALVANIZED CONDUIT TO GROUND.
3. LEAVE TOP OF CONDUIT OPEN.
4. FIRST SECTION OF RISER SHALL BE GALVANIZED RIGID STEEL OR SCHEDULE 80 PVC.
5. SWEEP SHALL BE GALVANIZED RIGID STEEL.


TYPICAL RISER DETAIL
NOT TO SCALE



NOTE:


1. ALL MATERIAL SHALL BE COMPACTED TO 95% OF THE MAXIMUM PROCTOR DENSITY (MODIFIED)
2. WHEN WATER IS PRESENT IN THE TRENCH, PIPE SHALL BE BEDDED IN CRUSHED STONE

TYPICAL TRENCH SECTION DETAIL
NOT TO SCALE



NOTE: MATCH GRADE OF EXISTING DRIVEWAY AT R. O. W. LINE, EXCEPT WHEN DIRECTED OTHERWISE BY CITY ENGINEER.

DATE: AUGUST 2009 REVISED:	CITY OF PORTLAND, MAINE TECHNICAL STANDARDS MANUAL	TRANSPORTATION SYSTEMS AND STREET DESIGN SECTION I	FIGURE: I-9
DRIVEWAY APRON LAYOUT			



NOTE: DROP MANHOLES ARE NOT REQUIRED FOR STORMWATER SYSTEMS.

TYPICAL OUTSIDE DROP MANHOLE
NOT TO SCALE

DATE: AUGUST 2009 REVISED:	CITY OF PORTLAND, MAINE TECHNICAL STANDARDS MANUAL	SANITARY SEWER AND STORM DRAIN DESIGN STANDARDS SECTION II	FIGURE: II-3
TYPICAL OUTSIDE DROP MANHOLE			

Revision	By	Date	Change
5	SMA	2/12/15	REVISED OWNER/APPLICANT
2	SMA	11/10/14	REVISED PER PEER REVIEW COMMENTS
1	SMA	10/14/14	REVISED PER TOWN COMMENTS

PROJECT NUMBER: 33229.02 ACAD FILE: 33229-DETAILS.DWG SCALE: NTS DATE: AUGUST 4, 2014

CONSTRUCTION DETAILS - SHEET 1

Project Name and Location:
PAMELA ROAD EXTENSION
PAMELA ROAD, PORTLAND, MAINE 04101

Prepared For:
GENEVA VENTURES, LLC
190 US Route 1, PMB 161, FALMOUTH, MAINE 04105

SURVEYING ENGINEERING LAND PLANNING
Northeast Civil Solutions
INCORPORATED

153 US ROUTE 1, SCARBOROUGH, MAINE 04074

tel 207.883.1000 fax 207.883.1001 e-mail info@northeastcivilsolutions.com
800.882.2227

SHEET 8 OF 12

E:\LAND PROJECT\33000\33229_CREST VIEW\PLANSET\33229-DETAILS.DWG