### DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

SCOTT CHAD & JESSICA

Located at

60 Pamela Rd

**PERMIT ID:** 2017-01381

**ISSUE DATE: 10/31/2017** 

389 D011001 CBL:

has permission to

Construction of single family home (2360 sf) with pool. Stories: 2; Bathrooms: 2.5;

**Bedrooms: 4** 

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Greg Gilbert

/s/ Glenn Harmon

Fire Official

**Building Official** 

Type: VB

## THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

**Building Inspections** 

Fire Department

single-family

Use Group: R3

Single family house

**ENTIRE** 

IRC 2009/MUBSC

**PERMIT ID:** 2017-01381 Located at: 60 Pamela Rd CBL: 389 D011001

# BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703

or email: buildinginspections@portlandmaine.gov

# Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

## **REQUIRED INSPECTIONS:**

Final - DRC

Site VISIT

Close-in Plumbing/Framing

**Covering System** 

Electrical - Residential

**Footings** 

Foundation/Backfill

Setbacks and Footings Prior to Pouring

Certificate of Occupancy/Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

**PERMIT ID:** 2017-01381 **Located at:** 60 Pamela Rd **CBL:** 389 D011001

## City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

**Permit No:** 2017-01381

Date Applied For: 08/29/2017

CBL:

389 D011001

Proposed Use:

Single family home

**Proposed Project Description:** 

Construction of single family home (2360 sf) with pool. Stories: 2;

Bathrooms: 2.5; Bedrooms: 4

**Dept:** Zoning **Status:** Approved w/Conditions **Reviewer:** Christina Stacey **Approval Date:** 10/13/2017

Note: R-2 zone Ok to Issue: ✓

Flood Zone C. Panel 2

Proposed pool (water) will be 19' from the house and >10' from side and rear lot lines.

### **Conditions:**

- 1) Separate permits shall be required for future decks, sheds, pools, and/or garages.
- 2) This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
- 3) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

 Dept:
 Building Inspecti Status:
 Approved w/Conditions
 Reviewer:
 Glenn Harmon
 Approval Date:
 10/18/2017

 Note:
 Ok to Issue:
 ✓

#### **Conditions:**

- 1) Construction shall be in compliance with the requirements of the IRC 2009, MUBEC, and Chapter 24 of NFPA 101.
- 2) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.
- 3) Pool and barrier installation shall meet the code requirements of Chapter 42 and Appendix G of the IRC 2009.
- 4) Infiltration barrier is required per IRC 2009 section R703.2.
- 5) The design load spec sheets for any engineered beams and trusses must be submitted to this office prior to the installation of said components.

 Dept:
 Fire
 Status:
 Approved w/Conditions
 Reviewer:
 Greg Gilbert
 Approval Date:
 10/25/2017

 Note:
 Ok to Issue:
 ✓

#### **Conditions:**

1) A sprinkler system shall be installed.

A separate no fee One- or Two-family Fire Sprinkler Permit is required.

The sprinkler system shall be installed in accordance with NFPA 13D. A compliance letter is required.

All control valves shall be supervised in accordance with NFPA 13D. Pad locks shall only be installed on valves designed to be secured in the open position by pad lock.

Application requires State Fire Marshal approval.

2) All construction shall comply with City Code, Chapter 10.

All construction shall comply with 2009 NFPA 101 Life Safety Code, Chapter # 43

All construction shall comply with 2009 NFPA 1, Fire Code.

This review and approval by the AHJ shall not relieve the applicant of the responsibility of compliance with this Code. NFPA 1 (section 1.14.4).

- 3) City of Portland Code Chapter 10 section 10-3 (L) all residential occupancies, and all new multiple occupancies containing attached parking structures or fuel burning appliances shall be protected in accordance with NFPA 720, Standard for the Installation of Carbon Monoxide (CO) Detection and Warning Equipment, 2009 edition. Detectors shall be provided in the following areas.
  - 1. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas
  - 2. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.

**PERMIT ID:** 2017-01381 **Located at:** 60 Pamela Rd **CBL:** 389 D011001

- 4) City of Portland Code Chapter 10 section 10-3 (i) all new single-station and or multiple-station smoke alarms shall be nonionization (photoelectric) type. Smoke Alarms shall be installed per NFPA 101 2009 section 9.6.2.10. Detectors are required to be installed in the following locations
  - 1. Inside all sleeping rooms.
  - 2. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas
  - 3. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.

Fire extinguishers are required per NFPA 1 (2009 Edition) Table 13.6.2. The quantity, size, type and location shall be in accordance with NFPA 1, 13.6.8.

 Dept:
 DRC
 Status:
 Approved w/Conditions
 Reviewer:
 Philip DiPierro
 Approval Date:
 10/31/2017

 Note:
 Ok to Issue:
 ✓

#### **Conditions:**

- 1) The Development Review Coordinator (874-8632) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.
- 2) The applicant shall submit a proposed amended deed that states the owner of lot 41 is responsible for drainage infrastructure located on the lot, and is subject to a maintenance agreement with the City of Portland. The maintenance agreement shall be incorporated into the property deed for lot 41. The proposed deed must be approved by the City and upon approval it must be recorded at the registry of deeds, a copy of which must be returned to the DRC in the Planning Department. This condition must be met prior to the issuance of a Certificate of Occupancy.
- 3) All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland standards prior to issuance of a certificate of occupancy.
- 4) A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext. 8822. The Wastewater and Drainage section of Public Services must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- 5) A street opening permit(s) may be required for your site. Please contact Carol Merritt ay 874-8300, ext. 8822. (Only excavators licensed by the City of Portland are eligible.)
- 6) All Site work (final grading, landscaping, loam and seed) must be completed prior to issuance of a certificate of occupancy.
- 7) The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.
- 8) Erosion and Sedimentation control shall be established and inspected by the Development Review Coordinator prior to soil disturbance, and shall be done in accordance with Best Management Practices, Maine Department of Environmental Protection Technical and Design Standards and Guidelines. All Erosion and Sedimentation control measures must be inspected and maintaned daily.
- 9) The limits of allowable clearing shall be clearly marked with flagging or temporary fencing. Absolutely no clearing is to take place within, or encroach into the "do not disturb/no cut" zone. All conditions listed in the approved subdivision plan, as they relate to this lot shall be followed.
- 10 The applicant shall have a licensed surveyor install, prior to the issuance of any Certificate of Occupancy, permanent mounumentation/pins identifying property corners.
- 11 This site must comply with the Landscape Preservation Standards outlined in the Land Use Ordinance, section 14-526(b)2a, stating that a minimum of 30% of existing trees, ten (10) inches DBH or greater, within the required setback, must be preserved. Trees that are designated to be saved are to be protected during excavation and construction. Tree protection fencing is to be installed around the tree canopy drip line prior to the start of any excavation. Tree protection measures are to be inspected and maintained daily.
- 12 A performance guarantee will be required to cover the cost of site work not completed due to seasonal conditions ie., finish grading, loaming, seeding, mulching, installation of street trees, etc. The performance guarantee must be reviewed, approved, and accepted by the Planning Authority prior to the release of a Temporary Certificate of Occupancy.
- 13 The site shall be developed and maintained as depicted in the approved site plan, written submission of the applicant, and these written conditions of approval. The modification of the approved site plan or alteration of a parcel which was the subject of site plan approval shall require the prior approval of a revised site plan by the Planning Authority.
- 14 Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.

**PERMIT ID:** 2017-01381 **Located at:** 60 Pamela Rd **CBL:** 389 D011001