


EXTRA STRENGTH FILTER FABRIC NEEDED WITHOUT WIRE MESH SUPPORT
 IF PONDING IS ANTICIPATED OR OCCURS DOUBLE NUMBER OF STAKES FOR SUPPORT.
 ATTACH FILTER FABRIC SECURELY TO UPSTREAM SIDE OF POST
 NOTE: PRE-FABRICATED SILT FENCE IS ACCEPTABLE IF INSTALLED PER MANUFACTURER.
 STEEL OR WOOD POST 36" (1m) HIGH MAX.
 10" (3m) MAXIMUM SPACING WITH WIRE SUPPORT FENCE 6" (1.8m) MAXIMUM SPACING WITHOUT WIRE SUPPORT FENCE
 PONDING HEIGHT
 PONDING HEIGHT
 4"x6" (100 X 150mm) TRENCH WITH COMPACTED BACKFILL
 9" MAX. (225mm) STORAGE HT.
 3/4" (20mm) CLEAN STONE
 8" (200mm)
 12" MIN. (300mm)
 12" MIN. (300mm)

LEDGE, FROZEN GROUND, HEAVY ROOTS INSTALLATION WITHOUT TRENCHING

- NOTES:
1. SILT FENCE SHALL BE PLACED ON SLOPE CONTOURS TO MAXIMIZE PONDING EFFICIENCY.
 2. INSPECT AND REPAIR FENCE AFTER EACH STORM EVENT AND REMOVE SEDIMENT WHEN NECESSARY. 9" (225mm) MAXIMUM RECOMMENDED STORAGE HEIGHT.
 3. REMOVED SEDIMENT SHALL BE DEPOSITED TO AN AREA THAT WILL NOT CONTRIBUTE SEDIMENT OFF-SITE AND CAN BE PERMANENTLY STABILIZED.
 4. DO NOT PLACE SILT FENCE IN STREAMS OR CONCENTRATED FLOW CONDITIONS.

SILT FENCE



TYPICAL STREET TREE PLANTING
 NOT TO SCALE


PLANTING SCHEDULE

QUANTITY	BOTANICAL NAME	COMMON NAME	SIZE
2 *	ACER RUBRUM 'RED SUNSET' *	RED SUNSET MAPLE *	6'-7'

*THE SPECIES OF STREET TREES SHALL BE SELECTED FROM THE CITY OF PORTLAND RECOMMENDED STREET TREE LIST (2014). TREES SELECTED FOR PLANTING SHALL VARY, MORE THAN ONE SPECIES SHALL BE PLANTED ALONG PAMELA ROAD.

REVISIONS:	BY:	DATE:	CHANGES:
1	SMA	9/7/17	ISSUED FOR CITY REVIEW

Drawing Name:
LOT #37 THE VESTA CORPORATION
 Project Name and Location:
RESIDENTIAL GRADING PLAN
 PAMELA ROAD, PORTLAND, MAINE 04101
 DATE: AUGUST 7, 2017
 SHEET: 2 OF 2



SURVEYING ENGINEERING LAND PLANNING
Northeast Civil Solutions
 INCORPORATED
 381 PAYNE ROAD, SCARBOROUGH, MAINE 04074
 tel 207.883.1000 fax 207.883.1001 e-mail info@northeastcivilsolutions.com
 www.northeastcivilsolutions.com