DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



[TY OF PORTLAN] IIILDING PERMI

This is to certify that

THE VESTA CORPORATION

Located at

65 Pamela Rd

PERMIT ID: 2017-01519

ISSUE DATE: 11/03/2017

389 E002001 CBL:

has permission to Construction of 2 story (26.5 x32'), single family with attached 1 story (24' x 40'), including 2 car garage; deck & porch.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Greg Gilbert

/s/ Greg Gilbert

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

Use Group:

Type:

Single Family Residence

ENTIRE

2009 IRC / MUBEC

PERMIT ID: 2017-01519 Located at: 65 Pamela Rd CBL: 389 E002001

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703

or email: buildinginspections@portlandmaine.gov

Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

REQUIRED INSPECTIONS:

Final - DRC

Site VISIT

Setbacks and Footings Prior to Pouring

Foundation/Backfill

Foundation/Rebar

Close-in Plumbing/Framing

Flectrical - Residential

Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

PERMIT ID: 2017-01519 **Located at:** 65 Pamela Rd **CBL:** 389 E002001

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 2017-01519 Date Applied For: 09/26/2017

CBL:

389 E002001

Proposed Use: single family

Proposed Project Description:

Construction of 2 story (26.5 x32'), single family with attached 1 story (24' x 40'), including 2 car garage; deck & porch.

Dept: Zoning

Status: Approved w/Conditions

Reviewer: Ann Machado

Approval Date:

10/04/2017

Ok to Issue:

Note: R-2

Panel 2 - Zone X

footprint:

 $26.5 \times 32 = 848 \text{ sf}$

 $24' \times 40' = 960 \text{ sf}$

 $5' \times 26.5 = 132.5 \text{ sf}$

 $12' \times 14' = 168 \text{ sf}$

 $5' \times 6' = 30 \text{ sf}$

 $1.5' \times 5' = 7.5 \text{ sf}$

total = 2146 sf

Conditions:

- 1) As discussed during the review process, the property must be clearly identified prior to pouring concrete and compliance with the required setbacks must be established. Due to the proximity of the setbacks of the proposed strucuture, it may be required to be located by a surveyor.
- 2) With the issuance of this permit and the certificate of occupancy this property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
- 3) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

Dept: Building Inspecti **Status:** Approved w/Conditions

Reviewer: Greg Gilbert

Approval Date:

11/03/2017

Note:

Ok to Issue:

Conditions:

- 1) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.
- 2) Review and approval by the Authority having Jurisdiction shall not relieve the applicant of the responsibility of compliance with
- 3) Separate permits are required for any electrical: plumbing, sprinkler, fire alarm, HVAC systems, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 4) Attic Access will be relocated to the ceiling of the central corridor of the second floor and confirmed before receiving C of O
- 5) All construction shall comply with City Code Chapter 10.

A sprinkler system shall be installed.

A separate no fee One- or Two-family Fire Sprinkler Permit is required.

All smoke detectors and smoke alarms shall be photoelectric.

Hardwired Carbon Monoxide alarms with battery backup are required on each floor.

Sprinkler requirements

The sprinkler system shall be installed in accordance with NFPA 13D. A compliance letter is required.

All control valves shall be supervised in accordance with NFPA 13D. Pad locks shall only be installed on valves designed to be secured in the open position by pad lock.

Application requires State Fire Marshal approval.

Dept: Fire

Status: Approved Pending Appeal

Reviewer: Greg Gilbert

Approval Date:

11/03/2017

Ok to Issue:

Note:

Conditions:

PERMIT ID: 2017-01519 Located at: 65 Pamela Rd CBL: 389 E002001

- 1) City of Portland Code Chapter 10 section 10-3 (i) all new single-station and or multiple-station smoke alarms shall be nonionization (photoelectric) type. Smoke Alarms shall be installed per NFPA 101 2009 section 9.6.2.10. Detectors are required to be installed in the following locations
 - 1. Inside all sleeping rooms.
 - 2. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas
 - 3. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.

Fire extinguishers are required per NFPA 1 (2009 Edition) Table 13.6.2. The quantity, size, type and location shall be in accordance with NFPA 1, 13.6.8.

2) All construction shall comply with City Code, Chapter 10.

All construction shall comply with 2009 NFPA 101 Life Safety Code, Chapter # 43

All construction shall comply with 2009 NFPA 1, Fire Code.

This review and approval by the AHJ shall not relieve the applicant of the responsibility of compliance with this Code. NFPA 1 (section 1.14.4).

- 3) City of Portland Code Chapter 10 section 10-3 (L) all residential occupancies, and all new multiple occupancies containing attached parking structures or fuel burning appliances shall be protected in accordance with NFPA 720, Standard for the Installation of Carbon Monoxide (CO) Detection and Warning Equipment, 2009 edition. Detectors shall be provided in the following areas.
 - 1. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas
 - 2. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.

 Dept:
 DRC
 Status:
 Approved w/Conditions
 Reviewer:
 Rob Wiener
 Approval Date:
 10/20/2017

 Note:
 Ok to Issue:
 ✓

Conditions:

- 1) The site shall be developed and maintained as depicted in the approved site plan, written submission of the applicant, and these written conditions of approval. The modification of the approved site plan or alteration of a parcel which was the subject of site plan approval shall require the prior approval of a revised site plan by the Planning Authority.
- 2) Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- 3) The Development Review Coordinator (874-8632) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.
- 4) All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland standards prior to issuance of a certificate of occupancy.
- 5) A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext . 8822. The Wastewater and Drainage section of Public Services must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- 6) All Site work (final grading, landscaping, loam and seed) must be completed prior to issuance of a certificate of occupancy.
- 7) The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.
- 8) Erosion and Sedimentation control shall be established and inspected by the Development Review Coordinator prior to soil disturbance, and shall be done in accordance with Best Management Practices, Maine Department of Environmental Protection Technical and Design Standards and Guidelines. All Erosion and Sedimentation control measures must be inspected and maintaned daily.
- 9) The limits of allowable clearing shall be clearly marked with flagging or temporary fencing. Absolutely no clearing is to take place within, or encroach into the "do not disturb/no cut" zone. All conditions listed in the approved subdivision plan, as they relate to this lot shall be followed.
- 10 A performance guarantee will be required to cover the cost of site work not completed due to seasonal conditions ie., finish grading, loaming, seeding, mulching, installation of street trees, etc. The performance guarantee must be reviewed, approved, and accepted by the Planning Authority prior to the release of a Temporary Certificate of Occupancy.
- 11 As depicted in revised site plan detail sent by Maria Dimillo 10-18-17, driveway is to be 16' wide at the front property line. The northeast side of the driveway is to be full width for the first 20' out from the face of the garage, then will taper down to 16' at the front boundary.

PERMIT ID: 2017-01519 **Located at:** 65 Pamela Rd **CBL:** 389 E002001