

**BILL TO:**

**SHIP TO:**

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
365010	None		4/13/2017 11:40:56 AM
QUOTED BY	TERMS	PROJECT NAME	QUOTE NAME
Kara Brochu		Unassigned	Adam Requia NO CSG

LINE #	DESCRIPTION	QTY
100-1		5

Classics New Construction Double Hung  
 DE3660, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat,  
 White Int/Black Ext Grille in Airspace, Clear Opening Balance, Top Lift Removed, 31.12 X 26.37 Clear  
 Opening, 5.7 SQFT, Dual Lock, No Balance Covers, No Window Opening Control Device, Insert Full  
 Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61



Opening: 36.5" X 60.5"  
 O.S.M.: 36" X 60"

Tag: A

LINE #	DESCRIPTION	QTY
200-1		2

Classics New Construction Double Hung Narrow Vertical Mull  
 DE3660 ; DE3660, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8"  
 Flat, White Int/Black Ext Grille in Airspace, Clear Opening Balance, Top Lift Removed, 31.12 X 26.37  
 Clear Opening, 5.7 SQFT, Dual Lock, No Balance Covers, No Window Opening Control Device, Insert  
 Full Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61  
 Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61



Opening: 72.5625" X 60.5"  
 O.S.M.: 72.0625" X 60"

Tag: B


QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
365010	None		4/13/2017 11:40:56 AM
QUOTED BY	TERMS	PROJECT NAME	QUOTE NAME
Kara Brochu		Unassigned	Adam Requia NO CSG

LINE #	DESCRIPTION	QTY
--------	-------------	-----

300-1

1

Classics New Construction Double Hung Narrow Vertical Mull  
 DH3648 ; DH3648, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite  
 5/8" Flat, White Int/Black Ext Grille in Airspace, 30.62 X 18.25 Clear Opening, 3.88 SQFT, Dual Lock,  
 w/Balance Covers, No Window Opening Control Device, Insert Full Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61  
 Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61



Opening: 71.5625" X 48"

O.S.M.: 71.0625" X 47.5"


Tag: C

LINE #	DESCRIPTION	QTY
--------	-------------	-----

400-1

1

Classics New Construction Double Hung  
 DH3048, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat,  
 White Int/Black Ext Grille in Airspace, 24.62 X 18.25 Clear Opening, 3.12 SQFT, Single Lock, w/Balance  
 Covers, No Window Opening Control Device, Insert Full Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61



Opening: 30" X 48"

O.S.M.: 29.5" X 47.5"


Tag: D

LINE #	DESCRIPTION	QTY
--------	-------------	-----

500-1

1

Classics New Construction Double Hung Narrow Vertical Mull  
 DH3054 ; DH3054, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite  
 5/8" Flat, White Int/Black Ext Grille in Airspace, 24.62 X 21.25 Clear Opening, 3.63 SQFT, Single Lock,  
 w/Balance Covers, No Window Opening Control Device, Insert Full Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61  
 Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61



Opening: 59.5625" X 54"

O.S.M.: 59.0625" X 53.5"


Tag: E

LINE #	DESCRIPTION	QTY
--------	-------------	-----

600-1

1

Classics New Construction Double Hung  
 DH3060, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat,  
 White Int/Black Ext Grille in Airspace, 24.62 X 24.25 Clear Opening, 4.14 SQFT, Single Lock, w/Balance  
 Covers, No Window Opening Control Device, Insert Full Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61



Opening: 30" X 60"

O.S.M.: 29.5" X 59.5"

Tag: F

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
365010	None		4/13/2017 11:40:56 AM
QUOTED BY	TERMS	PROJECT NAME	QUOTE NAME
Kara Brochu		Unassigned	Adam Requia NO CSG

LINE #	DESCRIPTION	QTY
--------	-------------	-----

700-1  
 Classics New Construction Double Hung Narrow Vertical Mull  
 DE3660 ; DE3660 ; DE3660, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal,  
 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, Clear Opening Balance, Top Lift Removed,  
 31.12 X 26.37 Clear Opening, 5.7 SQFT, Dual Lock, No Balance Covers, No Window Opening Control  
 Device, Insert Full Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61  
 Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61  
 Unit 3: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61




Opening: 108.625" X 60.5"  
 O.S.M.: 108.125" X 60"

Tag: G

LINE #	DESCRIPTION	QTY
--------	-------------	-----

800-1  
 Classics New Construction Double Hung  
 DH3636, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat,  
 White Int/Black Ext Grille in Airspace, 30.62 X 12.25 Clear Opening, 2.6 SQFT, Dual Lock, w/Balance  
 Covers, No Window Opening Control Device, Insert Full Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61




Opening: 36" X 36"  
 O.S.M.: 35.5" X 35.5"

Tag: H

LINE #	DESCRIPTION	QTY
--------	-------------	-----

900-1  
 Classics New Construction Awning  
 AW2424, Operating, White Interior, Black Exterior, Insul Low-E & Argon, 4 Lite 5/8" Flat, White  
 Int/Black Ext Grille in Airspace,, White Handle & Lock, Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.26, SHG: 0.26, VLT: 0.46, CR: 60  
 Energy Star Qualified (Northern)




Opening: 24" X 24"  
 O.S.M.: 23.5" X 23.5"

Tag: I

LINE #	DESCRIPTION	QTY
--------	-------------	-----

1000-1  
 Classics New Construction Direct Glaze Transom  
 TR7214, White Interior, Black Exterior, Insul Low-E & Argon, 6 Lite 5/8" Flat, White Int/Black Ext Grille  
 in Airspace,  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.27, SHG: 0.29, VLT: 0.51, CR: 63  
 Energy Star Qualified (Northern)



Opening: 72" X 14"  
 O.S.M.: 71.5" X 13.5"


Tag: J

LINE #	DESCRIPTION	QTY	SUB-LINES
--------	-------------	-----	-----------

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
365010	None		4/13/2017 11:40:56 AM
QUOTED BY	TERMS	PROJECT NAME	QUOTE NAME
Kara Brochu		Unassigned	Adam Requia NO CSG

1100

1 2




LINE #	DESCRIPTION	QTY
--------	-------------	-----

1100-1

1

Classics 2 Wide Sliding Patio Door  
 PD6068, Left Operating, White Interior, Black Exterior, Insul Low-E & Argon Tempered, 15/15 Lite 5/8"  
 Flat, White Int/Black Ext Grille in Airspace, Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.27, SHG: 0.26, VLT: 0.47, CR: 62  
 Energy Star Qualified (Northern)



Opening: 72" X 80"  
 O.S.M.: 71.5" X 79.5"

Tag: None Assigned

LINE #	DESCRIPTION	QTY
--------	-------------	-----

1100-2 Loose Handle

1

Bright Brass Non-Keyed Handle Shipped Loose

Opening: 0" X 0"  
 O.S.M.:

Tag: None Assigned

All Prices are net. Quote is good for thirty days. Please review all quantities, specifications, and information for accuracy. Special orders can not be returned for credit. Signature implies acceptance of these specifications. Your order will not be processed without authorized signature.

**Thank you for all of your efforts!**

**We appreciate the opportunity to provide you with this quote!**