ANDERSON 400 SERIES BLACK WINDOWS					
NUM	MANUF. #	R.O.-W'x H"	QTY.	GRILLS	NOTES
Ⓐ	TW30410	3'-2¼" x 5'-0¼"	5	4/1	DBL HUNG EGRESS
Ⓑ	TW30410-2	6'-3½" x 5'-0¼"	2	4/1	MULLED DBL HUNG EGRESS
Ⓒ	TW30310-2	6'-3½" x 4'-0¼"	1	4/1	MULLED DBL HUNG.
Ⓓ	TW24310	2'-6¼" x 4'-0¼"	1	4/1	DBL HUNG.
Ⓔ	TW2442-2	4'-11½" x 4'-4¼"	1	4/1	MULLED DBL HUNG. TEMP GLS.
Ⓕ	TW24410	2'-6¼" x 5'-0¼"	1	4/1	DBL HUNG.
Ⓖ	TW30410-3	9'-5¼" x 5'-0¼"	1	4/1	TRIP MULLED DBL HUNG EGRS
Ⓗ	TW30210	3'-2¼" x 3'-0¼"	3	4/1	DBL HUNG.
Ⓘ	A21	2'-0¼" x 2'-0¼"	2	4 LITE	AWNING OPERABLE
Ⓙ	PTR6010	1'-0¼" x 6'-0¼"	2	6 LITE	PICTURE -TRANSOME
Ⓚ	THERMA-TRU FRONT DOOR T.B.D.		1		3/0 - 6/8
Ⓛ	THERMA-TRU GARAGE SIDE DOOR T.B.D.		1		3/0 - 6/8
Ⓜ	20 MIN FIRE RATED DOOR T.B.D.		2		3/0 - 6/8
Ⓝ	FWG6068L	6'-0 x 6'-8"	1	15 LITE	6/0 - 6/8 PINNED SHUT

ALL WINDOWS HAVE THE FOLLOWING: U FACTOR 0.28, SHG 0.26, VLT 0.47 CR 21

NOTE: Ⓢ INDICATES COMBO SMOKE & CO DETECTOR LOCATION

1ST FLOOR .....739 SQ. FT.
2ND FLOOR ...1050 SQ. FT.
TOTAL .....1789 SQ. FT.

3 A2 SLAB & FOUND. WALL DETAIL
3/4" = 1'-0"

4 A2 SLAB & FROST WALL @ GARAGE
3/4" = 1'-0"

All surfaces (inside and outside) of steel columns shall be given a shop coat of rust-inhibitive paint, except for corrosion-resistant steel and steel treated with coatings to provide corrosion resistance. R407.3 Structural Requirements

The columns shall be restrained to prevent lateral displacement at the bottom end. Wood columns shall be not less in nominal size than 4"x4". Steel columns shall be not less than 3"-diameter. Schedule 40 pipe manufactured in accordance with ASTM A 53 Grade B or approved equivalent.

5 A2 THICKEN SLAB DETAIL
3/4" = 1'-0"

PP

2EA. jack studs

2 A3 FIRST FLOOR PLAN
1/4" = 1'-0"

3 Ply 16" Main beam LVL (* The sprinkler system to be installed (13D) meets all state requirements) PP

1 FOUNDATION PLAN
1/4" = 1'-0"

NOTE:
THESE DRAWINGS ARE PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION, THE CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES, ETC. ARE DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. EMPLOYEES OF CURRAN DRAFTING AND DESIGN, ARE NOT REGISTERED ARCHITECTS OR ENGINEERS. ALL DIMENSIONS AND SPECIFICATIONS TO BE VERIFIED BY CONTRACTOR BEFORE THE START OF CONSTRUCTION. CURRAN DRAFTING AND DESIGN, IS NOT RESPONSIBLE OR HELD LIABLE FOR ANY CHANGES TO THE DRAWINGS MADE BY THE CLIENT AND OR CONTRACTOR.

CLIENT _____
CLIENT _____

CURRAN DRAFTING & DESIGN

12 WHITE PINE WAY
FALMOUTH, MAINE 04105
CEL. (207) 632-5320
MIKE@CDDHOME.COM

CITY OF PORTLAND, MAINE — RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 06/13/17

PROJECT NAME

REQUIA
SPEC #4

PROJECT LOCATION

PORTLAND, MAINE

BUILT BY

SHEET NAME

FOUND & 1ST FLR PLAN & DETAILS

© ALL RIGHTS RESERVED
ALL IDEAS, DESIGNS AND PLANS INDICATED OR REPRESENTED BY THESE DRAWINGS ARE THE PROPERTY OF CURRAN DRAFTING & DESIGN AND WERE CREATED AND DEVELOPED FOR USE ON, ON IN CONNECTION WITH THE SPECIFIED PROJECT NAME & ADDRESS. NONE OF SUCH IDEAS, DESIGNS AND PLANS SHALL BE REVISED, REPRODUCED OR COPIED BY ANYONE FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF CURRAN DRAFTING AND DESIGN. THESE PLANS ARE INTENDED FOR A ONE TIME BUILD ONLY. THESE PLANS ARE AN ILLEGAL COPY IF THE LARGE "C" IN THE TITLE BLOCK IS NOT "RED" IN COLOR

DRAWN BY: M.P.C.
CHECKED BY: M.P.C.

SCALE: AS-NOTED
DATE: 04/01/2017
FILE NUMBER 17-0017
REVISIONS:
1 16/08/17
2

A-2