Proud Supplier of:

MATHEWS BROTHERS
MANUFACTURING WINDOWS SINCE 1894

Cus
QUOT

CITY OF PORTLAND, MAINE — RESURGAM

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 06/13/17

BILL TO:

,

SHIP TO:

,

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
365010	None		4/13/2017 11:40:56 AM
QUOTED BY	**TERMS**	**PROJECT NAME**	**QUOTE NAME**
Kara Brochu		Unassigned	Adam Requia NO CSG

LINE #	DESCRIPTION	QTY
100-1		5

Classics New Construction Double Hung
DE3660, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, Clear Opening Balance, Top Lift Removed, 31.12 X 26.37 Clear Opening, 5.7 SQFT, Dual Lock, No Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 36.5" X 60.5"
O.S.M.: 36" X 60"

Tag: A

LINE #	DESCRIPTION	QTY
200-1		2

Classics New Construction Double Hung Narrow Vertical Mull
DE3660 ; DE3660, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, Clear Opening Balance, Top Lift Removed, 31.12 X 26.37 Clear Opening, 5.7 SQFT, Dual Lock, No Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61
Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 72.5625" X 60.5"
O.S.M.: 72.0625" X 60"

Tag: B

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTE
365010	None		4/13/2017 11:40:5
QUOTED BY	**TERMS**	**PROJECT NAME**	**QUOTE NAM**
Kara Brochu		Unassigned	Adam Requia NO

CITY OF PORTLAND, MAINE RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 06/13/17

LINE #	DESCRIPTION	QTY
300-1		1

Classics New Construction Double Hung Narrow Vertical Mull
DH3648 ; DH3648, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, 30.62 X 18.25 Clear Opening, 3.88 SQFT, Dual Lock, w/Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61
Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 71.5625" X 48"
O.S.M.: 71.0625" X 47.5"
Tag: C

LINE #	DESCRIPTION	QTY
400-1		1

Classics New Construction Double Hung
DH3048, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, 24.62 X 18.25 Clear Opening, 3.12 SQFT, Single Lock, w/Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 30" X 48"
O.S.M.: 29.5" X 47.5"
Tag: D

LINE #	DESCRIPTION	QTY
500-1		1

Classics New Construction Double Hung Narrow Vertical Mull
DH3054 ; DH3054, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, 24.62 X 21.25 Clear Opening, 3.63 SQFT, Single Lock, w/Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61
Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 59.5625" X 54"
O.S.M.: 59.0625" X 53.5"
Tag: E

LINE #	DESCRIPTION	QTY
600-1		1

Classics New Construction Double Hung
DH3060, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, 24.62 X 24.25 Clear Opening, 4.14 SQFT, Single Lock, w/Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 30" X 60"
O.S.M.: 29.5" X 59.5"
Tag: F

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
365010	None		4/13/2017 11:40:56
QUOTED BY	**TERMS**	**PROJECT NAME**	**QUOTE NAME**
Kara Brochu		Unassigned	Adam Requia NO C

CITY OF PORTLAND, MAINE RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 06/13/17

LINE #	DESCRIPTION	QTY
700-1		1

Classics New Construction Double Hung Narrow Vertical Mull
DE3660 ; DE3660 ; DE3660, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, Clear Opening Balance, Top Lift Removed, 31.12 X 26.37 Clear Opening, 5.7 SQFT, Dual Lock, No Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61
Unit 2: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61
Unit 3: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 108.625" X 60.5"
O.S.M.: 108.125" X 60"

Tag: G

LINE #	DESCRIPTION	QTY
800-1		3

Classics New Construction Double Hung
DH3636, White Interior, Black Exterior, Insul Low-E & Argon, DLO Width Equal, 4/1 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, 30.62 X 12.25 Clear Opening, 2.6 SQFT, Dual Lock, w/Balance Covers, No Window Opening Control Device, Insert Full Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.28, SHG: 0.26, VLT: 0.47, CR: 61

Opening: 36" X 36"
O.S.M.: 35.5" X 35.5"

Tag: H

LINE #	DESCRIPTION	QTY
900-1		2

Classics New Construction Awning
AW2424, Operating, White Interior, Black Exterior, Insul Low-E & Argon, 4 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace,, White Handle & Lock, Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.26, SHG: 0.26, VLT: 0.46, CR: 60
Energy Star Qualified (Northern)

Opening: 24" X 24"
O.S.M.: 23.5" X 23.5"

Tag: I

LINE #	DESCRIPTION	QTY
1000-1		1

Classics New Construction Direct Glaze Transom
TR7214, White Interior, Black Exterior, Insul Low-E & Argon, 6 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace,
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.27, SHG: 0.29, VLT: 0.51, CR: 63
Energy Star Qualified (Northern)

Opening: 72" X 14"
O.S.M.: 71.5" X 13.5"

Tag: J

LINE #	QTY	SUB-LINES

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTE
365010	None		4/13/2017 11:40:56
QUOTED BY	**TERMS**	**PROJECT NAME**	**QUOTE NAM**
Kara Brochu		Unassigned	Adam Requia NO

CITY OF PORTLAND, MAINE RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 06/13/17

1100 1 2

LINE #	DESCRIPTION	QTY
1100-1		1

Classics 2 Wide Sliding Patio Door
PD6068, Left Operating, White Interior, Black Exterior, Insul Low-E & Argon Tempered, 15/15 Lite 5/8" Flat, White Int/Black Ext Grille in Airspace, Screen Applied
w/Nailing Flange, w/J Channel, No Exterior Casing
Unit 1: UFactor: 0.27, SHG: 0.26, VLT: 0.47, CR: 62
Energy Star Qualified (Northern)

Opening: 72" X 80"
O.S.M.: 71.5" X 79.5"

Tag: None Assigned

LINE #	DESCRIPTION	QTY
1100-2	Loose Handle	1

Bright Brass Non-Keyed Handle Shipped Loose

Opening: 0" X 0"
O.S.M.:

Tag: None Assigned

All Prices are net. Quote is good for thirty days. Please review all quantities, specifications, and information for accuracy. Special orders can not be returned for credit. Signature implies acceptance of these specifications. Your order will not be processed without authorized signature.

Thank you for all of your efforts!

We appreciate the opportunity to provide you with this quote!