Inspections Division
Date: 07/12/17

UR 2017 STEEL POOLS

410

- 52" Steel Wall
- 8" Steel Top Rails
- Steel Uprights
- Painted Steel Bottom Rail
- Steel Top Plates & Bottom Plates
- Steel Stabilizer
- Resin Rail Cover

310-AP

- 52" Steel Wall
- 9" Steel Top Rails
- Wall Printed Uprights
- Steel Stabilizer & Steel Bottom Rail
- Steel Top Plates & Bottom Plates
- Resin Rail Cover
- Aluminum Wall Saver Panel

NEW! 405-SR

- 52" Steel Wall
- 7" Resin Top Rails
- 5.5" Steel Uprights
- Steel Top Plates & Bottom Plates
- Steel Stabilizer

OUR ALUMINUM WALL POOLS

410-AW

- 54" Aluminum Wall
- 8" Resin Top Rails
- Steel Uprights
- Resin Bottom Plate & Bottom Rail
- Steel Stabilizer & Top Plates
- Resin Rail Cover

510-AW

- 54" Aluminum Wall
- 9" Resin Top Rails
- Wall Printed Steel Uprights
- Resin Bottom Rail & Bottom Plates
- Steel Stabilizer & Top Plates
- Resin Rail Cover

NEW! EXCURSION

- 54" Aluminum Stat Wall
- 8" Resin Top Rails
- 6.5" Aluminum Uprights
- Aluminum Bottom Rails

ACCESSORY PACKAGES

SILVER PACKAGE

- Free Pool Delivery–Save $100!
- Slide Lock Ladder
- 75' Clearwater Filter
- 1 HP Pump
- Wide Mouth Skimmer
- Blue Shield Maintenance Kit
- And So Much More! Ask Your Associate For Details.

GOLD PACKAGE

- Free Pool Delivery–Save $100!
- Combo Step Entry & Gate
- 150' Clearwater Filter
- 1.5 HP Pump
- Wide Mouth Skimmer
- Blue Shield Maintenance Kit
- And So Much More! Ask Your Associate For Details

Inspections Division
Date: 07/12/17

Outlook Mail

Download | Fullscreen

Hide email

SBL LLC

Search Mail and People

New | Reply | Delete | Archive | Junk | Sweep | Move to

Namco Specs on pool

Tammy Auger

2W

27 Westbrook <str27@namcopool.com>
Today, 11:33 AM
You

27@namcopool.com>

Reply |

It looks like you're using an ad blocker. To mize the e in your x, sign up for ree Outlook.

201707051029.pdf
564 KB

3 attachments (3 MB) Download all Save all to OneDrive - Personal

Save all to OneDrive - Personal

Hi Chris

Attached is a flyer with specs of pool outlined in addition to the deck ladder, and I've added two pictures of the actual structure from the floor model. You have purchased a 24' 510 series pool, with 9" top rail, resign tops and bottom tracks, 54" height aluminum walls, and verticals are apx 8" wide.

ol outlined in addition to the deck ladder, and I've added
from the floor model. You have purchased a 24' 510 series
nd bottom tracks, 54" height aluminum walls, and verticals

I hope this helps, if I can be of further assistance please let me know.

Thank You,
Tammy Auger

er assistance please let me know.

Inspections Division
Date: 07/12/17

Outlook Mail Download | Full screen

Hide email

SBL LLC

Search Mail and People

New | Reply | Delete Archive Junk Sweep Move to

Namco Specs on pool

2W 27 Westbrook <str27@namcopool.com>
Today, 11:33 AM
You

27@namcopool.com> Reply |

It looks like you're using an ad blocker. To optimize the e in your x, sign up for ree Outlook.

201707051029.pdf
54 KB

3 attachments (3 MB) Download all Save all to OneDrive - Personal

Save all to OneDrive - Personal

Hi Chris

Attached is a flyer with specs of pool outlined in addition to the deck ladder, and I've added two pictures of the actual structure from the floor model. You have purchased a 24' 510 series pool, with 9" top rail, resign tops and bottom tracks, 54" height aluminum walls, and verticals are apx 8" wide.

ol outlined in addition to the deck ladder, and I've added
from the floor model. You have purchased a 24' 510 series
nd bottom tracks, 54" height aluminum walls, and verticals

Hope this helps, if I can be of further assistance please let me know.

Thank You,
Tammy Auger

er assistance please let me know.

Tammy Auger

VinylWorks CANADA

IN-POOL STEP SYSTEM
(Models IN-24 & IN-32)

Inspections Division
Date: 07/12/17

Both shown with optional light

IN-32

IN-24

ADD AN IN-POOL LIGHT TO ENHANCE THE POOL ENVIRONMENT (Sold separately)

FEATURES & SPECS

- Models available in either 24 inch or 32 inch width
- Full step entry for easy climbing
- Includes two sets of deck mount flanges for greater stability within pool
- Adjustable from 46" to 60" deck heights
- Minimal obstruction in pool - unit occupies only 22"
- Optional 12 volt in-pool light available
- Double, extended handrails on both sides for ease of climbing
- Anti skid treads for safe entry & exit
- Extremely easy assembly
- Maintenance free resin to maintain strength & color
- Stainless steel hardware
- Does not restrict water circulation - has great "flow-thru" design
- Available in both white & taupe colors

877-VINYL WK

www.vinylworkscanada.com

Visit our website for further product information