



(1) LAYER OF 5/8" TYPE 'X' GYP. WALL
 BRD. AT GARAGE ADJACENT TO
 INTERIOR LIVING WALLS AND C/G
 INSTALL CONTINUOUS BEAD OF
 SEALANT AT JOINT BETWEEN
 GYP. WALL BOARD AND CONCRETE

SUNROOM SECTION
 SCALE 1/4" = 1'-0"

TYPICAL ROOF CONSTRUCTION
 30 YEAR ARCH. ASPHALT SHINGLES
 FULL COVERAGE ICE & WATER
 SHIELD
 5/8" EXT. GRADE SHEATHING W/CLIPS
 R-49 MIN. POLYURETHANE SPRAY
 FOAM INSULATION (PER SPECS)
 ROOF RAFTERS AS PER. STRUCT.
 FRAMING PLANS
 DRIP EDGE

HURRICANE ANCHOR (TYPICAL)

TYPICAL WALL CONSTRUCTION
 MATCH EXIST. SIDING (CEDAR CLAPPED)
 CONTRACTOR TO CONFIRM SIDING MTL.
 RAINSCREEN PER MANUF.
 RECOM.
 1 LAYER TYFAR HOUSE WRAP
 1/2" EXT. STRUCT. GRADE PLYWOOD
 R-20 MIN. POLYURETHANE SPRAY
 FOAM INSUL.
 2X6 STUD AT 16" O.C.
 1/2" GWB

COPYRIGHT 2015
 PETERSON DESIGN GROUP
 No reuse or reproduction of the
 contents of this document is not permitted
 without written permission of
 PETERSON DESIGN GROUP.
 Peterson Design Group is a subsidiary of Erik
 C. Peterson Custom Residential Design, Inc.

PETERSON DESIGN GROUP
 ARCHITECTURE
 10 Dana Street, Suite 201
 Portland, Maine 04103
 5 West Cl. Smith & Village Green
 Portland, Maine 04103
 Tel. 207-775-3399 Fax 207-775-1939
 Tel. 207-985-1525 Fax 207-985-1527
 info@petersondesigngroup.us

ADDITION AND RENOVATION FOR:
JORDAN RESIDENCE
 ROARING BROOK ROAD * PORTLAND, MAINE

DRAWN BY:
 E.H.L.
CHECKED BY:
JOB No.:
 1445
DATE:
 MARCH 2 2015
 MARCH 4 2015
SHEET No.: