TYPICAL ROOF CONSTRUCTION

30 YEAR ARCH. ASPHALT SHINGLES
FULL COVERAGE ICE & WATER SHIELD
5/8" EXT. GRADE SHEATHING W/CLIPS
R-49 MIN. POLYURETHANE SPRAY FOAM INSULATION (PER SPECS)
ROOF RAFTERS AS PER. STRUCT. FRAMING PLANS
DRIP EDGE

HURRICANE ANCHOR (TYPICAL)

TYPICAL WALL CONSTRUCTION

MATCH EXIST. SIDING (CEDAR CLAPBRD)
CONTRACTOR TO CONFIRM SIDING MTL.
RAINSCREEN PER MANUF. RECOM.
1 LAYER TYPAR HOUSE WRAP
½" EXT. STRUCT. GRADE PLYWOOD
R-20 MIN. POLYURETHANE SPRAY FOAM INSUL.
2x6 STUD AT 16" O.C.
½" GWB

SUNROOM SECTION

SCALE 1/4" = 1'-0"

Note: Dual venting configurations ARE NOT allowed. Appliance MUST be vented EITHER vertically OR horizontally.

B GAS FIREPLACE VENT INSTALL DETAIL

BUILDING SECTION

SCALE 1/4" = 1'-0"

COPYRIGHT 2015
PETERSON DESIGN GROUP
Reuse or reproduction of the contents of this document is not permitted without written permission: PETERSON DESIGN GROUP
Peterson Design Group is a subsidia C. Peterson Custom Residential De

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 05/05/15

PETERSON DESIGN GROUP
ARCHITECTURE
5 Nason Ct., Suite 5, Village Green
Kennebunk, Maine 04043
Tel. 207-985-1526 Fax 207-985-1527
10 Dana Street, Suite 201
Portland, Maine 04101
Tel. 207-775-5399 Fax 207-775 1993
info@petersondesigngroup.us

ADDITION AND RENOVATION FOR:
JORDAN RESIDENCE
ROARING BROOK ROAD * PORTLAND, MAINE

DRAWN BY:	E.H.L.
CHECKED BY:	
JOB NO.:	1445
DATE:	MARCH 2 2015 1 MARCH 4 2015 2 APRIL 1 2015 3 APRIL 30 2015 4 5.4.15
SHEET NO.:	5