

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Permit No: **971226**

Location of Construction: 752 Allen Ave		Owner: Leo Murphy		Phone:		Permit No: 971226	
Owner Address: SAA Pctld, ME 04103		Lessee/Buyer's Name:		Phone: 797-2807		BusinessName:	
Contractor Name:		Address:		Phone:		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED Permit Issued: NOV 13 1997 CITY OF PORTLAND </div>	
Past Use: I-fan		Proposed Use: Same		COST OF WORK: \$ 3,300.00			
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:	
Proposed Project Description: Rebuild/Construct Deck (10 x 16)				Signature: _____ PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____		Zone: R-3 CBL: 397-C-006 Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Mary Gresik		Date Applied For: 04 November 1997					

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

- Zoning Appeal**
- Variance
 - Miscellaneous
 - Conditional Use
 - Interpretation
 - Approved
 - Denied

- Historic Preservation**
- Not in District or Landmark
 - Does Not Require Review
 - Requires Review

- Action:**
- Approved
 - Approved with Conditions
 - Denied

Date: _____

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT *Leo Murphy* ADDRESS: _____ DATE: **04 November 1997** PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

CEO DISTRICT 7

BUILDING PERMIT REPORT


DATE: 12 Nov. 97 ADDRESS: 752 Allen Ave
REASON FOR PERMIT: Rebuild/construct deck (10'x16')
BUILDING OWNER: Leo Murphy
CONTRACTOR: owner
PERMIT APPLICANT: owner APPROVAL: *1, *2, *8, *10, *30 DENIED
USE GROUP A-3 (u) BOCA 1996 CONSTRUCTION TYPE 5B

CONDITION(S) OF APPROVAL


- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.
3. Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating.
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code.
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level.
9. Headroom in habitable space is a minimum of 7'6".
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19.
- In the immediate vicinity of bedrooms
- In all bedrooms

• In each story within a dwelling unit, including basements
In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met.
- 22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 25. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.
- 26. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 27. All requirements must be met before a final Certificate of Occupancy is issued.
- 28. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 29. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).
- 30. *This permit is being issued with the understanding that the existing piers are a minimum of 4' below grade.*
- 31. _____
- 32. _____
- 33. _____
- 34. _____


P. Samuel Hennes, Code Enforcement

cc: Lt. McDougall, PFD
Marge Schmuckal



2x6 CEDAR

2x4 CEDAR

2x2 CEDAR BALUSTERS

4x4

5/4 x 6 CEDAR DECKING

2x8 P.T. FLOOR JOISTS

HOUSE

2x10 LAG BOLTED TO HOUSE

JOIST HANGERS ON EACH 2x8 JOIST

2x12 P.T.

2x12 P.T.

4x4 POST P.T.

4x4 POST P.T.

CITY OF PORTLAND DEPT. OF BUILDING INSPECTION


EXISTING CONCRETE PIER

1'-6"

4'-6"

5'-6"

11'-6"



DEPT. OF BUILDING INSPECTION
CITY OF PORTLAND, ME
NOV - 4 1957
RECEIVED

Applicant: Leo Murphy
Address: 752 Allen Ave

Date: 11/12/97
C-B-L: 397-C-6

CHECK-LIST AGAINST ZONING ORDINANCE

Date - Existing 1957

Zone Location - R-3

Interior or corner lot -

Proposed Use/Work - reconstruct deck - lounge 10x16

Sewage Disposal -

Lot Street Frontage -

Front Yard - 25' req - 25' + shown

Rear Yard - 25' req - 25' + shown

Side Yard - 8' req - 25' + shown

Projections -

Width of Lot -

Height -

Lot Area -

Lot Coverage/ Impervious Surface - 27,287
25%

Area per Family -

Off-street Parking -

Loading Bays -

Site Plan -

25 x 30
16 x 12

Shoreland Zoning/ Stream Protection -

Flood Plains -

