


NEW SIMPSON HTC4 TRUSS CLIP AT

AND AT 6'-0"o.c. MAX., SEE NOTE FOR

ENDS OF NEW PARTITION WALLS

INSTALLATION INSTRUCTIONS

TYPICAL PLATE LAP DETAIL NO SCALE



BUILDING TYPE: CONVERSION PLAN VERSION: FEBRUARY 2015 SITE NUMBER: XXX-XXX STORE NUMBER:

> TACO BELL 1363 WASHINGTON AVE.



FRAMING DETAILS

PROVIDE 1 1/4" GAP BETWEEN BOTTOM OF CONT. 2x AND TOP OF NEW PARTITION WALL NEW SIMPSON HTC4 TRUSS CLIP AT ENDS OF NEW PARTITION WALLS NEW INTERIOR NON-LOAD AND AT 6'-0"o.c. MAX., SEE NOTE FOR BEARING/PARTITION · INSTALLATION INSTRUCTIONS WALL, SEE ARCH. NEW WALL PERPENDICULAR TO EX. TRUSSES NOTE: DO NOT DRIVE NAILS COMPLETELY FLUSH AGAINST THE VERTICAL SLOTS OF THE CONNECTOR. PROVIDE 1/16' GAP BETWEEN NAIL HEAD AND TRUSS CLIP. EXIST. ROOF DECK 2x4 STRAPPING AT BC PANEL EXIST. ROOF JOIST POINTS (24" O.C. MAX) BOLTED TO EXIST. JOIST BOTTOM CHORDS w/ (2) 1/2" DIA. BOLTS (MIN.).

PROVIDE 1 1/4" GAP

PARTITION WALL

BETWEEN BOTTOM OF

CONT. 2x AND TOP OF NEW

NEW INTERIOR NON-LOAD

BEARING/ PARTITION

WALL, SEE ARCH.

FASTERNER "A" = NUMBER/NEAR SIDE OF SIZE OF PLIES POST, TYP. INDICATES "B" = FASTENER **FASTERNER** FAR SIDE OF POST, TYP. BUILT-UP 2x6


TYPICAL HOLDOWN DETAILS NO SCALE 4


(OR GREATER) POST


	DIMT				
BUILT-UP POST					
FASTENING SCHEDULE					
"A"	"B"	"C"	"D"	"E"	'F'
(2)-2x6	10d COMMON	2 1/2"	8"	2 1/2"	1 1/2"
(3)-2x6	10d COMMON	2 1/2"	8"	2 1/2"	1 1/2"
(4)-2x6	SDS25600*	4"	8"	2 1/2"	1 1/2"
(2)-2x4	10d COMMON	2 1/2"	8"	1 1/2"	1"
(3)-2x4	10d COMMON	2 1/2"	8"	1 1/2"	1"
(4)-2x4	SDS25600*	4"	8"	1 1/2"	1"
"*"=SIMPSON SCREW					

BUILT-UP 2x4 POST

TYPICAL BUILT-UP POST DETAIL NO SCALE







TYPICAL WALL CONSTRUCTION DETAIL NO SCALE 8

TYPICAL TOP OF PARTITION WALL DETAILS NO SCALE 3

NEW WALL PARALLEL TO EX. TRUSSES