NOTES:

1. SEE SHEET PL001 FOR LEGEND AND ABBREVIATIONS.
2. CONTRACTOR TO PROVIDE CAPS AT ALL DEAD-ENDED SUPPLY PIPING SHUT-OFF VALVE LOCATIONS WHERE CAPS ARE NOT PRESENT.

KEYED NOTES:

1. CONNECT NEW PLUMBING FIXTURE TO EXISTING WASTE, VENT, CW AND HW PIPING. PATCH WALL/FLOOR AS/IF NECESSARY.
2. 2"V-RISE IN WALL AND CONNECT TO (E)VENT PIPING ABOVE CEILING.
3. 3"FD-A
   ROUTE 3" WASTE PIPING BELOW SLAB AND CONNECT TO (E)4"S. ROUTE 2" VENT UP IN WALL AND CONNECT TO (E)2" VENT PIPING OR LARGER ABOVE CEILING.
4. 1/2"CW - DROP TO WB-A. PROVIDE 1/2" FOLLETT #00130229 FILTER AND CONNECT TO OWNER-SUPPPLIED ICEMAKER. SPILL 1/2" DRAIN LINE FROM ICEMAKER TO FUNNEL DRAIN BELOW COUNTER, SEE DETAIL M9/PL501. PROVIDE 1/2" TRAP PRIMER VALVE.

REV.	DESCRIPTION	DATE
1	CONFORMED SET	4-21-15
0	ISSUED FOR CONSTRUCTION	3-3-15

CONFORMED SET
4-21-15

CURRENT ISSUE STATUS:

PROJECT NORTH

STATE OF MAINE
CALEB J. MILLIKEN
No. 12274
LICENSED
PROFESSIONAL ENGINEER
9/21/15

SMRT
ARCHITECTURE
ENGINEERING
PLANNING
INTERIOR DESIGN
COMMISSIONING
144 Fore Street/P.O. Box 618
Portland, Maine 04104
tel. (207) 772-3846
fax. (207) 772-1070
www.smrtinc.com

L.L. BEAN
CHESHIRE BUILDING RENOVATIONS
PORTLAND, MAINE

FIRST FLOOR
PLUMBING PLAN
SHEET TITLE:

SCALE:	1/8"=1'-0"	DATE:	3-3-15
PROJECT MANAGER:	JLH	GRAPHIC SCALE:	0" 1"
JOB CAP/DRAWN:	CAH/KPB/FV		
A/E OF RECORD:	CJM	SHEET No.	
SMRT CAD FILE:	PL101-14199	PL101	
PROJECT No.	14199-00		

© COPYRIGHT 2013 SMRT INC.

A1 PLUMBING PLAN
1/8" = 1'-0"