

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that

LL BEAN INC

Located at

75 NORTHPORT DR (Unit 6)

PERMIT ID: 2015-01668

ISSUE DATE: 07/29/2015

CBL: 401 A005075

has permission to **For the installation of a Water-Based Fire Suppression System (reworking of the existing sprinkler system to meet the new ceiling and wall layout) for "LL Bean" (Cheshire Building - Unit 6).**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Craig Messinger

/s/ Tammy Munson

Fire Official

Building Official

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD**

Approved Property Use - Zoning

Building Inspections

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES
Please call 874-8703 (ONLY)
or email: buildinginspections@portlandmaine.gov

**Check the Status or Schedule an Inspection On-Line at
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.**
- **Permits expire in 6 months. If the project is not started or ceases for 6 months.**
- **If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.**

REQUIRED INSPECTIONS:

Final - Fire

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

| | | | | |
|--|--------------------------------------|--|--|---|
| City of Portland, Maine - Building or Use Permit | | Permit No: 2015-01668 | Date Applied For: 07/13/2015 | CBL: 401 A005075 |
| 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 | | | | |
| Proposed Use: Same: Office - LL Bean (Cheshire Building - Unit 6) | | Proposed Project Description: For the installation of a Water-Based Fire Suppression System (reworking of the existing sprinkler system to meet the new ceiling and wall layout) for "LL Bean" (Cheshire Building - Unit 6). | | |
| Dept: Zoning | Status: Approved w/Conditions | Reviewer: Tammy Munson | Approval Date: 07/23/2015 | |
| Note: | | | | Ok to Issue: <input checked="" type="checkbox"/> |
| Conditions: | | | | |
| 1) This approves the installation of the system only. It does not certify the use of the building. | | | | |
| Dept: Fire | Status: Approved w/Conditions | Reviewer: Craig Messinger | Approval Date: 07/23/2015 | |
| Note: | | | | Ok to Issue: <input checked="" type="checkbox"/> |
| Conditions: | | | | |
| 1) System shall comply with NFPA 13. | | | | |
| 2) Prior to final inspection the Fire Department shall be provided with the State Sprinkler Permit with RMS sign off and date, and the completed and signed Contractor's Material and Test Certificates. | | | | |
| 3) The entire sprinkler system shall be maintained in accordance with NFPA 25, Standard for Inspection, Testing and Maintenance of Water-Based Fire Protection Systems, 2008 edition. | | | | |
| 4) System acceptance and commissioning must be coordinated with alarm and suppression system contractors and the Fire Department. Call 874-8700 to schedule. | | | | |
| 5) Sprinkler supervision shall be provided in accordance with NFPA 101, Life Safety Code, and NFPA 72, National Fire Alarm and Signaling Code. | | | | |
| 6) All outstanding code violations shall be corrected prior to final inspection. | | | | |
| 7) Shall meet the requirements of 2009 NFPA 1 Fire Code. | | | | |