



- SHEET NOTES**
- TUBE STEEL COLUMN, PROVIDE 2x4 BRUSHED STAINLESS STEEL COLUMN COVER W/ SINKS FOR SLEAM FROM FLOOR TO 7'-2" AFF. PROVIDE 1/2" X 1/2" X 1/2" BRUSHED STAINLESS STEEL CORNER CAPS AT 7'-2" AFF. TO 12" ABOVE CEILING TOP. SEAL TOP OF COVER W/ CLEAR SILICONE. SEE STRUCTURAL DRAWINGS FOR MORE.
 - TUBE STEEL COLUMN ENCLOSED IN WALL OR PARTITION.
 - TUBE STEEL COLUMN TO BE WARRPED IN CLEAR ANODIZED BREAK METAL ENCLOSURE FROM WINDOW SILL TO SOFFIT ABOVE.
 - TUBE STEEL COLUMN, PAINT P-8 FROM FLOOR TO 12" ABOVE CEILING.
 - LINE OF CONCRETE CURB SEE CIVIL DRAWINGS.
 - 4" BOLTS, SEE CIVIL DRAWINGS, THE BOLTS NEXT TO THE R/B DRIVE THRU WINDOW DRAWERS IS TO BE 3'-6" AFF.C.
 - REMOVE DRIVE THRU.
 - 4" BOLTS, SEE CIVIL DRAWINGS.
 - CONDIT SEE E-102 FOR LOCATION. PAINT TO MATCH ADJACENT WALL COLOR.
 - MUCH COOPERATION - CONTRACTOR OR MODEL SHOP IS REQUIRED TO INSTALL ALL MATERIALS. CONTRACTOR TO BE RESPONSIBLE FOR THE COOLER/FREEZER CASES, SUPPLIED BY RITE AID AND INSTALLED BY THE G.C. ANCHORS HOLES TO BE DRILLED 2 1/2" DIA. WITH HEATER PATTERNS SEE PLUMBING DRAWINGS.
 - PLUMBING FIXTURE LOCATION, SEE PLUMBING DRAWINGS.
 - CORONA PLUMBING LOCATION, SEE PLUMBING DRAWINGS.
 - WATER CLOSET, SEE PLUMBING DRAWINGS.
 - LAUNDRY, SEE PLUMBING DRAWINGS.
 - URINAL, SEE PLUMBING DRAWINGS.
 - TOILET PARTITION, FINISH PP-1, SEE FINISH SCHEDULE.
 - ROOF GRANT / OVERFLOW PRING LOCATION, SEE PLUMBING DRAWINGS.
 - WATER SERVICE LOCATION.
 - SPRINKLER SERVICE LOCATION WHEN REQUIRED.
 - 3" x 6" x 3" AREA TO REMAIN CLEAR FOR ACCESS TO SPRINKLER ROOF GRANT SEE P-101.
 - PURE WATER COOLER BY VERTX, SHIPPED AND INSTALLED BY THE G.C. SEE A12/P-201.
 - LINE OF MEZZANINE ABOVE.
 - LINE OF SLOTH ABOVE. SEE REFLECTED CEILING PLAN ON A-103.
 - DRYWALL ON BACK SIDE OF VALANCE TO EXTEND TO ROOF DECK.
 - ALUM. FINISH FACES W/ SLOTH ABOVE OR EDGE OF WINDOW.
 - COOLER CASES, SUPPLIED AND INSTALLED BY RITE AID, CONTRACTOR TO COORDINATE POWER, MECHANICAL AND WASTE CONNECTIONS.
 - LINE OF MEZZANINE STAIRS, SEE A-703.
 - SELF-DRAINING COOLER BY RITE AID AND INSTALLED BY G.C.
 - ROOF LABOUR AND HATCH OPENING ABOVE, RE-9/A-702.
 - CEILING GRID HANG FROM STRUCTURE ABOVE, SEE DETAIL E5/A-701.
 - CEILING GRID TO BE INSTALLED WITH 1/2" X 1/2" X 1/2" BRUSHED STAINLESS STEEL CORNER CAPS AT 7'-2" AFF. TO 12" ABOVE CEILING TOP. SEAL TOP OF COVER W/ CLEAR SILICONE. SEE STRUCTURAL DRAWINGS FOR MORE.
 - FREEZER CASES, SUPPLIED BY AND INSTALLED BY RITE AID, CONTRACTOR COORDINATE POWER, MECHANICAL AND WASTE CONNECTIONS.
 - EXTENT OF ADA TRAINING REQUIREMENTS.
 - WATER RESISTANT GYPSUM BOARD BEHIND PHARMACY SINK.
 - ROLLING SECURITY GRATE, SEE DOOR SCHEDULE ON A-801.
 - UNSUBST W/ 1/2" ALUMINUM TIE TO WALL FRAMING FOR LATERAL RESISTANCE.
 - REPRESENTATIVE CASES, CONTRACTOR TO SUPPLY AND COORDINATE POWER, MECHANICAL AND WASTE CONNECTIONS.
 39. C.C. TO PROVIDE REQUIRED REST ROOM SERVICE. SEE DETAIL 40. FINISH BY RITE AID, INSTALLED BY G.C. SEE FIXTURE PLAN ON A-104.
 - FURNITURE BY RITE AID, SEE FIXTURE PLAN ON A-104.
 - APPLIANCES BY RITE AID, SEE NOTE 14 ON E-102.
 - SECURITY PERSTERS BY RITE AID, SEE NOTE 14 ON E-102.
 - CART GUIDO TRAINING - SUPPLIED BY RITE AID, INSTALLED BY G.C. NOT USED.
 - PIVOT AND COMPRESSORS W/ 5" DEEP RTI RECESSED INTO SLAB.
 - FIRE EXTINGUISHERS, PROVIDED BY AND INSTALLED BY RITE AID, SEE A-104.
 - RITE AID PROVIDE TEMPLATES ON 1" SPACING.
 - REINFORCING BARS TO BE INSTALLED ON 18" DIA. #14@ 18" ON-X. MOUNT ON SALES AREA SIDE OF THE DOOR.
 - C.C. TO INSTALL COVE BASE, CB-2 ON BOTH SIDES OF EXPOSED PORTIONS OF CHECKOUT.
 50. 30"x30" ACCESS PANEL MOUNTED 1'-0" AFF. SEE K1/A-801.
 - CONSULTATION CABINET SUPPLIED BY RITE AID AND INSTALLED BY RITE AID. THE 3" BUILD OUT IS LOCATED ON THE SIDE OF THE OPENING CLOSET TO THE PICK-UP COUNTER.
 - PHARMACY ADMINISTRATION COUNTER BY RITE AID, INSTALLED BY RITE AID.
 - WORK COUNTER PROVIDED BY RITE AID, INSTALLED BY G.C. RE: H15/A-702.
 - SHELVING BY RITE AID, INSTALLED BY G.C.
 - EQUIPMENT RACK BY RITE AID, RE: H15/A-702.
 53. 2" X 4" ALUMINUM CORNER MOUNTED ON FLOOR.
 54. COAT RACK, PROVIDED BY RITE AID AND INSTALLED BY G.C.
 55. CARPANOVO ROCK FOUR FEET AT 10" O.C.
 - TACKBOARD.
 - CONDUIT CHASE. SEE WORK COUNTER DETAIL H15/A-702 FOR MORE INFORMATION.
 57. 2" BUMPER RE: A-102.
 58. KFC CABINET BY RITE AID, 11-3/4" X 7-7/8" X 2-3/8" INSTALL WOOD BLOCKING BETWEEN STUDS TO MAKE A SCORE MOUNT.
 64. OUTLET LOCATION SEE E-102.
 65. EXTEND WALL PANEL, 12" BEHIND ADJACENT STORE FIXTURE.
 66. MIRROR WALL TO BE 8'-0" AFF. ENCLOSE TOP OF WALL WITH 8'-0" AFF.
 67. WALLS AT THIS AREA TO RECEIVE MARBLE PANELS PP-2 TO 8'-0" AFF.
 68. INSTALL WOODRUE RESISTANT C/P. BD. BEHIND PLUMBING FIXTURE.
 69. 4'-0" HIGH WINDOW OF 1/2" THER TREATED PLYWOOD.
 70. SCHEDULE OF WINE MOUNT BUMPER E-101.
 71. 2" BUMPER RE: A-102.
 72. GENERAL CONTRACTOR SHALL TAPE AND PRIME C/P. IN AREAS WHERE SHELVING IS TO BE INSTALLED NO PAINTING IS REQUIRED.
 73. MARBLE ALUMINUM CORNER MOUNTING COLOR TO MATCH PP-2.
 74. MARBLE ALUMINUM CORNER MOUNTING COLOR TO MATCH PP-2.
 75. FLOOR DRAIN, PITCH SLAB TO MEET DRAIN.
 76. CABINETS PROVIDED BY RITE AID, INSTALLED BY G.C. SEE DETAIL H15/A-702 FOR MORE INFORMATION.
 77. LOCKERS BY RITE AID, INSTALLED BY RITE AID.
 78. 18" BRACKET SUPPLIED BY RITE AID AND INSTALLED BY G.C.
 79. FIRE ALARM PULL STATION, MOUNTED 48" AFF. TO CENTER LINE OF PULL STATION RE: E-103.
 80. 2x4 - 3/4"x3/4" CLEAR EXON CORNER GUARD BY KOROBOARD FROM 7'-1" AFF. TO CEILING.

GENERAL NOTES

- BASE CB-2 IS TO BE INSTALLED ON ALL EXPOSED WALLS IN RETAIL AREA.
- MARBLE PAINTING TO EXTEND BEHIND PERIMETER WALL.
- FINISH FIXTURE LOCATIONS SHALL BE PER RITE AID APPROVED FIXTURE PLAN.
- GENERAL CONTRACTOR SHALL FRAME THE WALLS BEHIND GRAPHIC WALL COVERINGS - COORDINATE WITH GRAPHIC DEC'S.
- REFER TO SHEET A-102 FOR FINISH MATERIAL SCHEDULE.
- PAINT TO OVER LAP AREAS WHICH RECEIVE WALL COVERING BY 2".

LEGEND

P-9	FINISH MATERIAL TAG	ROOM NAME	ROOM NUMBER
XXX			

REVISIONS

1	ISSUED FOR BUILDING PERMIT/CC BIDDING
10-27-06	

DATE 10-27-06
PROJECT NO. 0025
THE RITE AID STORE #4122
WASHINGTON & ALLEN AVENUE
PORTLAND, MAINE

ARCHITECTURE
 BRUCE ROYANNE HAMILTON ARCHITECTS
 100 N. MAIN ST. 3RD FLOOR
 PORTLAND, ME 04101
 (207) 875-1100
 WWW.BRUCEROYANNE.COM

CKD
 Checked
 Approved
 Project No. 0025
 Date: 10-27-06
A-601