Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/31/13

GRAPHIC LEGEND

- GWB CEILING OR SOFFIT
- 2x2 FLUROSCENT LIGHT
- Room name 101 — ROOM NUMBER
- PENDANT LIGHT
- C3 9' - 6" — CEILING TYPE / CEILING HEIGHT
- EXTERIOR RECESSED LED CAN
- EXP. — EXPOSED TO STRUCTURE ABOVE
- EXTERIOR RECESSED LED CAN - 6"
- LED ROPE LIGHTING
- SECURITY CAMERA, CEILING MOUNTED
- EXTERIOR EMERGENCY LIGHT
- SECURITY CAMERA, WALL MOUNTED
- BATHROOM FAN
- CEILING MOUNTED SPEAKER
- HVAC SUPPLY
- EMERGENCY LIGHT
- MOTION SENSOR
- HVAC RETURN
- EXIT SIGN
- ELECTRICAL SWITCH
- 3 WAY ELECTRICAL SWITCH

CEILING TYPES

C1 - 2' X 2' ACOUSTIC CEILING TILE
C2 - GWB ON MTL. CHANNELS
C3 - METAL PANEL - 12" PANEL WITH 4" V GROOVES
C4 - METAL PANEL - 12" SMOOTH

CEILING GENERAL NOTES

1. Ceiling plans do not show every fixture or component. Refer to electrical, plumbing, mechanical and structural drawings for extent of all ceiling penetrations and installations and coordinate prior to installation.

2. Center grid layout in all rooms unless noted otherwise.

3. All components mounted in or below a suspended acoustic ceiling shall be centered in the ceiling tile or in the 2x2 portion of tegular tiles. This shall include, but not be limited to, light fixtures, diffusers, speakers, and sprinkler heads.

4. Prior to the installation of ceilings, allow for an above-ceiling inspection of components that will not be visible when the ceilings have been installed.

LIGHT FIXTURE TYPES

A	YLIGHTING ITEM CODE: LPL-PH50 FINISH: 5741910535 - COCONUT WHITE WATTAGE: 200 LAMP TYPE: INCANDESCENT
B	6" DIA. EXTERIOR RECESSED CAN (CANOPIES)
C	12" DIA. EXTERIOR RECESSED CAN (DRIVE-THRU)
D	EXTERIOR EMERGENCY LIGHTING
(E)	EXISTING FIXTURE TO BE RE-USED AND/OR RELOCATED

B5 DETAIL @ OVAL CEILING
1 1/2" = 1'-0"

A5 TYPICAL DETAIL @ GWB SOFFITS
1 1/2" = 1'-0"

A4 FIRST FLOOR CEILING PLAN
1/4" = 1'-0"

TRUE NORTH
PLAN NORTH

PDT ARCHITECTS
49 DARTMOUTH STREET
PORTLAND, MAINE 04101
207-775-1059
www.pdtarchs.com

COPYRIGHT
PDT Architects
Reuse or reproduction of the contents of this document is not permitted without written permission of PDT Architects.

CUMBERLAND COUNTY FEDERAL CREDIT UNION
1345 Washington Avenue, Portland, ME

LICENSED ARCHITECT BRIAN M. MOLEY No. 1331 STATE OF MAINE

JOB NO. 12044

DRWN. Author
CHECK Checker

SCALE: As indicated

ISSUE
30 August, 2013

TITLE
REFLECTED CEILING PLAN

SHEET
A101