Location of Construction:  Ray St/Marlborough	ld Newcomb, Stephen		772-1	4 2 2	Permit No: 9 7 0 5 6 0
Owner Address: 120 Zangroft St Ptld, M	Lessee/Buyer's Name:	Phone:	Busines:	sName: 09 (w) Kathiesu	Permit ISSUED
Contractor Name:	Address:	Phone	e: 232-62		Permit Issued 133ULU
Past Use:	Proposed Use:	COST OF WOR		PERMIT FEE: \$ 595.00	JN - 9 1997
Vacant Land	Conet 1-2sh	FIRE DEPT.   I	Approved Denied	INSPECTION: Use Group: Type:	CITY OF PORTLAND
		Signature:		Signature:	Zone. CBL: 406-2-036
Proposed Project Description:	£,		CTIVITIE	S DISTRICT (P.A.D.)	Zoning Approval:
Constance Single family Dr w/attached (26 % 320 gara)	€ .		Approved Approved v Denied	with Conditions:	Special Zone or Reviews:  ☐ Shoreland ☐ Wetland ☐ Flood Zone
w/deck (6 x 16)	* * * * * * * * * * * * * * * * * * *	Signature:		Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
Permit Taken By: Mary Greetk	Date Applied For:	US Way 1997			Zoning Appeal
<ol> <li>This permit application does not preclude the</li> <li>Building permits do not include plumbing, s</li> <li>Building permits are void if work is not started tion may invalidate a building permit and started</li> </ol>	eptic or electrical work.  ed within six (6) months of the date of is				□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied
			PERI	MIT ISSUED	Historic Preservation  ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review  Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable here.	as his authorized agent and I agree to	conform to all applicables authorized represental de(s) applicable to such	tive shall hat permit	ns jurisaiction. In addition,	☐ Appoved ☐ Approved with Conditions ☐ Denied  Date:
arous concide by such primer in any service		%;	du si ribiditatio i	Mr. Mar. B	
	ADDRESS:	OS Ney	•	PHONE:	

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE:

CEO DISTRICT

10/21
Me News !!
District Part of the second se
west su
House
Refund Chile
Vel our of
Inspection Record

Туре	Date
Foundation:	
Framing:	
Plumbing:	
Final:	
Other:	

### BUILDING PERMIT REPORT

DATE: 6/7/97 ADDRESS: BAY ST / Marl borough RCI
REASON FOR PERMIT: To ConsTruct a Single Family dwelling
BUILDING OWNER: Newcomb, STephen & Kathleen
CONTRACTOR:
PERMIT APPLICANT: Kathleen APPROVAL: 4/*2*5 * 6/*7 *8 *98 10*1/ *15 DENIED
•

#### CONDITION(S) OF APPROVAL

- ∠1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
  - 3. Precaution must be taken to protect concrete from freezing.
  - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- W7. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- ★8. Headroom in habitable space is a minimum of 7'6".
- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
- 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- Every sleeping room below the fourth story in buildings of use Groups R and 1-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
- 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 16. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 17. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 18. The Sprinkler System shall maintained to NFPA #13 Standard.
- 19. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- ₹24. Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.
- 425. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.
  - This permit is being issued with the understand That before any Framing begins your plan that was submitted with your building application must be review with a structural Engineer for Clanfication on a number of areas, Species and grade of Lumber, your plans show douglass firm which is ok

but To obtain it here could be a problem The garage Must be on a minimum of 8" Frost wall- wood shake roof shindles are Not allowed in PTLD-The roof dosign

Load 13 wrong - Please cull This office if you have any question

P. Surruel Fightes, Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal

**∠26.** 

24.

2/8.

## CITY OF PORTLAND, MAINE SITE PLAN REVIEW (ADDENDUM) CONDITIONS OF APPROVAL

APPLICANT:	KATHLEEN & STEPHEN NEWCOMB
ADDRESS:	26 BANCROFT ST. PONTUANO
	SS/LOCATION:
DATE: 6/	2/97
Review by the lonly and does recompletely finite	Development Review Coordinator is for General Conformance with ordinances and standards not relieve the applicant, his contractors or agents from the responsibility to provide a shed site, including but not limited to: increasing or concentrating of all surface runoff onto wastream properties, issues regarding vehicle sight distance, location of public utilities and
CONDIT	IONS CHECKED OFF BELOW WILL BE ENFORCED FOR YOUR SITE PLAN
1	All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland Standards prior to issuance of a Certificate of Occupancy.
2	Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
3	Your new street address is now, the number must be displayed on the street frontage of your house prior to issuance of Certificate of Occupancy.
4	The Development Review Coordinator (874-8300 ext. 8722) must be notified five (5) working days prior to date required for final site inspection. <u>Please</u> make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. <u>Please</u> schedule any property closing with these requirements in mind.
5	Show all utility connections: water, sanitary sewer, storm drain, electric, telephone, cable.
5.	A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext. 8828. The Wastewater and Drainage section of Public Works must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
7. <u>V</u>	A street opening permit(s) is required for your site. Please contact Carol Merritt at 874-8300, ext. 8828. (Only excavators licensed by the City of Portland are eligible.)

8	As-built record information for sewer and stormwater service connections must be submitted to Parks and Public Works Engineering Section (55 Portland Street) and approved prior to issuance of a Certificate of Occupancy.
9	The building contractor shall check the subdivision recording plat for pre-determined first floor elevation and establish the first floor elevation (FFE) and sill elevation (SE) to be set above the finish street/curb elevation to allow for positive drainage away from entire footprint of building.
10.	The site contractor shall establish finish grades at the building foundation, bulkhead and basement windows to be in conformance with the first floor elevation (FFE) and sill elevation (SE) set by the building contractor to provide for positive drainage away from entire footprint of building.
11.	A drainage plan shall be submitted to and approved by Development Review Coordinator showing first floor elevation (FEE), sill elevation (SE), finish street/curb elevation, lot grading, existing and proposed contours, drainage patterns and paths, drainage swales, grades at or near abutting property lines, erosion control devices and locations and outlets for the drainage from the property.
12.	The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.
13.	KNODED SOIL SHAW BE KENT ON SITE. PLEASE NOTE THE ENSION CONTACL HANDBOOK REFERENCE ON ATTACH MOMO TO BUILDENS.

Katherine Staples, P.E., City Engineer

cc:

# CITY OF PORTLAND, MAINE PUBLIC NOTICE

To All Building Permit Applicants and/or Contractors:

Effective immediately all temporary erosion control measures as shown on submitted site plans or as made part of a conditional approval of a site plan shall be installed, maintained, and inspected for proper functioning. Erosion control measures include but are not limited to silt fencing hay bales, stone check dams, earthen berms, stone lined swales, riprap embankments, riprap inlet/outlets of any pipe channel or culvert, sodded or grass strips, hay mulch cover on exposed soils, jute matting or erosion control blanket/matting, geotextile grids or webbing, and any provision approved by the City Engineer or Development Review Coordinator to decrease erosion or sedimentation.

All temporary and permanent erosion control measures shall be in conformance with the Maine Erosion and Sediment Control Handbook for construction: Best Management Practices as published by Cumberland County SWCD and the Maine Department of Environmental Protection. Consistent failure to install, maintain, or construct in an acceptable manner will result in a stop work order on the building permit. All erosion control measures shall be established in proposed areas of disturbed soils resulting from construction activities prior to actual construction unless a specific deadline has been made a condition of approval or agreed to by a Public Works Engineer or the Development Review Coordinator.

Effective immediately any request for Certificate of Occupancy will be denied if the above measures have not been addressed or completed. Only under extreme conditions, due to weather, shall the omission of the erosion control standards be included on the conditions for a Certificate of Occupancy, otherwise the request for a Certificate will be refused.

The City of Portland Planning Department and Public Works Department consider Erosion and Sediment Control Planning to be an absolutely necessary initial construction activity that requires as much attention and enforcement as building construction. For the protection of sensitive waterbodies, undisturbed lands, neighboring properties, established vegetated areas, and municipal drainage systems please pay careful attention to erosion and sediment control measures and conform to the notes, details, and conditions of approval as noted on your approved site plan. These controls must be installed and maintained continuously throughout the construction period. The City may inspect the site at any time to ensure compliance, and violations could result in work stoppage orders as indicated above.

We appreciate your prompt compliance with these requirements.



### CITY OF PORTLAND Planning and Urban Development Department

#### MEMORANDUM

TO:

Joseph E. Gray, Jr., Director of Planning and Urban Development

Alexander Jaegerman, Chief Planner

FROM:

James Seymour, Acting Development Review Coordinator

DATE:

April 5, 1995

SUBJECT: Disclaimer Statement of Existing Poorly Drained Areas

It is the responsibility of the lot owner/homebuilder to assess drainage and provide for appropriate stormwater management design and engineering in an area which has evidence of poor hydrologic soil conditions, and/or a history of poor drainage, ponding, or soils saturation due to topography, fluctuation of seasonal ground water tables creating surface flooding, or as a result from rainfall events or snow/ice melts. The City of Portland is not responsible for resolving the drainage of land areas which could be described in any one of the above conditions.

The City of Portland Development Review Coordinator reviews lot grading for all single family homes to assure that field elevations will conform to the grades which exist at the abutting property line or to the grades which have been previously approved at the abutting property lines. The construction standards require that final foundation elevations be provided on site plans which are a minimum of 2 1/2 feet higher than street grades established at the frontage of the lot and provide positive drainage away from the entire foundation perimeter, including garage, and all basement accesses (ie. bulkheads, doorways and windows). As long as these standards are strictly enforced, most water problems on single family lots will be avoided. However, in locations with clear evidence of hydric soils, the following note shall be placed on all approved site plans:

> "The City of Portland Development Review Coordinator has reviewed and approved this plan. The lot is located in an areas that is subject to seasonal conditions of saturation by surface or groundwater. Approval of this plan does not constitute a guarantee that no water problems will be experienced by the homeowners in this vicinity. Homeowners are advised to exercise care and diligence to ensure that their home and yard is adequately constructed and graded for localized drainage conditions."

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development Joseph E. Gray Jr. Director

#### CITY OF PORTLAND

June 7, 1997

Stephen & Kathleen Newcomb 126 Bancroft St. Portland, Me. 04102

RE: Ray/ Marlborough St. 406-F-036

Dear Sir:

Your application to construct a single family dwelling with attached garage and deck has been reviewed and a permit is herewith issued subject to the following requirements. This permit does not excuse the applicant from meeting applicable State and Federal Laws.

NO CERTIFICATE OF OCCUPANCY WILL BE ISSUED UNTIL ALL REQUIREMENTS OF THIS LETTER ARE MET.

#### **Site Plan Review Requirements**

**Building Inspection: Conditions**: Approved with conditions that any future decks and/or pools would require separate permits M. Schmuckal

Development Review Coordinator: Approved with conditions: See attached. J. Wendel

#### **Building and Fire Code Requirements**

1. Please read and implement items 1, 2, 6,7,8,9,10,11,15, 20, 24,25&26 of the attached building permit report.

Pranto Hoffses Chief Building Inspector

c: M. Schmuckal

J. Wendal



Pink - Building Inspections

# CITY OF PORTLAND, MAINE DEVELOPMENT REVIEW APPLICATION PLANNING DEPARTMENT PROCESSING FORM

	umber

Ray St/Marlborough Rd

TATIS PO	PLANNING DEPARTME	INT PROCESSING FORM	
Kathleen & Stephen		$\overline{\Delta}_{x}$	05 May 1997
Applicant 126 Bancroft St P  Applicant's Mailing Address 797-4609/Kathy X23  Consultant/Agent Applicant or Agent Daytime Telephone, F  Proposed Development (check all that app Office Retail Manual 2,656 GFC 4,384 Total S  Proposed Building Square Feet or # of Un	232-6275 Steve  LUCON  ax  ly): X New Building  facturing Warehouse/	Ray St/Mar1borou Address of Proposed Site 406-F-036 to 38-40 Assessor's Reference: Chart- Building Addition Cha Distribution Other (specify) 130,385 Sq Ft	O 407-D-019 Block-Lot  nge of Use X Residential
Check Review Required:			
Site Plan (major/minor)	Subdivision # of lots	PAD Review	14-403 Streets Review
Flood Hazard	Shoreland	Historic Preservation	DEP Local Certification
Zoning Conditional Use (ZBA/PB)	Zoning Variance	Single-Family Minor	Other
Fees paid: site plan 50.00	subdivision	100.00	Engineer Review Fee
1. SeparAta parm 2. 3. 4. Approval Date 6/6/97 Appr Condition Compliance	roval Expirationdate	Extension todate	Additional Sheets Attached
	signature	date	
Performance Guarantee  * No building permit may be issued until  Performance Guarantee Accepted	-	Not Required been submitted as indicated below	,
	date	amount	expiration date
Inspection Fee Paid	date	amount	_
Performance Guarantee Reduced	date	remaining balance	signature
Performance Guarantee Released	date	signature	_
Defect Guarantee Submitted	submitted date	amount	expiration date
Defect Guarantee Released	date	signature	_

Blue - Development Review Coordinator

Green - Fire

Yellow - Planning

2/9/95 Rev5 KT.DPUD



# CITY OF PORTLAND, MAINE DEVELOPMENT REVIEW APPLICATION PLANNING DEPARTMENT PROCESSING FORM

I. D. Number

Kathleen & Stephen Applicant 126 Nancroft St P			05 May 1997 cation Date
Applicant's Mailing Address  797-4609/Kathy X23  Consultant/Agent  Applicant or Agent Daytime Telephone, Fa  Proposed Development (check all that appl  Office Retail Manuf  2,656 GFC 4,385 Total S  Proposed Building Square Feet or # of Uni	ly): X New Building acturing Warehouse/Dig Ft 1	Ray St/Marlborough Address of Proposed Site 406-F-036 to 38-40 4 Assessor's Reference: Chart-Blo Building Addition Change istribution Other (specify) 30,385 Sq Ft	ck-Lot  of Use   X Residential
Check Review Required:		of The 180 year 1000 ST	By A A Commen
Site Plan (major/minor)	Subdivision # of lots	PAD Review	14-403 Streets Review
Flood Hazard	Shoreland	Historic Preservation	DEP Local Certification
Zoning Conditional Use (ZBA/PB)	Zoning Variance	Single-Family Minor	Other
Fees paid: site plan 50.00	subdivision	100.00	igineer Review Fee
Approval Status:	, , , , , , , , , , , , , , , , , , ,	Reviewer Jim WENDE	L.
Approved 1.	Approved w/Conditions listed below	Denied	
2. SEE ATTACHER (	Dr DITIONS		
3.			
Approval Date 6/2/97 Appro	oval Expiration date	Extension todate	Additional Sheets Attached
Condition Compliance			
	signature	date	
Performance Guarantee	Required*	Not Required	
* No building permit may be issued until a	performance guarantee has be	een submitted as indicated below	
Performance Guarantee Accepted _	date	amount	expiration date
Inspection Fee Paid	date	amount	
Performance Guarantee Reduced _	date	remaining balance	signature
Performance Guarantee Released _			<b></b>
Defect Guarantee Submitted	date	signature	_
Defect Guarantee Released	submitted date	amount	expiration date
Pink - Building Inspections Blue - D	date evelopment Review Coordinator	signature r Green - Fire Yellow - Plar	nning 2/9/95 Rev5 KT.DPUD



FRONT ELEVATION

		, d
	Applicant: Cetheran Newcond Date: 6/5/97 Address: RAY Steet C-B-L: 406-F-3640-	1
	Address: RAY Steet C-B-L: 406-F-3640.	38 - A
	CHECK-LIST AGAINST ZONING ORDINANCE 407-D	-17
	Date - NOW	· · · · · · · · · · · · · · · · · · ·
	Zone Location - Z	1.00
	Interior or corner lot - Benjeach Course with Gazze is deck A Proposed Use/Work - New house with Gazze is deck A	round
	Proposed Use/Work - New Youse was a way of the	· •
	Saugas Disposal College	· .
	Lot Street Frontage - 50 / 124 - 50 8how	
	Front Yard - 25' 129 - 130'+ 8how	
	Rear Yard - 25' reg - 130' + 8hom	
,	Side Yard - 16 reg - 290' Show	,
	Projections -	
	Width of Lot - 75 (reg - over 300' whom  Height - 2/2 Stories Shown 35 max 230' 8hown (	23 to
5	Height - //7, 0 (0)	Vidge
	Lot Area - 6,500 # 130,385 P Lot Coverage/Impervious Surface - 25 &	
	Lot Coverage/Impervious Surface - 25 6	
	Area per Family - 6,500 #	ou.
	Off-street Parking - 25pAces Needed - 25how	11 <b>4</b>
	Loading Bays - W/A Site Plan - Www / Www.	
	\ / /\	·
	Shoreland Zoning/Stream Protection -	1 1
	Flood Plains - V	