

HENBURGH STREET 409-E-12 &

DAGGETT-STREET

SHAW-WALKER

Full cut # 920R - Half cut # 9202R - Third cut # 9203R - Fifth cut # 9205R

Date Issued **4/8/68**  
 Portland Plumbing Inspector  
 By **ERNOLD R. GOODWIN**

App. First Insp.  
 Date **4/8/68**  
 By **ERNOLD R. GOODWIN**  
CHIEF PLUMBING INSPECTOR

App. Final Insp.  
 Date **APR 9 1968**  
 By **ERNOLD R. GOODWIN**  
CHIEF PLUMBING INSPECTOR

- Type of Bldg.
- Commercial
  - Residential
  - Single
  - Multi Family
  - New Construction
  - Remodeling

PERMIT TO INSTALL PLUMBING

PERMIT NUMBER **18185**

Address <b>137 Daggett Street</b>			
Installation For <b>Dwelling</b>			
Owner of Bldg <b>Joseph R. Falcone</b>			
Owner's Address: <b>137 Daggett Street</b>		Date: <b>4/8/68</b>	
Plumber <b>Joseph R. Falcone</b>		NO	FEES
NEW	REPL		
		SINKS	
		LAVATORIES	
		TOILETS	
		BATH TUBS	
		SHOWERS	
		DRAINS FLOOR SURFACE	
		HOT WATER TANKS	
		TANKLESS WATER HEATERS	
		GARBAGE DISPOSALS	
		SEPTIC TANKS	1 2.00
		HOUSE SEWERS	
		ROOF LEADERS	
		AUTOMATIC WASHERS	
		DISHWASHERS	
		OTHER	
		TOTAL	2.00

Building and Inspection Services Dept: Plumbing Inspection

Home St.

Home

20' x 20'

NEWBURGH ST.

MARKING

27FT GARAGE

24FT

26FT


26FT

20FT

17FT

1200

SPILLS - HYD  
ST. 4. 10' x 10' Spill  
P. 5' x 5' Spill  
P. 2' x 2' Spill



STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

for 2 Car Garage  
at 127 Washington St. Portland, Me. Date 11/14/17

1. In whose name is the title of the property now recorded? Mrs Blain M. Clarke
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? Yes.
3. Is the outline of the proposed work now staked out upon the ground? Yes.  
If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? \_\_\_\_\_
4. What is to be maximum projection or overhang of eaves or drip? 1 ft.
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches and other projections? Yes.
6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? Yes.
7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? Yes.

Blain M. Clarke.



(C) RESIDENCE ZONE - C  
APPLICATION FOR PERMIT

Class of Building or Type of Structure Third Class

Portland, Maine, April 11, 1947

00708  
APR 11 1947

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter repair demolish install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code and Zoning Ordinance of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location (Heggett St.) 137 Newburgh St. Within Fire Limits? \_\_\_\_\_ Dist. No. \_\_\_\_\_  
 Owner's name and address Blair M. Clark, 137 Newburgh St. Telephone \_\_\_\_\_  
 Lessee's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Contractor's name and address \_\_\_\_\_ Telephone \_\_\_\_\_  
 Architect \_\_\_\_\_ Specifications \_\_\_\_\_ Plans yes No. of sheets 1  
 Proposed use of building garage No. families \_\_\_\_\_  
 Past use \_\_\_\_\_ No. families \_\_\_\_\_  
 Material wood No. stories 1 Heat \_\_\_\_\_ Style of roof pitch Roofing asphalt  
 Other buildings on same lot dwelling  
 Estimated cost \$ 20.00 Fee \$ 1.00

General Description of New Work

To construct 1 story garage <sup>16'</sup> 20' x 20'.  
 Studs 2x4, 2x4 OC. Ties at plate

CERTIFICATE OF OCCUPANCY  
 REQUIREMENT IS WAIVED

OK'd by A.J.S.

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_  
 Height average grade to top of plate 8' Height average grade to highest point of roof 14'  
 Size, ft. 20' depth 20' No. stories 1 solid or filled land? solid earth or rock? earth  
 Material of foundation concrete piers Thickness, top 10" bottom 12" collar No  
 Material of underpinning \_\_\_\_\_ at least 4' below grade Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof pitch Rise per foot 7" Roof covering Asphalt Class C. Und. Lab.  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_ Kind of heat \_\_\_\_\_ fuel \_\_\_\_\_  
 Framing lumber—Kind hemlock Dressed or full size? dressed  
 Corner posts 4x4 Sills 4x10 Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Girders \_\_\_\_\_ Size \_\_\_\_\_ Columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Mar. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Bridging in every floor and flat roof span over 8 feet  
 Joists and rafters: 1st floor dirt floor, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x6  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 24"  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot 0, to be accommodated no number commercial cars to be accommodated no  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? no

Miscellaneous

Will work require disturbing of any tree on a public street? no  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Blair M. Clark

Signature of owner

By;

*Blair M. Clark*

APPROVED:

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

INSPECTION COPY

Permit No. 117/708  
 Location 137 Newburgh St.  
 Owner Blain Clark  
 Date of Permit 4/16/47  
 Notif. closed  
 Inspn. closing-in  
 Final Notif.  
 Final Inspn  
 Cert. of Occupancy issued

INSPECTION NOT FOR RECORD

NOTES

4/15/47 - location ok  
 6/9/47 - no work started E.S.S.  
 7/22/47 - same E.S.S.  
 9/11/47 - Re-insp. E.S.S.  
 10/23/47 - Went over a few details with Blain Clark. E.S.S.  
 12/1/47 - Framing and CP along. E.S.S.  
 1/2/48 - whole done except for airtight sealing E.S.S.  
 2/20/48 - 2nd insp. E.S.S.  
 4/15/48 - same E.S.S.

Rept. 5008D-I

August 9, 1944

Mr. Robert A. Verrier  
415 Congress Street  
Portland 3, Maine

Subject: Building permit to cover raising roof  
of the dwelling on lot 137 Newburgh Street

Dear Sir:

Above building permit is enclosed, subject to the following:

In view of the fact that studs supporting the roof at the new level can hardly be run continuously from sill to underside of plate as is required in new ledger board construction such as there is supporting the second floor in this house, it is necessary that positive steps be taken to make sure of the support of the new studs in second story and to make sure that they act together with the existing studs extending from sills to underside of present plate. I do not remember any occasion before this on which this department has accepted the proposition of splicing out studs. This seems to be the only way of doing this job however, and I am willing to go along with it at the owner's own risk of course. Should, on account of this departure from the usual practice, the building prove unstable, it would be the owner's responsibility to make it right.

I understand that the new studs are to get a bearing at about the second floor level, are to be spiked to the present studs securely where the present studs extend above the second floor and run up to give suitable bearing for the new plate. I am told that the second floor joists, where they are at right angles to the outside walls do not in many cases come against the studs in the outside walls at present. A 2x4 should be fitted between each pair of studs and fastened to each stud to get a bearing on the floor joist and to act as a shoe for the new studs to get a bearing upon. Of course tight fire stopping will have to be used. The plans are not clear as to exactly what detail you propose at this point, and I do not intend to dictate it, so if you have a better idea please let Mr. Sears in this office know about it before you start.

Since the supporting partitions in the second story will not in every case be directly over supporting partitions below, it will be satisfactory to support them on a shoe which in turn is supported upon the floor construction. At any rate all of these partitions ought to be supported alike.

Where the carrying partition is to be projected upwards to pick-up the ridge of the roof, the double 2x4 plate on the bearing partition ought to be in contact with and give good bearing to the rafters themselves rather than getting a bearing for the rafters through the board scabbing which is evidently intended to make a stiff job at the peak.

Since the carrying partition down through the building is to afford support to the roof, the girders in the cellar (7x7 on spans of about 8'), do not figure out any where near strong enough. It is necessary that you work out a strengthening proposition, show it on a plan and file it here before the strengthening is done. The present girder on the eight foot span has a strength of 5400 lbs. while the theoretical load on it if not strengthened would be 9600 lbs. This strengthening of course is to be done in accordance with Building Code provisions.

Very truly yours,

CC: Mr. Blair Clarke  
137 Newburgh Street

WMcD/S

Inspector of Buildings



GENERAL RESIDENCE ZONE - PERMIT ISSUED  
APPLICATION FOR PERMIT

PERMIT ISSUED  
Permit No. \_\_\_\_\_

Class of Building or Type of Structure Third Class

AUG 9 1944

Portland, Maine, August 4, 1944

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure-equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Lot 137 Newburgh Street (Daggett) Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's or Lessee's name and address Blair Clarke, 137 Newburgh St. Telephone \_\_\_\_\_  
Contractor's name and address Robert A. Verrier, 415 Congress St. Telephone 3-3161  
Architect \_\_\_\_\_ Plans filed yes No. of sheets 5  
Proposed use of building dwelling house No. families 1  
Other buildings on same lot \_\_\_\_\_  
Estimated cost \$ 1,900. Fee \$ 2.75

Description of Present Building to be Altered

Material wood No. stories 1 1/2 Heat \_\_\_\_\_ Style of roof pitch Roofing asphalt  
Last use dwelling house No. families 1

General Description of New Work

To build 24" corner on each side of main roof

To finish off three rooms on second floor, rebuilding existing stairway to same as per plans - new studs beside existing studs full length

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? \_\_\_\_\_  
Is any electrical work involved in this work? \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
To be erected on solid or filled land? existing concrete foundation earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof flat Rise per foot 3" Roof covering Asphalt roofing Class C Und. Lab.  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
Framing lumber—Kind hemlock Dressed or full size? dressed  
Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x8  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2"  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 10'  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto

By Blair Clarke  
Robert A. Verrier

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Permit No. 44) 783  
 Location 137 Newburgh St.  
 Owner Blain Clarke  
 Date of permit 8/9/44  
 Notif. closing-in 9/11/44  
 Inspn. closing-in 9/11/44 - G.T.  
 Final Notif.  
 Final Inspn. 6/11/44  
 Cert. of Occupancy issued None

NOTES W.P.B.

8/8/44 - Initial inspection  
 O.K. Additional notes  
 All work to be done  
 Second floor joists in  
 2x6 - 12' long - 18" on center  
 spacing of 10' - but  
 there will be 12' on center  
 in areas of Corridor  
 Second floor joists in  
 2x8 - 12' long - 18" on center  
 spacing of 10' - but  
 there will be 12' on center  
 in areas of Corridor  
 10x15 - 12' long - 18" on center  
 spacing of 10' - but  
 there will be 12' on center  
 in areas of Corridor  
 That pieces of 2x4 beam  
 are still in the studs  
 of old wall 12' on center  
 from level 3rd floor  
 and they should be  
 removed & secured  
 against top part of

existing building  
 during construction  
 all of old rafters  
 in the direction  
 those in lower  
 it would be best to set  
 all studs in wall  
 against the same  
 top of floor.  
 Building in  
 local foundation  
 + additional  
 $45 \times 10 \times 8 = 3600'$   
 $10 \times 15 \times 10 \times 8 = 2000'$   
 $5 \times 10 \times 8 = 400'$   
 $7 \times 7 \times 10 \times 8 = 392'$   
 Board for 5348'  
 There was  
 placed on  
 down, as shown in  
 present arrangement of  
 columns with  
 to a mathematical  
 Present order  
 more or more  
 columns provided  
 present  
 arrangement of

where joints at bottom of  
 cuts of rafters are pulled  
 apart due to flattening  
 of patches of roof  
 that seems to me to be  
 particularly desirable  
 if, as appears, they show  
 the weight is to be car-  
 ried on the bottom  
 edges of the board  
 sills. It would seem  
 better to extend parti-  
 tion so that the  
 ends of the rafters will  
 be directly supported  
 on the plates. G.T.  
 8/15/44 - No work started  
 8/22/44 - Same - G.T.  
 9/11/44 - Finished around  
 chimney at ceiling  
 levels fill in ceiling at  
 floor level. Went over  
 reinforcement of girder  
 with carpenter Mr.  
 Park - G.T.



Original Permit No. **12/732**

Amendment No. **1**

### AMENDMENT TO APPLICATION FOR PERMIT

Portland, Maine, November 20, 1942

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for an amendment to Permit No. **12/732** pertaining to the building or structure comprised in the original application in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location Lot 117 Northburgh Street (Dejeette St) Within Fire Limits? no Dist. No. \_\_\_\_\_

Owner's or Lessee's name and address Blair Clarke 137 Northburgh Street

Contractor's name and address Owner

Plans filed as part of this Amendment no No. of Sheets \_\_\_\_\_

Is any plumbing work involved in this work? \_\_\_\_\_ Is any electrical work involved in this work? \_\_\_\_\_

Increased cost of work 1.25 Additional fee .10

Framing Lumber: Kind? \_\_\_\_\_ Dressed or Full Size? \_\_\_\_\_

#### Description of Proposed Work

To partition off new bath room 6'x6' on second floor of building - 2x4 studs 16" OC  
plaster board

Approved: \_\_\_\_\_  
Chief of Fire Department.

Signature of Owner Blair M. Clarke

INSPECTION COPY \_\_\_\_\_  
of Public Works.

Approved: 11/20/42 - [Signature]  
Inspector of Buildings



GENERAL RESIDENCE ZONE  
APPLICATION FOR PERMIT

PERMIT ISSUED  
Permit No. 2082

Class of Building or Type of Structure Third Class JUL 3 1912

Portland, Maine, July 2, 1912

To the INSPECTOR OF BUILDINGS, PORTLAND ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 157 Newburgh Street (Davy Street HOA-E-72723) Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's name and address Mr. Blair Clarke, 137 Newburgh Street Telephone no  
Contractor's name and address Raymond Sney, Toronto Street Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Plans filed no No. of sheets \_\_\_\_\_  
Proposed use of building Dwelling No. families 1  
Other buildings on same lot none  
Estimated cost \$ 20. Fee \$ .50

Description of Present Building to be Altered

Material frame No. stories 1 1/2 Heat \_\_\_\_\_ Style of roof hip Roofing asphalt roofing  
Last use Dwelling No. families 1

General Description of New Work

To change hip roof to pitch roof - removing dormer windows and end and replacing jack rafters with regular rafters

*Pg. 7/3/12*  
THIS PERMIT IS VALID FOR THE WORK DESCRIBED ONLY

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? no  
Is any electrical work involved in this work? no Height average grade to top of plate \_\_\_\_\_  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of roof pitch Rise per foot \_\_\_\_\_ Roof covering asphalt roofing class C End. Lab.  
No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
Framing lumber—Kind second-hand Dressed or full size? dressed  
Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 2x6  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof 10x  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes  
Signature of owner Mrs. Blair Clarke

INSPECTION COPY

107234

Permit No 42732

Location 187 Newburgh St

Owner Blain Clarke

Date of permit 7/3/42

Notif. closing-in

Inspn. closing-in

Final Notif.

Final Inspn. 8/15/44

Cert. of Occupancy issued None


Alt. 39/1193  
Demol 4/15/40

NOTES

11/20/42 W.P.S. Billie & Co.

rent 8.4

of ... window ...





# APPLICATION FOR PERMIT

**PERMIT ISSUED**

Permit No. 6510  
APR 26 1941

Class of Building or Type of Structure Third Class

Portland, Maine, April 26, 1941

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter ~~install~~ the following building structure ~~equipment~~ in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith, and the following specifications:

Location 137 Newburgh Street (Daggett St.) Within Fire Limits? no Dist. No. \_\_\_\_\_  
 Owner's or ~~lessee's~~ name and address Blair M. Clarke, 137 Newburgh St. Telephone no  
 Contractor's name and address Oxart Telephone \_\_\_\_\_  
 Architect \_\_\_\_\_ Plans filed \_\_\_\_\_ No. of sheets \_\_\_\_\_  
 Proposed use of building \_\_\_\_\_ No. families \_\_\_\_\_  
 Other buildings on same lot \_\_\_\_\_  
 Estimated cost \$ \_\_\_\_\_ Fee \$ .50

### Description of Present Building to be Altered

Material wood No. stories 1 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_  
 Last use poultry house No. families \_\_\_\_\_

### General Description of New Work

To demolish poultry house 8'x 15' no sewer connection

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

### Details of New Work

Is any plumbing work involved in this work? \_\_\_\_\_  
 Is any electrical work involved in this work? \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
 Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to highest point of roof \_\_\_\_\_  
 To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_  
 Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ cellar \_\_\_\_\_  
 Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
 Kind of roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
 No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
 Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
 Framing lumber—Kind \_\_\_\_\_ Dressed or full size? \_\_\_\_\_  
 Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
 Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
 Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
 Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
 If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_ to be accommodated \_\_\_\_\_  
 Total number commercial cars to be accommodated \_\_\_\_\_  
 Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
 Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes  
 Signature of owner Blair M. Clarke

INSPECTION COPY





STATEMENT ACCOMPANYING APPLICATION FOR BUILDING PERMIT

113

91

for addition to dwelling house

Date 8/1/39

at Lot 137 Newburgh Street

1. In whose name in the title of the property now recorded? Blair M. Clarke
2. Are the boundaries of the property in the vicinity of the proposed work shown clearly on the ground, and how? Iron Stakes
3. Is the outline of the proposed work now staked out upon the ground? --- If not, will you notify the Inspection Office when the work is staked out and before any of the work is commenced? ---
4. What is to be maximum projection or overhang of eaves or drip? 10 in.
5. Do you assume full responsibility for the correctness of the location plan or statement of location filed with this application, and does it show the complete outline of the proposed work on the ground, including bay windows, porches, and other projections? yes
6. Do you assume full responsibility for the correctness of all statements in the application concerning the sizes, design and use of the proposed building? yes
7. Do you understand that in case changes are proposed in the location of the work or in any of the details specified in the application that a revised plan and application must be submitted to this office before the changes are made? yes

Blair M. Clarke



GENERAL RESOLUTION NO. 11117  
APPLICATION FOR PERMIT

Permit No. PERMIT 3570

Class of Building or Type of Structure Third Class

Portland, Maine, August 5, 1939 AUG 7 1939

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter ~~install~~ the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Lot 137 Newburgh Street (Daggett St) Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's or Lessee's name and address Blair M. Clarke, Newburgh St. Telephone no  
Contractor's name and address Owner Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Plans filed yes No. of sheets 1  
Proposed use of building dwelling house No. families 1  
Other buildings on same lot poultry house  
Estimated cost \$ 100. Fee \$ 50

Description of Present Building to be Altered

Material wood No. stories 1 1/2 Heat stove Style of roof hip Roofing asphalt  
Last use dwelling house No. families 1

General Description of New Work

To build addition 6' x 20' on rear of dwelling, removing present rear wall, removing rear section of present hip roof and putting pitch roof over rear section new foundation for dwelling was built to support this addition under former permit floor joists run crossway of building

CERTIFICATE OF OCCUPANCY  
REQUIREMENT IS WAIVED

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

no Height average grade to top of plate no 12'  
Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to highest point of roof 18'  
To be erected on solid or filled land? solid earth or rock? earth  
Material of foundation existing concrete Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_ ceiling \_\_\_\_\_  
Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_  
Kind of Roof pitch Rise per foot 7" Roof covering Asphalt roofing Class C Und. Lab.  
No. of chimneys no Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
Framing Lumber—Kind spruce Dressed or Full Size? full size  
Corner posts 4x4 Sills 8x8 Girt or ledger board? girt Size 2x4  
Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor 2x8, 2nd 2x8, 3rd \_\_\_\_\_, roof 2x6  
On centers: 1st floor 18", 2nd 18", 3rd \_\_\_\_\_, roof 18"  
Maximum span: 1st floor 10', 2nd 10', 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner Blair M. Clarke

INSPECTION COPY

2795



File: P.37/1333-I

January 12, 1938

Mr. Blair W. Clarke,  
Newburgh Street,  
Portland, Maine

Dear Sir:

With relation to the alterations which you are making in your building on Lot 137 Newburgh Street, the new foundation that you proposed under building permit No. 37/1333 has been installed, and it will be necessary as soon as possible to provide proper support in the way of a girder with proper posts under it to support the building in the new cellar.

Our inspector found that an area about five feet by eighteen feet in the rear has been excavated and a concrete wall built to the sill. This cellar has been roofed over at the first floor level. We cannot find that this addition in the rear is covered by the permit which you secured. Will you explain to us whether or not this addition is new work and what you propose to build? If the work is not included in the original permit, cover it by application for an amendment to that permit. A stamped and addressed envelop is enclosed for your convenience in answering.

Very truly yours,

WMCD/H

Inspector of buildings



# APPLICATION FOR PERMIT **PERMIT ISSUED**

Class of Building or Type of Structure Third Class  
Portland, Maine, August 30, 1937 **AUG 30 1937**

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location lot 137 Newburgh Street (Waggett St) Ward 9 Within Fire Limits? no Dist. No. \_\_\_\_\_  
Owner's or Lessee's name and address Blair H. Clarke, Newburgh Street Telephone no  
Contractor's name and address Owner Telephone \_\_\_\_\_  
Architect \_\_\_\_\_ Plans filed no No. of sheets \_\_\_\_\_  
Proposed use of building dwelling house No. families 1  
Other buildings on same lot \_\_\_\_\_  
Estimated cost \$ 75. Fee \$ .50

### Description of Present Building to be Altered

Material wood No. stories 1 1/2 Heat stove Style of roof hip Roofing Asphalt  
Last use dwelling house No. families 1

### General Description of New Work

To demolish existing one story shed 8' x 12' on rear of dwelling house  
To provide concrete foundation under building  
To extend chimney down to new basement level

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

### Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_  
To be erected on solid or filled land? solid earth or rock? earth  
Material of foundation concrete Thickness, top 10" bottom 12"  
Material of underpinning " to sill Height to be at least 8" above grade Thickness \_\_\_\_\_  
Kind of Roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_  
No. of chimneys 2 Material of chimneys brick of lining tile  
Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_  
Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_  
Material columns under girders iron columns Size 4" Max. on centers 8'  
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.  
Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_  
If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

### If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_  
Total number commercial cars to be accommodated \_\_\_\_\_  
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

### Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no  
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

INSPECTION COPY

Signature of owner Blair H. Clarke

NOTIFICATION BEING MADE  
OR CLOSURE IS WANTED  
CERTIFICATE OF OCCUPANCY  
REQUIREMENT IS WANTED


1322

Ward 9 Permit No. 87 / 1333  
 Location Lot 137 Newburg St.  
 Owner Blais M. Clarke  
 Date of permit 8/30/37  
 Not... closing-in  
 Inspn. closing-in  
 Final Notif.  
 Final Inspn. 8/7/39  
 Cert. of Occupancy issued None

Occupancy in the  
 rear. An area 5' x 18'  
 (the width of the house)  
 is excavated and has  
 concrete to sill. It is  
 roofed over at the  
 front floor level. It  
 has plenty of room,  
 but as yet we were  
 here I could not  
 determine definitely

NOTES.

This man will take to go over  
 this with some  
 1/8/38. Excavation about  
 this area has been  
 demolished but is on  
 the rear side of the  
 than rear of foundation  
 is on end is full. There  
 will be some question  
 for back supports  
 for sidewalk and small  
 tread outside wall.  
 Chimney has not been  
 extended down but  
 material is on the  
 job. There may be  
 some question of  
 increased ground





APPLICATION FOR PERMIT

PERMIT ISSUE  
0803

Class of Building or Type of Structure Third Class

JUN 5 1937

Portland, Maine, June 5, 1937

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter, install the following building ~~structure~~ equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location Lot 127 Newburgh Street Waggon St Ward 9 Within Fire Limits? yes Dist. No. 1

Owner's or Lessee's name and address Blair Clark, 127 Newburgh St. Telephone no

Contractor's name and address Owner Telephone \_\_\_\_\_

Architect \_\_\_\_\_ Plans filed \_\_\_\_\_ No. of sheets \_\_\_\_\_

Proposed use of building \_\_\_\_\_ No. families \_\_\_\_\_

Other buildings on same lot \_\_\_\_\_

Estimated cost \$ \_\_\_\_\_ Fee \$ .50

Description of Present Building to be Altered

Material wood No. stories 1 Heat \_\_\_\_\_ Style of roof \_\_\_\_\_ Roofing \_\_\_\_\_

Last use Barn No. families \_\_\_\_\_

General Description of New Work

To demolish building 12' x 20'

Do you agree to tightly and permanent close all sewers or drains connecting with public or private sewers from this building or structure to be demolished, under the supervision and to the approval of the Department of Public Works of the City of Portland? No sewer connection

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Size, front \_\_\_\_\_ depth \_\_\_\_\_ No. stories \_\_\_\_\_ Height average grade to top of plate \_\_\_\_\_

To be erected on solid or filled land? \_\_\_\_\_ earth or rock? \_\_\_\_\_

Material of foundation \_\_\_\_\_ Thickness, top \_\_\_\_\_ bottom \_\_\_\_\_

Material of underpinning \_\_\_\_\_ Height \_\_\_\_\_ Thickness \_\_\_\_\_

Kind of Roof \_\_\_\_\_ Rise per foot \_\_\_\_\_ Roof covering \_\_\_\_\_

No. of chimneys \_\_\_\_\_ Material of chimneys \_\_\_\_\_ of lining \_\_\_\_\_

Kind of heat \_\_\_\_\_ Type of fuel \_\_\_\_\_ Is gas fitting involved? \_\_\_\_\_

Corner posts \_\_\_\_\_ Sills \_\_\_\_\_ Girt or ledger board? \_\_\_\_\_ Size \_\_\_\_\_

Material columns under girders \_\_\_\_\_ Size \_\_\_\_\_ Max. on centers \_\_\_\_\_

Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

On centers: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

Maximum span: 1st floor \_\_\_\_\_, 2nd \_\_\_\_\_, 3rd \_\_\_\_\_, roof \_\_\_\_\_

If one story building with masonry walls, thickness of walls? \_\_\_\_\_ height? \_\_\_\_\_

If a Garage

No. cars now accommodated on same lot \_\_\_\_\_, to be accommodated \_\_\_\_\_

Total number commercial cars to be accommodated \_\_\_\_\_

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? \_\_\_\_\_

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner Blair M. Clark


INSPECTION COPY

4474B

Ward 9 Permit No. 37/803  
Location Lot 137 Newburgh St.  
Owner Blair Clark  
Date of permit 6/5/39  
Notif. closing-in \_\_\_\_\_  
Inspn. closing-in \_\_\_\_\_  
Final Notif. \_\_\_\_\_  
Final Inspn. 8/7/39  
Cert. of Occupancy issued None

NOTES

1/8/38 there is a one story  
shed about this size  
on this property but  
it would hardly be  
called a barn. It has  
not been demolished.  
Ch.





Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application

## APPLICATION FOR PERMIT TO BUILD

(3D CLASS BUILDING)

Portland, Me., September 15, 1923 19

To THE  
INSPECTOR OF BUILDINGS

The undersigned hereby applies for a permit to build according to the following

Specifications: *(Waggett St)*

Location 37 Newburgh Street *(Waggett St)* Wd. 9  
 Name of owner is? Joseph Vachiano Address 37 Newburgh street  
 Name of mechanic is? R. Perrotto " New York City  
 Name of architect is? \_\_\_\_\_ " \_\_\_\_\_  
 Proposed occupancy of building (purpose)? ten house  
 If a dwelling or tenement house, for how many families? \_\_\_\_\_  
 Are there to be stores in lower story? \_\_\_\_\_  
 Size of lot, No. of feet front? \_\_\_\_\_; No. of feet rear? \_\_\_\_\_; No. of feet deep? \_\_\_\_\_  
 Size of building, No. of feet front? 7ft; No. of feet rear? 7ft; No. of feet deep? 20ft  
 No. of stories, front? 1; rear? \_\_\_\_\_  
 No. of feet in height from the mean grade of street to the highest part of the roof? 6ft  
 Distance from lot lines, front? \_\_\_\_\_ feet; side? \_\_\_\_\_ feet; side? \_\_\_\_\_ feet; rear? \_\_\_\_\_  
 Firestop to be used? Yes  
 Will the building be erected on solid or filled land? \_\_\_\_\_  
 Will the foundation be laid on earth, rock or piles? \_\_\_\_\_  
 If on piles, No. of rows? \_\_\_\_\_ distance on centres? \_\_\_\_\_ length of? \_\_\_\_\_  
 Diameter, top of? \_\_\_\_\_ diameter, bottom of? \_\_\_\_\_  
 Size of posts? \_\_\_\_\_  
 " girts? \_\_\_\_\_  
 " floor timbers? 1st floor WOOD, 2d \_\_\_\_\_, 3d \_\_\_\_\_, 4th \_\_\_\_\_  
 O. C. " " " " \_\_\_\_\_, " \_\_\_\_\_, " \_\_\_\_\_, " \_\_\_\_\_  
 Span " " " " \_\_\_\_\_, " \_\_\_\_\_, " \_\_\_\_\_, " \_\_\_\_\_  
 Braces, how put in? \_\_\_\_\_  
 Building, how framed? \_\_\_\_\_  
 Material of foundation? POSTS thickness of? \_\_\_\_\_ laid with mortar? \_\_\_\_\_  
 Underpinning, material of? \_\_\_\_\_ height of? \_\_\_\_\_ thickness of? \_\_\_\_\_  
 Will the roof be flat, pitch, mansard, or hip? pitch Material of roofing? asphalt  
 Will the building be heated by steam, furnaces, stoves, or grates? \_\_\_\_\_ Will the flues be lined? \_\_\_\_\_  
 Will the building conform to the requirements of the law? Yes  
 No. of brick walls? \_\_\_\_\_ and where placed? \_\_\_\_\_  
 Means of egress? \_\_\_\_\_

PERMIT MUST BE RECEIVED BEFORE BEGINNING WORK.

**If the building is to be occupied as a Tenement House, give the following particulars**

What is the height of cellar or basement? \_\_\_\_\_  
 What will be the clear height of first story? \_\_\_\_\_ second? \_\_\_\_\_ third? \_\_\_\_\_  
 State what means of egress is to be provided? \_\_\_\_\_  
 \_\_\_\_\_ Scuttle and stepladder to roof?

Estimated Cost,

\$ 25.

Signature of owner or authorized representative,

*Raphael Perrotto*

Address,

661 W 187<sup>th</sup> St N.Y. City

Plans submitted? \_\_\_\_\_

Received by? \_\_\_\_\_

Plans must be submitted in duplicate, one set to be filed with the Department and the duplicate set thereof (bearing the approval of the Inspector of Buildings) shall be kept on the work and exhibited on demand.

37 Newburgh St.  
192

No. 5451

APPLICATION FOR  
PERMIT TO BUILD 3d CLASS BUILDING

LOCATION  
No. 1000 2d St.

Ward

Inspector.

CONDITIONS

PERMIT GRANTED  
Sept 20, 1912

192

Permit filled out by

Permit number

Plan number

FINAL REPORT

192

Has the work been completed in accordance with  
this application and plans filed and approved?

Law been violated? -

Nature of violation? -

Violation removed when? - 192

Estimated cost of building, etc., \$

Building Inspector.

APPROVAL OF PLANS

Supervisor of plans.



Location, ownership and detail must be correct, complete and legible. Separate application required for every building. Plans must be filed with this application.

## APPLICATION FOR PERMIT TO BUILD

3D CLASS BUILDING

Portland Me., June 26, 1918 19

To THE INSPECTOR OF BUILDINGS:

The undersigned hereby applies for a permit to build, according to the following Specifications—

(Bogert St.)

Location. **Ray Gardens (Lot 137 & 138 Newburgh St.)** Wd. **9**

Name of owner is? **Joe Vacchiano** Address **Ray St.**

Name of mechanic is? **Owner**

Name of architect is? \_\_\_\_\_

Proposed occupancy of building (purpose)? **dwelling and barn**

If a dwelling or tenement house, for how many families? **one**

Are there to be stores in lower story? **No**

Size of lot, No. of feet front? **30** ; No. of feet rear? \_\_\_\_\_ ; No. of feet deep? **100**

Size of building, No. of feet front? **20** ; No. of feet rear? \_\_\_\_\_ ; No. of feet deep? **22**

No. of stories, front? **barn 12** ; rear? \_\_\_\_\_ ; No. of feet deep? **14**

No. of feet in height from the mean grade of street to the highest part of the roof? **12 ft.**

Distance from lot lines, front? \_\_\_\_\_ feet; side? \_\_\_\_\_ feet; rear? \_\_\_\_\_ feet

Firestop to be used? \_\_\_\_\_

Will the building be erected on solid or filled land? \_\_\_\_\_

Will the foundation be laid on earth, rock, or piles? \_\_\_\_\_

If on piles, No. of rows? \_\_\_\_\_ distance on centres? \_\_\_\_\_ length of? \_\_\_\_\_

Diameter, top of? \_\_\_\_\_ diameter, bottom of? \_\_\_\_\_

Size of posts? \_\_\_\_\_

" girts? \_\_\_\_\_

" floor timbers? 1st floor \_\_\_\_\_, 2d \_\_\_\_\_, 3d \_\_\_\_\_, 4th \_\_\_\_\_

O. C. " " " " \_\_\_\_\_

Span " " " " \_\_\_\_\_

Braces, how put in? \_\_\_\_\_

Building, how framed? \_\_\_\_\_

Material of foundation? **posts** thickness of? \_\_\_\_\_ laid with mortar? \_\_\_\_\_

Underpinning, material of? \_\_\_\_\_ height of? \_\_\_\_\_ thickness of? \_\_\_\_\_

Will the roof be flat, pitch, mansard, or hip? **pitch** Material of roofing? **shingles**

Will the building be heated by steam, furnaces, stoves or grates? **stove** Will the flues be lined? **Yes**

Will the building conform to the requirements of the law? **Yes**

No. of brick walls? \_\_\_\_\_ and where placed? \_\_\_\_\_

Means of egress? \_\_\_\_\_

PERMIT MUST BE RECEIVED BEFORE BEGINNING WORK.

If the building is to be occupied as a Tenement House, give the following particulars:

What is the height of cellar or basement? \_\_\_\_\_

What will be the clear height of first story? \_\_\_\_\_ second? \_\_\_\_\_ third? \_\_\_\_\_

State what means of egress is to be provided? \_\_\_\_\_

Scuttle and stepladder to roof? \_\_\_\_\_

Estimated Cost, **200.00**

Signature of owner or authorized representative,

*J. C. Vacchiano*

Address, \_\_\_\_\_

Plans submitted? \_\_\_\_\_

Received by? \_\_\_\_\_

The original set to be filed with the Department and the duplicate set thereof (bearing the name of the Inspector of Buildings) shall be kept on the work and exhibited on demand.

191 8 ✓  
No. 5505  
APPLICATION FOR  
PERMIT TO BUILD 3d CLASS BUILDING  
LOCATION  
No. ~~Day Gardens~~  
Lots 137-8 Newburgh St.  
Ward 9-

Inspector.  
CONDITIONS  
X  
PERMIT GRANTED  
June 26, 1919 191  
Permit filled out by  
Permit number  
Plan number

FINAL REPORT

191 .  
Has the work been completed in accordance with  
this application and plans filed and approved?  
Law been violated?  
Nature of violation?

APPROVAL OF PLANS

Supervisor of Plans.

Violation removed when? 191 .  
Estimated cost of building, etc., \$  
Building Inspector.