DOOR SCHEDULE

NO	LOCATION	SIZE	TYPE	DOOR MAT.	FRAME MAT.	FIRE RATING	SHOWN ON DETAILS GROUP	A	B	C	KEY NOTES
1	BATH	3'-0" x 6'-8"	A	HC	WF			3	0	2	
2	PATIO (P)SIDE CK(D)	3'-0" x 6'-8"	B	SL	WF			0	3	4	(P)4 (D)8
3	BED	3'-0" x 6'-8"	A	HC	WF			0	3	2	
4	CLOSET	(2)2'-0" x 6'-8"	D	HC	GR			1	1	6	
5	CLOSET	(2)2'-6" x 6'-8"	D	HC	GR			1	1	7	
6	CLOSET	(2)2'-0" x 6'-8"	D	HC	GR			1	1	7	
7	NOT USED										
8	CLOSET	(3)2'-6" x 6'-8"	D	HC	GR			1	1	7	
9	CLOSET	(3)3'-0" x 6'-8"	G	HC	GR			1	1	7	
10	CLOSET	3'-0" x 6'-8"	A	HC	WF			0	3	7	
11	NOT USED										
12	PATIO(P)SIDECK(D)	3'-0" x 6'-8"	B	SL	WF			0	3	4	(P)4 (D)8
13	CLOSET	(2)3'-6" x 6'-8"	D	HC	GR			1	0	7	
14	CLOSET	2'-0" x 6'-8"	A	HC	WF			0	3	9	
15	CLOSET	3'-0" x 6'-8"	F	HC	WF			1	3		PER MANUF.
16	CLOSET	(2)2'-6" x 6'-8"	F	HC	WF			1	3		PER MANUF.
101-102	SUITES	3'-0" x 6'-8"	A	SC	MTL	20 MIN	01-02	1	5		
201-202	SUITES	3'-0" x 6'-8"	A	SC	MTL	45 MIN	01-02	1	5		
103-105	SUITES	3'-0" x 6'-8"	A	SC	MTL	20 MIN	01-02	1	5		
203-205	SUITES	3'-0" x 6'-8"	A	SC	MTL	45 MIN	01-02	1	5		
106-146	NOT USED										
147A	SERVICE	3'-0" x 6'-8"	C	SC	MTL	1 HR	27	5		#4	
147B	SERVICE	3'-0" x 6'-8"	C	SC	MTL	1 HR	27	5		#4	
148	HALL	PR 3'-6" x 6'-8"	F	HM	MTL	1 HR	18	5		#10	
149	CLOSET	3'-0" x 6'-8"	F	SC	MTL		18	5			
150A	FOYER	1'-2" x 7'-0"	E	ST F	ALUM		12	6		11 & 11	#1 - #7
150B	FOYER	1'-2" x 7'-0"	E	ST F	ALUM		12	6		10 & 11	#1 - #7
151	OFFICE	3'-0" x 6'-8"	B	SC	MTL	20 MIN	13	5			#4 #10
152	MARKETING	3'-0" x 6'-8"	B	SC	MTL	20 MIN	13	5			#4 #10
153	MANAGER	3'-0" x 6'-8"	C	SC	MTL	20 MIN	03	5			
154A	STAIR	3'-0" x 6'-8"	A	SC	MTL	1 HR	03	5			
154B	STAIR EXIT	3'-0" x 6'-8"	A	SC	WF		03	5			
155	FLEV EQUIP	3'-0" x 6'-8"	F	SC	MTL	1 HR	28	5			#3
156A	FOYER	PR 3'-0" x 7'-0"	E	ST F	ALUM		12	6			
156B	FOYER	PR 3'-0" x 6'-8"	E	ST F	ALUM		12	6			
157A	BEAUTY	3'-0" x 6'-8"	A	SC	MTL	20 MIN	42	5			
157B	BEAUTY	PR 3'-0" x 6'-8"	A	HC	WF		42	5			
158A	CRAFT/ACTIVITY	PR 3'-0" x 6'-8"	B	SC	MTL	20 MIN	33	5			#4 #10
158B	CRAFT/ACTIVITY	3'-0" x 6'-8"	C	SC	MTL	20 MIN	33	5			#10
158C	CRAFT/ACTIVITY	3'-0" x 6'-8"	C	SC	MTL	20 MIN	33	5			#4 #10
158D	CRAFT/ACTIVITY	3'-0" x 6'-8"	B	HM	WF		34	2			
158E	CRAFT/ACTIVITY	4'-0" x 6'-8"	BI-FLD	HM	WF			2			
159	WOMEN	3'-0" x 6'-8"	F	SC	MTL	20 MIN	20	5			
160	MEN	3'-0" x 6'-8"	F	SC	MTL	20 MIN	20	5			
161	HALL	NONE									
162A	MEETING	PR 3'-0" x 6'-8"	F	SC	WF	20 MIN	48	2			
162B	CLOSET	3'-0" x 6'-8"	F	SC	MTL		8	2			
162C	CLOSET	3'-0" x 6'-8"	F	SC	MTL		9	2			
163	HVAC	3'-0" x 6'-8"	F	HM	WF		21	5			
164	ELEV EQUIP	3'-0" x 6'-8"	F	HM	WF	1 HR	27	5			#3
165A	KITCHEN	3'-0" x 6'-8"	C	SC	MTL	1 HR	23	5	S SIM		#2 #6
165B	KITCHEN	3'-0" x 6'-8"	C	SC	MTL	1 HR	47	5	S SIM		#2 #6
165C	CLOSET	3'-0" x 6'-8"	F	SC	MTL		38	5			
165D	KITCHEN	3'-0" x 6'-8"	C	HC	MTL		38	5			
166	DRY STORAGE	3'-0" x 6'-8"	F	SC	MTL		39	5	S SIM		
167	JAN CLOSET	3'-0" x 6'-8"	F	SC	MTL		43	2			
168	OFFICE	3'-0" x 6'-8"	F	SC	MTL		44	2			
169A	STAFF	3'-0" x 6'-8"	F	SC	MTL		29	2	S SIM		
169B	STAFF RESTROOM	3'-0" x 6'-8"	F	SC	MTL		29	2	S SIM		
170	PRIVATE DINING	PR 3'-0" x 6'-8"	G	SC	WF		44	5	S SIM		#4 (WHITE "CL")
171	DINING	PR 3'-0" x 6'-8"	B	HM	WF		45	3			#11
172	LOUNGE	NONE									
173A	CORRIDOR	PR 3'-6" x 6'-8"	F	HM	MTL	90 MIN	18	9			#10
173B	CORRIDOR	3'-0" x 6'-8"	B	HM	WF		17	3			
173C	CORRIDOR	3'-0" x 6'-8"	B	HM	WF		17	3			
174	LAUNDRY	3'-0" x 6'-8"	F	SC	MTL	1 HR	25	5			#10
175A	STAIR	3'-0" x 6'-8"	B	SC	MTL	90 MIN	15	5			
175B	STAIR EXIT	3'-0" x 6'-8"	B	HM	WF		17	3			
176A	ELECTRICAL	3'-0" x 6'-8"	B	HM	MTL	1 HR	29	3			
176B	ELECT CLOSET	PR 3'-6" x 6'-8"	F	HM	MTL	1 HR	29	3			
177A	MECHANICAL	3'-0" x 6'-8"	F	SC	MTL	1 HR	30	5			
177B	MECH EXIT	3'-0" x 6'-8"	F	SC	MTL	1 HR	30	5			
178A	STAIR	3'-0" x 6'-8"	B	SC	MTL	90 MIN	15	5			
178B	STAIREXIT	3'-0" x 6'-8"	B	HM	WF		17	3			
179	LINEN	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
180	SITTING	NONE									
181A	STORAGE	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
181B	CORRIDOR	3'-0" x 6'-8"	F	HM	MTL	90 MIN	18	9			#10
181C	CORRIDOR	3'-0" x 6'-8"	B	HM	WF		17	3			
182	LAUNDRY	3'-0" x 6'-8"	F	SC	MTL	1 HR	25	5			#10
183A	STAIR	3'-0" x 6'-8"	B	SC	MTL	90 MIN	14	5			
183B	STAIREXIT	3'-0" x 6'-8"	B	HM	WF		17	3			
184	COMANAGER	3'-0" x 6'-8"	A	SC	MTL	1 HR	1	5			
185	LINEN	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
201-202	SUITES	3'-0" x 6'-8"	A	SC	MTL	45 MIN	1	5			
203-207	SUITES	3'-0" x 6'-8"	A	SC	MTL	20 MIN	1	5			
224-226	SUITES	3'-0" x 6'-8"	A	SC	MTL	45 MIN	1	5			
227-246	SUITES	3'-0" x 6'-8"	A	SC	MTL	45 MIN	1	5			
247	NOT USED										
248	HALL	PR 3'-6" x 6'-8"	F	HM	MTL	1 HR	18	5			#10
249	HALL	PR 3'-6" x 6'-8"	F	HM	MTL	1 HR	18	5			#10
250	STORAGE	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
251	STAIR	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
252	PC ROOM	NONE									
253	RECEIVING	NONE									
254	TV ROOM	NONE									
255	TOILET	3'-0" x 6'-8"	F	SC	MTL	1 HR	21	5			
256	MULTIPURPOSE	NONE									
257	CORRIDOR	PR 3'-6" x 6'-8"	F	HM	MTL	90 MIN	18	9			#10
258	LAUNDRY	3'-0" x 6'-8"	F	SC	MTL	1 HR	25	5			#10
259	STAIR	3'-0" x 6'-8"	C	SC	MTL	90 MIN	15	5			
260	STAIR	3'-0" x 6'-8"	C	SC	MTL	90 MIN	15	5			
261	LINEN	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
262	STORAGE	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
263	CORRIDOR	PR 3'-6" x 6'-8"	F	HM	MTL	90 MIN	18	9			#10
264	SITTING	NONE									
265	LAUNDRY	3'-0" x 6'-8"	F	SC	MTL	1 HR	25	5			#10
266	STAIR	3'-0" x 6'-8"	C	SC	MTL	90 MIN	15	5			
267	STORAGE	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
268	STORAGE	3'-0" x 6'-8"	F	SC	MTL	1 HR	16	5			
269	HALL	PR 3'-6" x 6'-8"	F	HM	MTL	1 HR	18	9			#10
301-302	ATTIC	2'-6" x 5'-0"	F	HM	WF		52				
304-306	ATTIC	2'-6" x 5'-0"	F	HM	MTL	90 MIN	53				
306-309	ATTIC STAIRS	3'-0" x 6'-8"	F	SC	MTL	1 HR	54				

CONSTRUCTION:

- HC HOLLOW CORE WOOD
- STL STEEL INSULATED CORE (BENCHMARK OR APPROVED)
- SC SOLID CORE WOOD
- HM HOLLOW METAL OR TOTAL DOOR (CONTRACTOR'S OPTION)
- STF STOREFRONT

FRAME:

- WF WOOD FRAME
- HM HOLLOW METAL OR TOTAL DOOR (CONTRACTOR'S OPTION)
- MTL METAL (TIMELY OR APPROVED)
- ALUM ALUMINUM STORE FRONT
- GBR GYP. BOARD RETURN
- STL. STEEL

GENERAL NOTES:

1. ALL DOORS TO HAVE LEVERS FOR ACCESSIBILITY
2. ALL FIRE RATED DOORS B AND C ARE TO HAVE WIRELITE NT GLASS.
3. PROVIDE ACCESSIBLE SYMBOLS ON DOOR PER 8/A8.3A
4. INTERIOR DOORS TO HAVE MAXIMUM EFFORT OF 15 LBS TO OPERATE, EXTERIOR DOORS: 8 1/2 LBS, 4. FIRE RATED DOORS: 15 LBS. NON FIRE RATED DOORS 5LBS. (NOT APPLICABLE FOR SUITE DOORS)
5. ALL CORRIDOR DOORS TO HAVE DRAFT / SMOKE ASSEMBLIES.
6. ALL REQUIRED EXIT DOORS TO BE OPERABLE FROM INSIDE WITHOUT USE OF A KEY
7. ALL SUITES IDENTIFIED WITH AN ACCESSIBLE SYMBOL ARE TO HAVE A DOOR CLOSURE AT SUITE ENTRY.
8. GLAZING ON EXTERIOR DOORS TO HAVE A "U" VALUE OF 0.30 AND A "SHGF" VALUE OF 0.32
9. ALL DOOR FRAME WIDTHS TO BE VERIFIED BY SUPPLIER, CORD. W STRUC.
10. DOOR VIEWERS TO BE MOUNTED AT 58" FROM F.F. & 4'-0" FROM F.F. IN H.C. SUITES
11. ALL CORRIDOR DOORS TO BE "S-LABELED"

KEY NOTES:

1. DOORS TO BE SELF OPENING FOR ATRIUM SMOKE CONTROL. OPENER TO BE A NOR 6770 OR A LC 4600 OR EQ.
2. HARDWARE IS TO BE A PB750 TRANSFORMER (120 VAC/24 VAC) w/ A VONDUPRIN 6211 ELECTRIC STRIKE (FAIL SAFE) w/ A KWIKSET / WINSTON W ENTRY FUNCTION FINISH TO MATCH ALL HARDWARE. WIRE TO RELAY (24 VDC) ON DOOR MAGNET CIRCUIT FROM FACP. FACP NOT TO POWER STRIKES. PROVIDE A VONDUPRIN PUSH WALL SWITCH MODEL PB721L PRODUCTS LISTED ABOVE CAN HAVE EQUALS.
3. ELEVATOR EQUIPMENT ROOM DOOR TO HAVE 1" UNDER CUT
4. DOOR GLAZING TO BE WIRE LITE GLASS
5. AUTOMATIC DOORS BY STANLEY DURAGLIDE 2000
6. 30" H X 34" W MTL. KICK PLATE, BOTH SIDES. FINISH TO BE US-3.
7. WIDE STYLE DOOR FRAME w/ GRIDS AT ALL PANELS (OUTSIDE AND INSIDE DOORS AND ALL SLIDING DOORS). WHITE FINISH ALUM. SASH, TYP.
8. EXTERIOR SWING DOOR, PROVIDE WINDOW VENT IN GLASS AREA W/SCREEN.
9. PROVIDE F400 IMPERIAL EQUALITE SELF STORING STORM DOOR w/ STANDARD LATCH KIT AT FIRST FLOOR DOORS WITHIN 10'-0" OF STAIR EXIT DOOR MUST BE 1-HR RATED WITH 3/4-HR GLASS WITH HOLLOW METAL FRAME.
10. PROVIDE MAGNETIC HOLD OPEN.

TYPICAL DOOR TYPES:



NOTE: ALL FIRE RATED DOORS TYPE "B" AND "C" ARE TO HAVE WIRE LITE GLASS

SET #1 - Unit entry (non-handicap) Kerfed Frame

3	Spring hingers	5000 4.5" x 4.5"	US26D	SGSH
1	Lockset	SP10PD SAT	626	SC
1	Door Knocker	37-9480	626	TAYI
1	Door Viewer	ULDV200	US26	CA
1	Stop	HDF33	US26	CA
2	Door Number Holder	14RHSCA	32D	FABT
1	Intumescent Seal	HSS2000W-18		PE

SET #2 - Unit entry (handicap) Kerfed Frame

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Lockset	SP10PD SAT	626	SC
1	Closer	7414 ARP FC SNB1	689	DM
2	Door Knocker	37-9480	626	TAYI
1	Door Viewer	ULDV200	US26	CA
1	Stop	HDF33	US26	CA
2	Door Number Holder	14RHSCA	32D	FABT
1	Intumescent Seal	HSS2000W-18		PE

SET #3 - Deck door (Non HC, in-swing)

3	Hinges	158 4" x 4"	US26D	SGSH
1	Passage Set	F10 ELA	626	SC
1	Deadlock	B560P	626	SC
1	Stop	HDF33	US26	CA
1	Kerfed In Weatherstrip	WTVF9650WH061 WHITE 17"	WHT	LOXC
1	Adjustable Sweep	V-2280 WHITE 36"	WHITE	LOXC
1	Threshold	418HDVT 36"	MILL	COLU

SET #4 - Deck door (Non-HC, outswing)

2	Hinges	158 4" x 4"	US26D	SGSH
1	Hinges	158 4" x 4" NRP	US26D	SGSH
1	Passage Set	F10 ELA	626	SC
1	Deadlock	B560P	626	SC
1	Kerfed In Weatherstrip	WTVF9650WH061 WHITE 17"	WHT	LOXC
1	Threshold	575 36"	MILL	COLU

SET #5 - Deck door (HC, in-swing)

3	Hinges	158 4" x 4"	US26D	SGSH
1	Passage Set	F10 ELA	626	SC
1	Deadlock	B560P	626	SC
1	Stop	HDF33	US26	CA
1	Kerfed In Weatherstrip	WTVF9650WH061 WHITE 17"	WHT	LOXC
1	Adjustable Sweep	V-2280 WHITE 36"	WHITE	LOXC
1	Threshold	491 36"	MILL	COLU

SET #6 - Deck door (non-HC, in-swing, 90-minute)

1	Passage Set	F10OP ELA 16-203	626	SC
1	Deadlock	B560P	626	SC
1	Stop	HDF33	US26	CA

NOTE: Balance of hardware supplied by door manufacture. Spring Hinges, sweep, threshold & smoke seal.

SET #7 - Unit bath (swing)

3	Hinges	158 3.5" x 3.5"	US26D	SGSH
1	Privacy Set	F40 ELA	626	SC
1	Stop	HDF33	US26D	CA

SET #8 - Unit Pocket door

1	Pocket Door Lock	POL-101	626	DJ
1	Pocket Door Track & Hdwe	100PD 72"	626	JOHN
1	Pocket Door Hardware	10312701		JOHN

SET #9 - Unit bedrm & closet, Office closet

3	Hinges	158 3.5" x 3.5"	US26D	SGSH
1	Passage Set	F10 ELA	626	SC
1	Stop	HDF33	US26	CA

SET #10 - Unit closet (2-dr bipass)

2	Finger Pull	DFP218 2 1/8" BIPASS PULL	US26D	CALR
1	Track	12-300-95		COOK
2	Floor Guide	04-003		COOK
2	Hanger	12-006		COOK

SET #11 - Unit closet (3-dr bipass)

4	Finger Pull	DFP218 2 1/8" BIPASS PULL	US26D	CALR
1	Track	12-300-95		COOK
2	Floor Guide	04-003		COOK
2	Hanger	12-006		COOK

SET #12 - Rear Foyer

1	Exit Device	Panic
2	Openers	Stanley Magic-Force Operator & Header
2	Remote Push Buttons	

NOTE: Astragal by door supplier.

SET #13 - Office, Mktg, Beauty - Kerfed Frame

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Lockset	S51PD SAT	626	SC
1	Closer	7414 ARP FC SNB1	689	DM
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000W-18		P

SET #14 - Stairwell entry (first flr only)-Kerfed

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Exit Device	F9300B x YR23	630	DM
1	Closer	7414 ARP FC SNB1	689	DM
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000W-18		PE

SET #15 - Stairwell (2nd & 3rd flrs-Kerfed

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Exit Device	LB FB400A	630	DM
1	Closer	7414 ARP FC SNB1	689	DM
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000W-18		PE

SET #16 - 3rd Flr Stair to Attic, Linen Rm, Stor.

3	Spring Hinges	5000 4.5" x 4.5"	US26D	SGSH
1	Lockset	S26PD SAT	626	SC
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000W-18		PE

SET #17 - Exterior - Stair, Wtng Exit

2	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Hinges	BB1000 4.5" x 4.5" NRP	US26D	SGSH
1	Ext Device	9300B x PR702 L	630	DM
1	Rim Cylinder	20-222	626	SC
1	Closer	8916 AFB9P SN1	689	DM
1	Smoke Seal	S88 W 17"		PE
1	Door Bottom	677 37"	MILL	COLU
1	Threshold	279 36"	MILL	COLU

SET #18 - Hall smoke doors, Corridor fire doors

6	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
2	Ext Device	LB FB400A	630	DM
1	Closer	8916 AFB9P SN1	689	DM
1	Smoke Seal	S88 W 21"		PE

NOTE: Magnetic hold opens are by others.

SET #19 - Elevator-SR HM Frame

4	Hinge	WTB81169 4 1/2 X 6	US26D	HA
1	Passage Set	S10D SAT	626	SC
1	Closer	7414 ARP FC SNB1	689	DM
1	Intumescent Seal	HSS2000W-21		PE
1	Smoke Seal	S88 W 20"		PE

NOTE: Magnetic hold opens are by others.

SET #20 - 1st Floor Restrooms-Kerfed Frame

3	Hinges	BB1400 4.5" x 4.5"	US26D	SGSH
1	Passage Set	S10D SAT	623	SC
1	Closer	7414 ARP FC SNB1	689	DM
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000-18		PE

SET #21 - 2nd & 3rd floor toilets-Kerfed Frame

3	Hinges	BB3000 4.5" x 4.5"	US26D	SGSH
1	Privacy Set	S40D SAT	626	SC
1	Deadlock	B571	626	SC
1	Closer	7414 ARP FC SNB1	689	DM
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000W-18		PE

SET #22 - Staff toilet, Office toilet

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Closer	7414 ARP FC SNB1	689	DM
1	Privacy Set	S40D SAT	626	SC
1	Wall Bumper	WS407CCV	US26D	IV

SET #23 & #24 - Not Used

SET #25 - Laundry Rooms-Kerfed Frame

3	Hinges	BB1400 4.5" x 4.5"	US26D	SGSH
1	Passage Set	S10D SAT	626	SC
1	Closer	7414 ARP FC SNB1	689	DM
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000W-18		PE

NOTE: Magnetic hold opens are by others.

SET #26 - Elevator Equipment

3	Spring hinges	5000 4.5" x 4.5"	US26D	SGSH
1	Lockset	S80PD SAT	626	SC
1	Intumescent Seal	HSS2000W-18		PE
1	Smoke Seal	S88 W 17"		PE

SET #27 Exterior Elev. Equipment

3	Hinges	BB100C 4.5" x 4.5" NRP	US26D	SGSH
1	Lockset	S80PD SAT	626	SC
1	Closer	8916 AFB9P SN1	689	DM
1	Smoke Seal	S88 W 17"		PE
1	Door Bottom	677 36"	MILL	COLU
1	Threshold	279 36"	MILL	COLU

SET #28 - Elec. Rm to Int. - Kerfed Frame

3	Hinges	BB1400 4.5" x 4.5"	US26D	SGSH
1	Exit Device	RE200A x R93 L	689	DM
1	Closer	7414 ARP FC SNB1	689	DM
1	Intumescent Seal	HSS2000W-21		PE

SET #29 - Electrical Exit - Wd Frame

1	Hinges	BB100C 4.5" x 4.5" NRP	US26D	SGSH
2	Hinges	BB1400 4.5" x 4.5"	US26D	SGSH
1	Exit Device	8100A x R93	689	DM
1	Closer	8916 AFB9P SN1	689	DM
1	Smoke Seal	S88 W 20"		PE
1	Door Bottom	677 42"	MILL	COLU
1	Threshold	279 42"	MILL	COLU

SET #30 - Mechanical Room - HM Frame

3	Hinges	BB1C00 4.5" x 4.5"	US26D	SGSH
1	Lockset	S80PD SAT	626	SC
1	Closer	7414 ARP FC SNB1	689	DM
1	Smoke Seal	S88 W 20"		PE

SET #31 - Sprinkler Room, HVAC

2	Hinges	BB1C00 4.5" x 4.5"	US26D	SGSH
1	Hinges	BB1100 4.5" x 4.5" NRP	US26D	SGSH
1	Lockset	S80PD SAT	626	SC
1	Closer	8916 AFB9P SN1	689	DM
1	Smoke Seal	S88 W 17"		PE
1	Door Bottom	633 37"	MILL	COLU
1	Threshold	279 36"	MILL	COLU

SET #32 - Activity Room, Chapel-Kerfed Frame

6	Hinges	BB1400 4.5" x 4.5"	US26D	SGSH
1	Passage Set	S10D SAT	626	SC
2	Closer	7414 ARP FC SNB1	689	DM
1	Set Auto Flush Bolts	FB61P	US32D	IV
1	Coordinator	COR62 FL20	US28	IV
2	Mounting Bracket	MB3F	SP28	IV
1	Intumescent Seal	HSS2000W-21		PE

NOTE: Astragal by door supplier.

SET #33 - Activity Rm, Cafe Rm, TV Rm-Kerfed Frame

3	Hinges	BB1400 4.5" x 4.5"	US26D	SGSH
1	Passage Set	S10D SAT	626	SC
1	Closer	7414 ARP FC SNB1	689	DM
1	Wall Bumper	WS407CCV	US26D	IV
1	Intumescent Seal	HSS2000W-18		PE

SET #34 - Activity Room exterior

2	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Hinges	BB1000 4.5" x 4.5" NRP	US26D	SGSH
1	Lockset	S80PD SAT	626	SC
1	Closer	8916 AFB9P SN1	689	DM
1	Smoke Seal	S88 W 17"		PE
1	Door Bottom	677 37"	MILL	COLU
1	Threshold	279 36"	MILL	COLU

SET #35 - Kitchen-HM Frame

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Lockset	S70PD SAT	626	SC
1	Closer	8916 AFB9P SN1	689	DM
1	Electric Strike	1006 J	630	HS
1	Push Button	9310	US28	ROFU
1	Power Supply	BPS-24-1		CR
1	Smoke Seal	S88 W 20'		PE
1	Wall Bumper	WS407CCV	US26D	IV

SET #36 - Kitchen closet-Kerfed Frame-HR

6	Hinges	1000 4.5" x 4.5"	US26D	SGSH
1	Flush Bolt	FB358	US26D	IV
1	Lockset	S70PD SAT	626	SC
1	Wall Bumper	WS407CCV	US26D	IV

NOTE: No astragal

SET #37 - Kitchn Closet-Kerfed Frame

6	Spring hinges	5000 4.5" x 4.5"	US26D	SGSH
1	Set Auto Flush Bolts	FB61P	US32D	IV
1	Lockset	S80PD SAT	626	SC
1	Coordinator	COR52 FL20	US28	IV
2	Mounting Bracket	MB3F	SP28	IV
1	Intumescent Seal	HSS2000W-21		PE

NOTE: Astragal by door supplier.

SET #38 - Kitchen Exterior

2	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Hinges	BB1000 4.5" x 4.5" NRP	US26D	SGSH
1	Lockset	S70PD SAT	626	SC
1	Closer	8916 FHP SN1	689	DM
1	Smoke Seal	S88 W 20'		PE
1	Door Shoe	222 AV 42"		PE
1	Threshold	281 42"	MILL	COLU

SET #39 - Kitchen stor., Staff, Kitch.clst-Kerfed Frame

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Passage Set	S10D SAT	626	SC
1	Wall Bumper	WS407CCV	US26D	IV

SET #40 - Kitchen Office (Chef)-Kerfed Frame

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Lockset	S51PD SAT	626	SC
1	Wall Bumper	WS407CCV	US26D	IV

SET #41 - Janitors Closet-Kerfed Frame

3	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Passage Set	S10D SAT	626	SC
1	Wall Bumper	WS407CCV	US26D	IV

SET #42 - Beauty Room Closet-Wood Frame

6	Hinges	158 3.5" x 3.5"	US26D	SGSH
2	Roller Catch	336	US26D	IV
1	Dummy Lever	F170 ELA	626	SC
2	Wall Bumper	WS407CCV	US26D	IV

NOTE: No astragal

SET #43 - Private Dining, Exercise-Kerfed Frame

6	Hinges	BB1000 4.5" x 4.5"	US26D	SGSH
1	Set Auto Flush Bolts	FB61P	US32D	IV
2	Exit Device	LB FB400A	630	DM
2	Closer	7414 ARP FC SNB1	689	DM
1	Coordinator	COR52 FL20	US