

11 2 HOUR TO 1 HOUR CEILING

SCALE: 1" = 1'-0"

T:/09FINISH/250GYPBD/09250230



NOTES:
1. PROTECTION DETAIL REQUIRED ONLY WHEN GYP. BRD. OPENING IS GREATER THAN 16 SQ. INCHES.
2. THE NUMBER OF GYP. BRD. LAYERS USED IN THE BOX CONSTRUCTION IS EQUAL TO THE ASSEMBLY PENETRATED.



7 FIXTURE PROTECTION
HEAT LAMP, LIGHT FIXTURE/SPEAKER

SCALE: N.T.S.

T:/16ELECT/050BASIC/16050001



4 FIRE/SMOKE DAMPER IN WALL

SCALE: N.T.S.

T:/15MECH/500HVAC/15500001

NOT USED



10 STAIR SECTION
(2-HOUR PERPENDICULAR TO CORRIDOR)

SCALE: 1/4" = 1'-0"

T:/06WD&PL/S/200FINISH/06200145



9 FIREWALL DOOR JAMB
(AT CORRIDORS)

SCALE: 1-1/2" = 1'-0"

T:/08DR&WDW/100MTDRS/08100055





8 INT. WALL ASSEMBLY
(2 HR MECHANICAL CHASE)

SCALE: N.T.S.

T:/09FINISH/250GYPBD/09250210



6 SECTION AT CORRIDOR
(ALL TRADES TO COORDINATE AVAILABLE SPACE)

SCALE: 1-1/2" = 1'-0"

T:/09FINISH/250GYPBD/09250132-4ST

3







NOTE: FIRE CAULK ALL WIRES PER ALL APPLICABLE CODES AND ELECTRICAL PANEL MANUFACTURERS INSTALLATION INSTRUCTIONS.

NOTE: FOR REFERENCE. SEE DETAIL #8/S3.0 FOR ADDITIONAL HEADER FRAMING AT PANEL LOCATION. SEE ARCH. FOR REQUIREMENTS.

5 ELEC. PANEL
(FIRE RATED)

SCALE: N.T.S.

T:/16ELECT/470PANEL/16470009

APPLIES TO ALL PENETRATIONS OF RATED CONSTRUCTION. REFER TO SHEETS A7.6 AND A7.7 FOR FIRE STOP PRODUCT SPECIFICATIONS.



2 TUB AND SHOWER DRAIN DETAIL

SCALE: N.T.S.

T:/15MECH/400PLUMB/15400015



APPLIES TO ALL PENETRATIONS OF RATED CONSTRUCTION. REFER TO SHEETS A7.6, A7.7 AND A7.8 FOR FIRE STOP PRODUCT SPECIFICATIONS.

1 PLUMBING DETAIL
(AT FIRE RATED CONSTRUCTION)

SCALE: N.T.S.

T:/07TMPROT/270FRSTP/07270008

lenity architecture
3150 Kettle Court SE, Salem, Oregon 97301
p 503 399 1090 f 503 399 0585 www.lenityarchitecture.com

COLSON AND COLSON GENERAL CONTRACTOR, INC.
2260 McGILCHRIST STREET SE, SUITE 200
SALEM, OREGON, 97302
PHONE (503) 586-7401

PORTLAND RETIREMENT RESIDENCE
802 OCEAN AVE. PORTLAND, MAINE 04103

FIRE RATED CONSTRUCTION DETAILS

DATE 8/28/2015

REVISED DATE

SHEET A8.8

©2015 Lenity Architecture

saved:8/27/2015 3:48 PM kristiharri plot:8/28/2015 10:28 AM kristiharri file:c:\users\kristi\documents\revit local files\portland\a08a8.5 fire rated construction details.dwg A8.8