


Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	CJ13	MONO TRUSS	6	1	
Universal Forest Products					Job Reference (optional)
					7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:48 2016 Page 1
					ID:lam8x7qCWbBpwJAxwHko4HjyDe3-RoarZBtpd82CDcLz2A?Tul7zn7sA0vm47RYe4IznDNL



Scale = 1:18.9




Plate Offsets (X,Y)-- [2:0-5-1,0-0-1]					
LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.78	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.31	Vert(LL) -0.03 6 >999 360		
BCLL 0.0	Rep Stress Incr NO	WB 0.33	Vert(TL) -0.04 2-6 >999 240		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) 0.01 5 n/a n/a		
				Weight: 38 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SPF No.3	

REACTIONS. (lb/size) 2=899/0-5-8, 5=827/Mechanical
 Max Horz 2=111(LC 8)
 Max Uplift 2=-322(LC 9), 5=-150(LC 9)
 Max Grav 2=975(LC 13), 5=906(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-7=-1202/65, 7-8=-1184/66, 3-8=-1124/70, 4-5=-406/127
 BOT CHORD 2-6=-85/1088, 5-6=-85/1088
 WEBS 3-5=-1165/111

JOINT STRESS INDEX
 2 = 0.85, 2 = 0.00, 3 = 0.46, 4 = 0.23, 5 = 0.50 and 6 = 0.11


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 2=322, 5=150.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 12) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-39(F=-9, B=-9), 1=-94-to-2=-129, 2=-41(F=44, B=44)-to-4=-307(F=-44, B=-44)
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-39(F=-9, B=-9), 1=-94-to-2=-129, 2=-41(F=44, B=44)-to-7=-83(F=30, B=30), 7=-106(F=30, B=30)-to-4=-329(F=-44, B=-44)
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-39(F=-9, B=-9), 1=-38-to-2=-73, 2=15(F=44, B=44)-to-4=-251(F=-44, B=-44)
- 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-39(F=-9, B=-9), 1=-174-to-2=-209, 2=-36(F=7, B=7)-to-4=-151(F=-7, B=-7)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	CJ14	MONO TRUSS	2	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:48 2016 Page 1
 ID:iam8x7qCWbBpwJAxwHko4HyjDe3-RoarZBtpd82CDclz2A?Tul7?o7th0wT47RYe4lznDNL



Scale = 1:20.1




Plate Offsets (X,Y)-- [2:0-4-1,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.65 BC 0.21 WB 0.28 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.02 6 >999 360 Vert(TL) -0.03 6 >999 240 Horz(TL) 0.01 5 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 43 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF 2100F 1.8E
 BOT CHORD 2x6 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. (lb/size) 2=1266/0-5-8, 5=663/Mechanical
 Max Horz 2=153(LC 6)
 Max Uplift 2=-327(LC 9), 5=-201(LC 9)
 Max Grav 2=1321(LC 2), 5=760(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-7=-960/90, 3-7=-885/98, 4-5=-495/157
 BOT CHORD 2-6=-121/779, 5-6=-121/779
 WEBS 3-5=-845/173

JOINT STRESS INDEX
 2 = 0.85, 2 = 0.00, 3 = 0.34, 4 = 0.28, 5 = 0.39 and 6 = 0.12

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 2=327, 5=201.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13, 14, 15, 16, 17, 18 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 12) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-218-to-2=-185, 2=-97(F=44, B=44)-to-4=-199(F=-53, B=-53)
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-218-to-2=-185, 2=-97(F=44, B=44)-to-7=-125(F=17, B=17), 7=-152(F=17, B=17)-to-4=-226(F=-53, B=-53)
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-162-to-2=-129, 2=-41(F=44, B=44)-to-4=-143(F=-53, B=-53)
- 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-298-to-2=-265, 2=-92(F=7, B=7)-to-4=-30(F=-8, B=-8)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	CJ14	MONO TRUSS	2	1	Job Reference (optional)

Universal Forest Products


7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:48 2016 Page 2
 ID:iam8x7qCWbBpwJAxwHko4HjDe3-RoarZBtpd82CDclz2A?Tul7?o7th0wT47RYe4IznDNL

LOAD CASE(S) Standard

- 14) 1st Moving Load: Lumber Increase=1.25, Plate Increase=1.25
 Concentrated Loads (lb)
 Vert: 7=300
 Trapezoidal Loads (plf)
 Vert: 2=0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-138-to-2=-105, 2=-17(F=44, B=44)-to-4=-119(F=-53, B=-53)
- 15) 2nd Moving Load: Lumber Increase=1.25, Plate Increase=1.25
 Concentrated Loads (lb)
 Vert: 8=300
 Trapezoidal Loads (plf)
 Vert: 2=0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-138-to-2=-105, 2=-17(F=44, B=44)-to-4=-119(F=-53, B=-53)
- 16) 3rd Moving Load: Lumber Increase=1.25, Plate Increase=1.25
 Concentrated Loads (lb)
 Vert: 4=300
 Trapezoidal Loads (plf)
 Vert: 2=0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-138-to-2=-105, 2=-17(F=44, B=44)-to-4=-119(F=-53, B=-53)
- 17) 4th Moving Load: Lumber Increase=1.25, Plate Increase=1.25
 Concentrated Loads (lb)
 Vert: 2=300
 Trapezoidal Loads (plf)
 Vert: 2=0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-138-to-2=-105, 2=-17(F=44, B=44)-to-4=-119(F=-53, B=-53)
- 18) 5th Moving Load: Lumber Increase=1.25, Plate Increase=1.25
 Concentrated Loads (lb)
 Vert: 3=300
 Trapezoidal Loads (plf)
 Vert: 2=0(F=10, B=10)-to-5=-42(F=-11, B=-11), 1=-138-to-2=-105, 2=-17(F=44, B=44)-to-4=-119(F=-53, B=-53)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	CJ21	MONO TRUSS	1	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:49 2016 Page 1
 ID:DmKX9SrqHvJgYT18U_r1dUyjDe2-v_8DnXuRNSA3qmw9cuWiQygBnXFzIR6EL5HBckznDNK



Scale = 1:14.0




Plate Offsets (X,Y)-- [2:0-0-1,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.64 BC 0.08 WB 0.00 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.01 2-4 >999 360 Vert(TL) -0.01 2-4 >999 240 Horz(TL) -0.00 4 n/a n/a	MT20	197/144
TCDL 7.0				Weight: 24 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-
 TOP CHORD 2x6 SPF 2100F 1.8E
 BOT CHORD 2x6 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 4-9-12 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 2=965/0-5-8, 4=75/Mechanical
 Max Horz 2=112(LC 8)
 Max Uplift 2=-296(LC 9), 4=-146(LC 13)
 Max Grav 2=1192(LC 13), 4=348(LC 15)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 3-4=-312/181

JOINT STRESS INDEX
 2 = 0.80, 2 = 0.00, 3 = 0.17 and 4 = 0.13

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 2=296, 4=146.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 12) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-4=-24(F=-2, B=-2), 1=-218-to-2=-169, 2=-81(F=44, B=44)-to-3=-113(F=-10, B=-10)
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-4=-24(F=-2, B=-2), 1=-218-to-2=-169, 2=-81(F=44, B=44)-to-5=-83(F=41, B=41), 5=-102(F=41, B=41)-to-3=-132(F=-10, B=-10)
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-4=-24(F=-2, B=-2), 1=-162-to-2=-113, 2=-25(F=44, B=44)-to-3=-57(F=-10, B=-10)
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 Trapezoidal Loads (plf)
 Vert: 2=-0(F=10, B=10)-to-4=-24(F=-2, B=-2), 1=-298-to-2=-249, 2=-76(F=7, B=7)-to-3=-17(F=-1, B=-1)


Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G1	MONO TRUSS	1	2	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:50 2016 Page 1

ID:W7FAdswDe2ChuYnUOyTgPzyjDdx-NBic_tv48mJwSwVLAB2xzADKowSRUfvNal18BznDNJ



Scale = 1/70.1




Plate Offsets (X,Y)--	[4:0-2-8,0-2-0], [8:0-2-15,0-2-12], [9:0-3-0,Edge], [10:0-2-8,0-0-8], [11:0-2-8,0-0-3-0], [14:0-2-4,0-0-2-8], [16:0-3-0,0-4-4], [17:0-3-8,0-4-4], [19:0-3-8,0-4-12], [20:0-3-8,0-4-8], [21:0-4-0,0-4-12], [22:Edge,0-8-0]
-----------------------	---

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.75 BC 0.64 WB 0.99 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.16 17-19 >999 360 Vert(TL) -0.25 17-19 >999 240 Horz(TL) 0.05 15 n/a n/a	MT20	197/144
TCDL 7.0	Rep Stress Incr NO				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 553 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF 2100F 1.8E *Except* T3: 2x10 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x6 SPF 2100F 1.8E *Except* B3: 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 4-0-15 oc bracing. Except: 1 Row at midpt 10-14
WEBS 2x4 SPF No.3 *Except* W5: 2x4 SPF No.2	WEBS 1 Row at midpt 11-13, 4-21, 8-17, 8-14

REACTIONS. (lb/size) 21=7449/0-9-0, 15=6283/0-6-0
Max Horz 21=793(LC 9)
Max Uplift 21=4200(LC 9), 15=3849(LC 9)
Max Grav 21=7449(LC 1), 15=7195(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 2-23=-720/1436, 3-23=-708/1456, 3-24=-606/1438, 4-24=-603/1446, 4-25=-4216/2332, 5-25=-4141/2332, 5-6=-4115/2339, 6-26=-7223/3991, 7-26=-7148/3998, 7-27=-5776/3114, 8-27=-5701/3121, 8-9=-621/840, 9-28=-616/840, 10-28=-610/940, 10-29=-614/1060, 11-29=-607/1067, 11-12=-285/0
BOT CHORD 21-22=-647/318, 20-21=-2752/3973, 20-30=-4251/6858, 19-30=-4251/6858, 18-19=-3322/5476, 18-31=-3322/5476, 17-31=-3322/5476, 17-32=-1778/2990, 16-32=-1778/2990, 16-33=-162/266, 15-33=-162/266, 14-15=-6754/3568, 10-14=-332/709
WEBS 3-21=-652/356, 4-21=-8203/4552, 4-20=-2683/4831, 6-20=-3866/2009, 6-19=-601/1192, 7-19=-1443/2206, 7-17=-1761/1108, 8-17=-2760/4471, 8-16=-665/1119, 14-16=-1697/2862, 8-14=-5135/3056, 11-14=-2181/953, 2-21=-755/506

JOINT STRESS INDEX
2 = 0.00, 3 = 0.31, 4 = 0.92, 5 = 0.69, 6 = 0.69, 7 = 0.82, 8 = 0.76, 9 = 0.16, 10 = 0.33, 11 = 0.39, 13 = 0.32, 14 = 0.88, 15 = 0.98, 16 = 0.68, 17 = 0.54, 18 = 0.82, 19 = 0.28, 20 = 0.63, 21 = 0.78 and 22 = 0.46

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc, 2x10 - 2 rows staggered at 0-9-0 oc, 2x4 - 1 row at 0-9-0 oc.
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc, 2x4 - 1 row at 0-7-0 oc.
Webs connected as follows: 2x4 - 1 row at 0-9-0 oc, Except member 21-4 2x4 - 1 row at 0-7-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=5ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - Unbalanced snow loads have been considered for this design.
 - This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Bearing at joint(s) 15 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (It-lb) 21=4200, 15=3849.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G1	MONO TRUSS	1	2	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:50 2016 Page 2
 ID:W7FAadswDe2ChuYnUOyTgPzyjDdx-NBic_tv48mJwSwVLAB2xzADKowSRUfvNal1l8BznDNJ

NOTES-

13) Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 770 lb down and 450 lb up at 8-5-14, 770 lb down and 450 lb up at 8-5-14, 707 lb down and 414 lb up at 11-3-12, 707 lb down and 414 lb up at 11-3-12, 638 lb down and 373 lb up at 14-1-2, 638 lb down and 373 lb up at 14-1-2, 574 lb down and 336 lb up at 16-10-10, 574 lb down and 336 lb up at 16-10-10, 515 lb down and 301 lb up at 19-9-10, 515 lb down and 301 lb up at 19-9-10, 348 lb down and 204 lb up at 22-7-8, 348 lb down and 204 lb up at 22-7-8, 436 lb down and 255 lb up at 25-5-8, 436 lb down and 255 lb up at 25-5-8, and 475 lb down and 278 lb up at 28-3-6, and 475 lb down and 278 lb up at 28-3-6 on bottom chord. The design/selection of such connection device(s) is the responsibility of others.

LOAD CASE(S) Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 1-2=-94, 2-11=-94, 11-12=-94, 15-22=-20, 13-14=-20

Concentrated Loads (lb)


Vert: 20=-1540(F=-770, B=-770) 19=-1276(F=-638, B=-638) 17=-1030(F=-515, B=-515) 16=-872(F=-436, B=-436) 30=-1414(F=-707, B=-707) 31=-1148(F=-574, B=-574) 32=-696(F=-348, B=-348) 33=-950(F=-475, B=-475)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G1A	MONO TRUSS	1	2	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:52 2016 Page 1
 ID: JpYqBxrPMKYViMgyg_vxAyjDdw-JZqMPZwKgnZehDekH04P2blgIk8xyZLg13WrD3znDNH



Scale = 1/70.8





Plate Offsets (X, Y)--	[4:0-2-8, 0-2-0], [8:0-2-15, 0-2-12], [9:0-3-0, Edge], [10:0-2-4, 0-2-8], [11:0-2-8, 0-0-8], [14:0-11-0, 0-0-3-0], [16:0-3-0, 0-4-4], [17:0-3-8, 0-4-4], [19:0-3-8, 0-4-12], [20:0-3-8, 0-4-8], [21:0-4-0, 0-4-12], [22:Edge, 0-8-0]
------------------------	--

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.75 BC 0.64 WB 0.99 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.18 17-19 >999 360 Vert(TL) -0.28 17-19 >999 240 Horz(TL) 0.05 24 n/a n/a	MT20	197/144
TCDL 7.0	Rep Stress Incr NO				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 580 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF 2100F 1.8E *Except* T3: 2x10 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. Rigid ceiling directly applied or 10-0-0 oc bracing, Except:
BOT CHORD 2x6 SPF 2100F 1.8E	6-0-0 oc bracing: 21-22, 13-14.
WEBS 2x4 SPF No.3 *Except* W15: 2x6 SPF No.2, W5: 2x4 SPF No.2	WEBS 1 Row at midpt 11-13, 4-21, 8-17, 8-14

REACTIONS. (lb/size) 21=7428/0-9-0, 24=6291/0-5-8
 Max Horz 21=793(LC 9)
 Max Uplift 21=4187(LC 9), 24=3854(LC 9)
 Max Grav 21=7428(LC 1), 24=7207(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-25=-721/1436, 3-25=-709/1456, 3-26=-607/1438, 4-26=-604/1447, 4-27=-4200/2322, 5-27=-4125/2322,
 5-6=-4099/2329, 6-28=-7187/3969, 7-28=-7112/3976, 7-29=-5739/3090, 8-29=-5663/3098, 8-9=-722/958,
 9-30=-717/963, 10-30=-711/1094, 11-12=-285/0, 11-13=-1738/761
 BOT CHORD 21-22=-646/317, 20-21=-2743/3958, 20-32=-4231/6824, 19-32=-4231/6824, 18-19=-3296/5436,
 18-33=-3296/5436, 17-33=-3296/5436, 17-34=-1746/2939, 16-34=-1746/2939, 16-35=-173/296,
 15-35=-173/296, 13-14=-904/380
 WEBS 15-23=-244/388, 14-23=-233/370, 10-14=-2934/4900, 3-21=-651/355, 4-21=-8179/4537, 4-20=-2672/4814,
 6-20=-3842/1994, 6-19=-597/1187, 7-19=-1450/2218, 7-17=-1794/1124, 8-17=-2771/4496, 8-16=-724/1230,
 14-16=-1650/2782, 8-14=-5201/3102, 10-13=-826/1967, 2-21=-756/507

JOINT STRESS INDEX
 2 = 0.00, 3 = 0.31, 4 = 0.92, 5 = 0.70, 6 = 0.69, 7 = 0.82, 8 = 0.77, 9 = 0.14, 10 = 0.73, 11 = 0.90, 13 = 0.71, 14 = 0.64, 14 = 0.26, 14 = 0.26, 14 = 0.26, 15 = 0.31, 16 = 0.66, 17 = 0.54, 18 = 0.82, 19 = 0.28,
 20 = 0.63, 21 = 0.78, 22 = 0.46, 23 = 0.00 and 23 = 0.26

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
 Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc, 2x10 - 2 rows staggered at 0-9-0 oc, 2x4 - 1 row at 0-9-0 oc.
 Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Webs connected as follows: 2x4 - 1 row at 0-9-0 oc, Except member 21-4 2x4 - 1 row at 0-7-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=5ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - Unbalanced snow loads have been considered for this design.
 - This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Bearing at joint(s) 24 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (it=lb) 21=4187, 24=3854.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G1A	MONO TRUSS	1	2	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:52 2016 Page 2
 ID: _JpYqBxrPMKYViMgyg_vxAyjDdw-JZqMPZwKgNZehDekH04P2bglk8xyZLg13WrD3znDnH

NOTES-

13) Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 770 lb down and 450 lb up at 8-5-14, 770 lb down and 450 lb up at 8-5-14, 707 lb down and 414 lb up at 11-3-12, 707 lb down and 414 lb up at 11-3-12, 638 lb down and 373 lb up at 14-1-2, 638 lb down and 373 lb up at 14-1-2, 574 lb down and 336 lb up at 16-10-10, 574 lb down and 336 lb up at 16-10-10, 515 lb down and 301 lb up at 19-9-10, 515 lb down and 301 lb up at 19-9-10, 348 lb down and 204 lb up at 22-7-8, 348 lb down and 204 lb up at 22-7-8, 436 lb down and 255 lb up at 25-5-8, 436 lb down and 255 lb up at 25-5-8, and 475 lb down and 278 lb up at 28-3-6, and 475 lb down and 278 lb up at 28-3-6 on bottom chord. The design/selection of such connection device(s) is the responsibility of others.

LOAD CASE(S) Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 1-2=-94, 2-11=-94, 11-12=-94, 15-22=-20, 13-14=-20

Concentrated Loads (lb)

Vert: 20=-1540(F=-770, B=-770) 19=-1276(F=-638, B=-638) 17=-1030(F=-515, B=-515) 16=-872(F=-436, B=-436) 32=-1414(F=-707, B=-707) 33=-1148(F=-574, B=-574) 34=-696(F=-348, B=-348) 35=-950(F=-475, B=-475)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G3	MONO TRUSS	1	2	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:53 2016 Page 1
 ID:whwJFty5wzaGl?W3351N1byjDdu-nmOkcvxyRhhVJNDwrkbeborqn8U1h0WpGjFPiVznDNG




Plate Offsets (X,Y)-- [2:0-3-12,0-2-0], [5:0-2-0-0-2-0], [8:0-2-0-0-2-0], [10:0-4-8,0-1-8], [11:0-2-0-0-2-12], [13:0-4-0-0-4-12], [14:0-3-0-0-2-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.83	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.58	Vert(LL) -0.15 13-14 >999 360		
BCLL 0.0	Rep Stress Incr NO	WB 0.93	Vert(TL) -0.24 13-14 >999 240		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) 0.04 10 n/a n/a		
				Weight: 375 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing, Except:
WEBS 2x4 SPF No.3 *Except* W1,W9,W5: 2x6 SPF No.2, W8: 2x4 SPF No.2	6-0-0 oc bracing: 10-11. WEBS 1 Row at midpt 8-10, 5-11

REACTIONS. (lb/size) 15=3564/0-4-9, 10=4165/0-5-8
 Max Horz 15=804(LC 9)
 Max Uplift 15=1023(LC 9), 10=1744(LC 9)
 Max Grav 15=3575(LC 2), 10=4728(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-15=-3411/1036, 2-16=-5783/1444, 3-16=-5627/1463, 3-17=-5878/1499, 4-17=-5759/1499, 4-5=-5729/1510, 5-18=-2430/433, 6-18=-2311/440,
 6-19=-2392/515, 7-19=-2369/518, 7-20=-2311/524, 8-20=-2154/533, 8-9=-283/0, 8-10=-4662/1770
 BOT CHORD 14-15=-923/1016, 13-14=-1959/5194, 12-13=-1859/5327, 11-12=-1859/5327
 WEBS 2-14=-1049/4227, 3-14=-627/249, 5-13=-1418/4412, 5-11=-4910/1750, 6-11=-426/208, 8-11=-1639/4768

JOINT STRESS INDEX
 2 = 0.90, 3 = 0.64, 4 = 0.81, 5 = 0.94, 6 = 0.31, 7 = 0.36, 8 = 0.92, 10 = 0.82, 11 = 0.94, 12 = 0.92, 13 = 0.71, 14 = 0.61 and 15 = 0.93

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
 Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Webs connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-7-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - Unbalanced snow loads have been considered for this design.
 - This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 15=1023, 10=1744.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 4350 lb down and 1421 lb up at 13-5-0 on bottom chord. The design/selection of such connection device(s) is the responsibility of others.

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-2=-94, 2-8=-94, 8-9=-94, 10-15=-20
 Concentrated Loads (lb)
 Vert: 13=-4350(F)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G3B	MONO TRUSS	1	2	

Universal Forest Products ID:whwJFty5wzaGI?W3351N1byjDdu-Fyx6qFyaC_pMxXo7PR6t70N0pYouQTYzVN?yHyznDNF 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:54 2016 Page 1




Plate Offsets (X,Y)-- [1:0-4-8,0-2-0], [2:0-1-12,0-1-8], [3:0-2-0,0-2-0], [6:0-2-4,0-1-12], [11:0-3-8,0-4-12], [13:0-2-4,0-2-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.75 BC 0.73 WB 0.95 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.24 11-12 >999 360 Vert(TL) -0.37 11-12 >786 240 Horz(TL) 0.05 8 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 365 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x6 SPF 2100F 1.8E WEBS 2x6 SPF No.2 *Except* W3,W9: 2x4 SPF 2100F 1.8E, W4,W5,W6,W7,W8: 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 3-8-2 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing. WEBS 1 Row at midpt 6-8, 3-9

REACTIONS. (lb/size) 13=7703/(0-4-9 + bearing block) (req. 0-6-1), 8=7709/(0-5-8 + bearing block) (req. 0-6-7)
Max Horz 13=653(LC 9)
Max Uplift 13=2178(LC 9), 8=2752(LC 9)
Max Grav 13=7738(LC 2), 8=8177(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 1-15=-11373/3133, 2-15=-11215/3144, 2-16=-8708/2346, 3-16=-8532/2356, 3-4=-4766/1178, 4-17=-4611/1181, 5-17=-4601/1190,
5-18=-4761/1308, 6-18=-4403/1321, 8-14=-6844/2348, 6-14=-6844/2348
BOT CHORD 12-13=-653/44, 11-12=-3482/10372, 10-11=-2610/7884, 9-10=-2610/7884
WEBS 1-13=-6505/1803, 1-12=-2868/10514, 2-12=-567/1696, 2-11=-2896/1012, 3-11=-1372/4293, 3-9=-5177/1738, 5-9=-767/287, 6-9=-2832/8646

JOINT STRESS INDEX
1 = 1.00, 1 = 0.00, 1 = 0.00, 2 = 0.88, 3 = 0.93, 4 = 0.66, 5 = 0.31, 6 = 0.95, 8 = 0.94, 8 = 0.00, 8 = 0.00, 9 = 0.85, 10 = 0.79, 11 = 0.61, 12 = 0.96, 13 = 0.20, 13 = 0.00, 13 = 0.00, 14 = 0.00, 14 = 0.00 and 14 = 0.00

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
Top chords connected as follows: 2x6 - 2 rows staggered at 0-7-0 oc.
Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
Webs connected as follows: 2x6 - 2 rows staggered at 0-7-0 oc, 2x4 - 1 row at 0-9-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - 2x6 SPF No.2 bearing block 12" long at jt. 13 attached to each face with 3 rows of 10d (0.131"x3") nails spaced 3" o.c. 12 Total fasteners per block. User Defined Bearing crushing capacity= 425psi.
 - 2x6 SPF No.2 bearing block 12" long at jt. 8 attached to each face with 3 rows of 10d (0.131"x3") nails spaced 3" o.c. 12 Total fasteners per block. User Defined Bearing crushing capacity= 425psi.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - Unbalanced snow loads have been considered for this design.
 - This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - All plates are MT20 plates unless otherwise indicated.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Bearing at joint(s) 13, 8 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 13=2178, 8=2752.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G3B	MONO TRUSS	1	2	Job Reference (optional)

Universal Forest Products


7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:54 2016 Page 2
 ID:whwJFty5wzaGi?W3351N1byjDdu-Fyx6qFyaC_pMxXo7PR6t70N0pYouQTYzVN?yHyznDNF

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 8-13=-483(F=-463)
 Trapezoidal Loads (plf)
 Vert: 1=-173-to-6=-102, 6=-102-to-7=-94
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 8-13=-483(F=-463)
 Trapezoidal Loads (plf)
 Vert: 1=-173-to-5=-120, 5=-177-to-6=-159, 6=-159-to-7=-151
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 8-13=-483(F=-463)
 Trapezoidal Loads (plf)
 Vert: 1=-117-to-6=-46, 6=-46-to-7=-38
- 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 8-13=-158(F=-138)
 Trapezoidal Loads (plf)
 Vert: 1=-93-to-6=-22, 6=-182-to-7=-174

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G3C	FLAT ROOF	2	2	Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:54 2016 Page 1
 ID:whwJFty5wzaGl?W3351N1byjDdu-Fyx6qFyaC_pMxXo7PR6t70NyOYn8QWczVN?yHyznDNF



Scale = 1:41.2




Plate Offsets (X,Y)-- [1:0-2-4,0-2-8], [5:0-1-12,0-1-8], [6:0-2-4,0-2-8], [8:0-2-4,0-2-8], [11:0-2-0,0-2-12]

LOADING (psf)	SPACING	CSI.	DEFL.	PLATES	GRIP
TCLL 20.0	2-0-0	TC 0.97	in (loc) l/defl L/d	MT20	244/190
TCDL 7.0	Plate Grip DOL 1.15	BC 0.78	Vert(LL) 0.17 8-10 >999 360		
BCLL 0.0	Lumber DOL 1.15	WB 0.75	Vert(TL) -0.35 8-10 >860 240		
BCDL 10.0	Rep Stress Incr NO	(Matrix)	Horz(TL) 0.04 7 n/a n/a		
	Code IBC2006/TPI2002			Weight: 363 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SP No.2
 BOT CHORD 2x6 SP No.2
 WEBS 2x4 SP No.3 *Except*
 W2: 2x4 SP No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 3-9-12 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 12=3617/0-3-8, 7=3608/0-3-8
 Max Horz 12=134(LC 3)
 Max Uplift 12=1293(LC 3), 7=1334(LC 4)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-12=-3507/1296, 1-14=-5463/2000, 2-14=-5463/2000, 2-3=-7658/2820, 3-15=-7658/2820, 4-15=-7658/2820, 4-16=-7658/2820, 5-16=-7658/2820, 5-17=-5180/1943, 6-17=-5180/1943, 6-7=-3064/1170
 BOT CHORD 11-13=-2033/5463, 10-13=-2033/5463, 9-10=-1942/5180, 8-9=-1942/5180
 WEBS 2-11=-2954/1188, 4-10=-1753/731, 5-8=-1518/672, 1-11=-2208/6123, 2-10=-961/2521, 5-10=-1028/2846, 6-8=-2122/5753

JOINT STRESS INDEX
 1 = 0.95, 2 = 0.87, 3 = 0.92, 4 = 0.22, 5 = 0.86, 6 = 0.90, 7 = 0.74, 8 = 0.87, 9 = 0.90, 10 = 0.90, 11 = 0.93 and 12 = 0.76

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
 Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.
 Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - This truss has been checked for uniform roof live load only, except as noted.
 - Wind: ASCE 7-05; 90mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - Provide adequate drainage to prevent water ponding.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 12=1293, 7=1334.
 - This truss is designed in accordance with the 2006 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 1402 lb down and 505 lb up at 11-0-14 on top chord. The design/selection of such connection device(s) is the responsibility of others.

LOAD CASE(S) Standard
 1) Dead + Roof Live (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 12-13=-20, 7-13=-190(F=-170), 1-15=-197, 6-15=-54
 Concentrated Loads (lb)
 Vert: 15=-1402




Plate Offsets (X,Y)-- [3:0-2-0,0-4-0], [5:0-1-8,0-3-8]

LOADING (psf)	SPACING 2-0-0	CSI.	DEFL. in (loc) l/defl L/d	PLATES GRIP
TCLL 20.0	Plate Grip DOL 1.15	TC 0.74	Vert(LL) 0.03 4-5 >999 360	MT20 244/190
TCDL 7.0	Lumber DOL 1.15	BC 0.43	Vert(TL) -0.05 4-5 >999 240	
BCLL 0.0	Rep Stress Incr NO	WB 0.58	Horz(TL) 0.07 8 n/a n/a	
BCDL 10.0	Code IBC2006/TPI2002	(Matrix)		Weight: 85 lb FT = 4%

LUMBER-
 TOP CHORD 2x6 SP No.2
 BOT CHORD 2x6 SP No.2
 WEBS 2x4 SP No.3 *Except*
 W5: 2x4 SP No.2
 OTHERS 2x6 SP No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 6=1364/0-5-8, 8=1251/0-5-8
 Max Horz 6=232(LC 7)
 Max Uplift 6=-417(LC 7), 8=-563(LC 7)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-863/266, 2-9=-817/272, 2-10=-875/361, 3-10=-817/366, 4-7=-159/485, 3-7=-159/485, 1-6=-891/271
 WEBS 1-5=-216/818, 2-5=-357/213, 3-5=-586/1206

JOINT STRESS INDEX
 1 = 0.63, 2 = 0.12, 3 = 0.69, 4 = 0.82, 5 = 0.96, 6 = 0.91, 7 = 0.00 and 7 = 0.00

- NOTES-**
- 1) This truss has been checked for uniform roof live load only, except as noted.
 - 2) Wind: ASCE 7-05; 90mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 3) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 4) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 5) Bearing at joint(s) 8 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=417, 8=563.
 - 7) This truss is designed in accordance with the 2006 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 8) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 9) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).


LOAD CASE(S) Standard
 1) Dead + Roof Live (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 4-6=-261(F=-241), 1-3=-54

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G3E	FLAT ROOF	1	2	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:56 2016 Page 1
 ID:whwJFty5wzaGI?W3351N1byjDdu-CL3tFwzrkc34AryVWs8LDRTJtLXouR8FyhU3MqznDND



Scale = 1.33:1




Plate Offsets (X,Y)-- [1:0-2-12,0-2-8], [6:0-2-12,0-2-8], [7:Edge,0-3-8], [8:0-1-12,0-2-8], [11:0-1-12,0-2-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.90 BC 0.51 WB 0.68 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.11 10 >999 360 Vert(TL) -0.18 10 >999 240 Horz(TL) 0.03 7 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0	Rep Stress Incr NO Code IBC2009/TPI2007			Weight: 226 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x6 SPF No.2
 WEBS 2x4 SPF No.3 *Except*
 W2: 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 12=4337/0-3-8, 7=4337/Mechanical
 Max Horz 12=166(LC 5)
 Max Uplift 12=1375(LC 5), 7=1375(LC 6)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-12=-4220/1366, 1-13=-4660/1521, 2-13=-4660/1521, 2-3=-6088/1968, 3-14=-6088/1968, 4-14=-6088/1968, 4-15=-6088/1968,
 5-15=-6088/1968, 5-16=-4660/1521, 6-16=-4660/1521, 6-7=-4220/1366
 BOT CHORD 10-11=-1562/4660, 9-10=-1521/4660, 8-9=-1521/4660
 WEBS 2-11=-3274/1135, 4-10=-1978/699, 5-8=-3274/1136, 1-11=-1776/5582, 2-10=-579/1770, 5-10=-580/1770, 6-8=-1776/5582

JOINT STRESS INDEX
 1 = 0.91, 2 = 0.83, 3 = 0.87, 4 = 0.34, 5 = 0.83, 6 = 0.91, 7 = 0.78, 8 = 0.89, 9 = 0.90, 10 = 0.81, 11 = 0.89 and 12 = 0.78

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
 Top chords connected as follows: 2x4 - 1 row at 0-9-0 oc, 2x6 - 2 rows staggered at 0-9-0 oc.
 Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - Provide adequate drainage to prevent water ponding.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - All plates are MT20 plates unless otherwise indicated.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Refer to girder(s) for truss to truss connections.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 12=1375, 7=1375.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - Girder carries tie-in span(s): 14-0-0 from 0-0-0 to 19-8-0

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 7-12=-20, 1-6=-428

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G4	COMMON	1	2	

Job Reference (optional)




Plate Offsets (X,Y)-- [1:0-2-4,0-2-0], [2:0-2-0,0-2-4], [3:0-2-4,0-2-0], [4:Edge,0-1-12], [5:0-4-0,0-4-12], [6:0-0-0,0-1-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.56 BC 0.74 WB 0.52 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.05 5-6 >999 360 Vert(TL) -0.08 5-6 >999 240 Horz(TL) 0.01 4 n/a n/a	MT20 MT18H	197/144 197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 136 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x6 SPF No.2 WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 6=3378/0-5-8, 4=3378/0-5-8
 Max Horz 6=161(LC 8)
 Max Uplift 6=-1137(LC 9), 4=-1137(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-7=-2937/993, 7-8=-2785/993, 2-8=-2774/1005, 2-9=-2774/1005, 9-10=-2785/993, 3-10=-2937/993, 1-6=-1989/713, 3-4=-1989/713
 BOT CHORD 5-6=-435/1197, 4-5=-396/1197
 WEBS 2-5=-744/2349, 1-5=-372/1310, 3-5=-378/1310

JOINT STRESS INDEX
 1 = 0.85, 2 = 0.82, 3 = 0.85, 4 = 0.87, 5 = 0.31 and 6 = 0.87

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
 Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - Unbalanced snow loads have been considered for this design.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - All plates are MT20 plates unless otherwise indicated.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=1137, 4=1137.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-2=-94, 2-3=-94, 4-6=-491(F=471)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G6	COMMON	2	2	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:57 2016 Page 1
 ID:t423gZ_MSbqz_JfRBV3r60yjDds-gXdFSG_TVvBxo?Xh4Zgale?b7lomduSPBLDcuHznDNC




Plate Offsets (X,Y)-- [1:0-2-8,0-2-0], [2:0-1-8,0-2-0], [3:0-2-0,0-2-4], [4:0-2-12,0-1-12], [5:0-4-4,0-1-12], [7:0-4-0,0-4-12], [8:0-3-8,0-4-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.49 BC 0.79 WB 0.68 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.06 7-8 >999 360 Vert(TL) -0.10 7-8 >999 240 Horz(TL) 0.01 5 n/a n/a	MT20 MT20HS Weight: 186 lb	197/144 148/108 FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x6 SPF No.2
 WEBS 2x4 SPF No.3 *Except*
 W1,W7: 2x6 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 9=4082/0-5-8, 5=4082/(0-2-12 + bearing block) (req. 0-3-3)
 Max Horz 9=284(LC 9)
 Max Uplift 9=1302(LC 9), 5=1449(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-10=-3677/1144, 2-10=-3531/1162, 2-11=-1464/483, 3-11=-1373/493, 3-12=-1341/525, 4-12=-1433/517, 1-9=-2682/868, 4-5=-3653/1308
 BOT CHORD 8-9=-584/970, 7-8=-1149/3050
 WEBS 2-8=-760/2382, 2-7=-2454/960, 3-7=-363/1066, 1-8=-594/2169, 4-7=-1088/3079


JOINT STRESS INDEX
 1 = 0.82, 2 = 0.86, 3 = 0.42, 4 = 0.89, 5 = 1.00, 5 = 0.00, 5 = 0.00, 6 = 0.00, 6 = 0.00, 6 = 0.00, 7 = 0.69, 8 = 0.34 and 9 = 0.85

- NOTES-**
- 2-ply truss to be connected together with 10d (0.131"x3") nails as follows:
 Top chords connected as follows: 2x6 - 2 rows staggered at 0-9-0 oc.
 Bottom chords connected as follows: 2x6 - 2 rows staggered at 0-6-0 oc.
 Webs connected as follows: 2x4 - 1 row at 0-9-0 oc.
 - All loads are considered equally applied to all plies, except if noted as front (F) or back (B) face in the LOAD CASE(S) section. Ply to ply connections have been provided to distribute only loads noted as (F) or (B), unless otherwise indicated.
 - 2x6 SPF No.2 bearing block 12" long at jt. 5 attached to each face with 3 rows of 10d (0.131"x3") nails spaced 3" o.c. 12 Total fasteners per block. User Defined Bearing crushing capacity= 425psi.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - Unbalanced snow loads have been considered for this design.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - All plates are MT20 plates unless otherwise indicated.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 9=1302, 5=1449.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-3=-94, 3-4=-94, 5-9=-598(F=-578)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G10	COMMON	2	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:58 2016 Page 1
 ID:LGcRtv?_DuyqcTEekDa4eEyjDdr-8jBdgc?5GDJoP96ueHBplsYje9D?MQCYQ?zARjznDNB



Scale = 1:26.7

Plate Offsets (X,Y)-- [1:0-5-0,0-2-4], [3:0-5-0,0-2-4], [4:Edge,0-5-8], [5:0-4-0,0-4-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.69 BC 0.47 WB 0.33 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 5-6 >999 360 Vert(TL) -0.07 4-5 >999 240 Horz(TL) 0.01 4 n/a n/a	MT20 MT20HS MT18H	197/144 148/108 197/144
TCDL 7.0	Rep Stress Incr NO			Weight: 73 lb	FT = 4%
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-7-8 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2	

REACTIONS. (lb/size) 6=1947/0-5-8, 4=1947/0-5-8
 Max Horz 6=169(LC 8)
 Max Uplift 6=521(LC 9), 4=502(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-7=-1985/474, 7-8=-1641/474, 2-8=-1574/488, 2-9=-1574/488, 9-10=-1641/474, 3-10=-1985/474, 1-6=-1638/396, 3-4=-1638/396
 BOT CHORD 6-11=-209/790, 11-12=-209/790, 12-13=-209/790, 5-13=-209/790, 5-14=-200/790, 14-15=-200/790, 15-16=-200/790, 4-16=-200/790
 WEBS 2-5=-180/747, 1-5=-87/744, 3-5=-107/744

JOINT STRESS INDEX
 1 = 0.93, 2 = 0.97, 3 = 0.93, 4 = 1.00, 5 = 0.50 and 6 = 1.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=521, 4=502.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) Load case(s) 1, 2, 3 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 11) Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 153 lb down and 35 lb up at 0-2-12, 153 lb down and 35 lb up at 2-0-0, 153 lb down and 35 lb up at 4-0-0, 153 lb down and 35 lb up at 6-0-0, 153 lb down and 35 lb up at 8-0-0, and 153 lb down and 35 lb up at 10-0-0, and 153 lb down and 35 lb up at 12-0-0 on bottom chord. The design/selection of such connection device(s) is the responsibility of others.
 - 12) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 1-2=-218, 2-3=-218, 4-6=-92(F=-72)
2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 1-8=-218, 2-8=-241, 2-3=-162, 4-6=-92(F=-72)
3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 1-2=-162, 2-9=-241, 3-9=-218, 4-6=-92(F=-72)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G21	ROOF TRUSS	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:58 2016 Page 1
 ID:EPKwcc362Rb7IE7bXmAFLLHyjDdm-8jBdgc?5GDJoP96ueHBpIsYjN9GbMT2YQ?zARjznDNB




Plate Offsets (X,Y)-- [2:0-4-10,0-1-14], [4:0-3-4,0-2-12], [5:0-1-8,0-2-0], [6:0-2-8,0-0-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.65 BC 0.30 WB 0.15 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.01 2-8 >999 360 Vert(TL) -0.01 8 >999 240 Horz(TL) 0.00 6 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 56 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 *Except* T2: 2x4 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SPF No.3	

REACTIONS. (lb/size) 6=160/5-0-0, 2=1041/0-5-8, 7=1368/5-0-0
 Max Horz 2=203(LC 9)
 Max Uplift 6=57(LC 6), 2=321(LC 9), 7=517(LC 9)
 Max Grav 6=328(LC 19), 2=1330(LC 15), 7=1398(LC 15)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-607/44, 9-10=-412/50, 3-10=-328/54, 5-6=-289/62
 BOT CHORD 2-8=-139/374, 7-8=-139/374
 WEBS 3-7=-522/168, 4-7=-563/145

JOINT STRESS INDEX
 2 = 0.94, 3 = 0.20, 4 = 0.87, 5 = 0.88, 6 = 0.99, 7 = 0.32 and 8 = 0.05

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 6 except (jt=lb) 2=321, 7=517.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13, 14, 15 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 12) Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 513 lb down and 217 lb up at 6-0-0 on bottom chord. The design/selection of such connection device(s) is the responsibility of others.
 - 13) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-7=-20, 6-7=-38(F=-18)
Concentrated Loads (lb)
Vert: 7=-513(F)
Trapezoidal Loads (plf)
Vert: 1=-218-to-4=-141, 4=-94(F=47)-to-5=-47(F=47)
2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-7=-20, 6-7=-38(F=-18)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G21	ROOF TRUSS	1	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:06:58 2016 Page 2
 ID:iEPKwc362Rb7IE7bXmAFLHjyDdm-8jBdgc?5GDJoP96ueHBpIsYjN9GbMT2YQ?zARjznDNB

LOAD CASE(S) Standard

Concentrated Loads (lb)

Vert: 7=-513(F)

Trapezoidal Loads (plf)

Vert: 1=-218-to-10=-172, 10=-182-to-4=-152, 4=-38(F=47)-to-5=9(F=47)

3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-7=-20, 6-7=-38(F=-18)

Concentrated Loads (lb)

Vert: 7=-513(F)

Trapezoidal Loads (plf)

Vert: 1=-162-to-4=-85, 4=-111(F=47)-to-5=-64(F=47)

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-7=-20, 6-7=-18(F=1)

Concentrated Loads (lb)

Vert: 7=-153(F)

Trapezoidal Loads (plf)

Vert: 1=-298-to-2=-278, 2=-118-to-4=-61, 4=-54(F=7)-to-5=-7(F=7)

14) 3rd Unbal. Dead + Snow (balanced) + Parallel: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-7=-20, 6-7=-38(F=-18)

Concentrated Loads (lb)

Vert: 7=-513(F)

Trapezoidal Loads (plf)

Vert: 1=-162-to-4=-85, 4=-150(F=47)-to-5=-103(F=47)

15) 4th Unbal. Dead + Snow (balanced) + Parallel: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-7=-20, 6-7=-38(F=-18)

Concentrated Loads (lb)

Vert: 7=-513(F)

Trapezoidal Loads (plf)

Vert: 1=-274-to-4=-197, 4=-38(F=47)-to-5=9(F=47)




Plate Offsets (X,Y)-- [8-0-1-12,0-1-12], [10-0-4-8,0-1-8], [14-0-2-8,0-2-0], [15-0-11-4,0-2-12]

LOADING (psf)	SPACING - 2-0-0	CSI	DEFL. in (loc) l/defl L/d	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	Plate Grip DOL 1.15	TC 0.67	Vert(LL) -0.13 12-14 >999 360	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.56	Vert(TL) -0.21 12-14 >999 240		
BCLL 0.0	Rep Stress Incr NO	WB 0.82	Horz(TL) -0.04 15 n/a n/a		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)		Weight: 191 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 3-11-12 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W7,W1,W9: 2x6 SPF No.2, W8: 2x4 SPF No.2	WEBS 1 Row at midpt 5-11, 7-11, 8-11 2 Rows at 1/3 pts 8-10

REACTIONS. (lb/size) 9=0/Mechanical, 15=1852/0-5-8, 10=2672/0-5-8
 Max Horz 9=641(LC 24), 10=641(LC 24)
 Max Uplift 15=565(LC 9), 10=1063(LC 9)
 Max Grav 15=1973(LC 2), 10=3127(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-16=-2821/591, 3-16=-2682/610, 3-4=-2393/489, 4-17=-2283/497, 5-17=-2173/508, 5-6=-1559/283, 6-18=-1435/292, 18-19=-1417/293,
 7-19=-1351/303, 7-20=-1490/413, 8-20=-1266/425, 8-21=-729/164, 9-21=-718/175, 2-15=-1856/588
 BOT CHORD 14-15=-76/629, 13-14=-371/2475, 12-13=-371/2475, 11-12=-127/2107, 10-11=-83/641
 WEBS 3-12=-465/280, 5-12=-79/415, 5-11=-1125/497, 7-11=-531/284, 8-11=-986/2685, 2-14=-312/1865, 8-10=-3074/1067

JOINT STRESS INDEX
 2 = 0.00, 3 = 0.64, 4 = 0.79, 5 = 0.64, 6 = 0.60, 7 = 0.31, 8 = 0.91, 10 = 0.79, 11 = 0.70, 12 = 0.54, 13 = 0.79, 14 = 0.64 and 15 = 0.84

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 15=565, 10=1063.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 11) Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 1137 lb down and 371 lb up at 20-7-4 on bottom chord. The design/selection of such connection device(s) is the responsibility of others.
 - 12) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-2=-94, 2-9=-94, 10-15=-20
 Concentrated Loads (lb)
 Vert: 11=-1137(F)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G103A	MONO PITCH	1	1	

Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:00 2016 Page 1
 ID:WOnBg7tdHLGQ9alu1HfbYyjDdg-46JO4I0LoqZWfSGGiiDHNHd5wywiqACrtiSHVcznDN9




Plate Offsets (X,Y)-- [3:0-2-6,0-2-0], [8:0-1-8,0-1-8], [10:0-4-8,0-1-8], [11:0-3-0,0-5-0], [15:0-1-4,0-2-0], [16:0-5-0,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.52 BC 0.39 WB 1.00 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.08 11-12 >999 360 Vert(TL) -0.14 11-12 >999 240 Horz(TL) -0.02 15 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 188 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-4-3 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing, Except:
WEBS 2x4 SPF No.3 *Except* W1,W10: 2x6 SPF No.2	WEBS 10-0-0 oc bracing: 11-12. 1 Row at midpt 5-11, 7-11, 8-11, 8-10

REACTIONS. (lb/size) 9=0/Mechanical, 10=2216/0-5-8, 15=2308/0-5-8
 Max Horz 9=688(LC 24), 10=688(LC 24)
 Max Uplift 10=915(LC 9), 15=839(LC 9)
 Max Grav 10=2641(LC 2), 15=2460(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-17=483/830, 3-17=472/930, 3-4=1746/272, 4-18=-1624/281, 5-18=-1525/292, 5-6=-1483/246, 6-19=-1359/255, 19-20=-1346/256,
 7-20=-1275/266, 7-21=-1439/382, 8-21=-1215/394, 8-22=-773/186, 9-22=-762/197
 BOT CHORD 15-16=-359/242, 14-15=-254/602, 13-14=-254/602, 12-13=-254/602, 11-12=0/1500, 10-11=-60/688
 WEBS 3-12=-176/1028, 5-12=-323/145, 5-11=-418/262, 7-11=-595/297, 8-11=-824/2191, 2-15=-781/569, 8-10=-2586/918, 3-15=-2454/700

JOINT STRESS INDEX
 2 = 0.00, 3 = 0.96, 4 = 0.53, 5 = 0.64, 6 = 0.61, 7 = 0.31, 8 = 0.44, 10 = 0.66, 11 = 0.50, 12 = 0.90, 13 = 0.22, 14 = 0.31, 15 = 0.81 and 16 = 0.70


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 10=915, 15=839.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 11) Hanger(s) or other connection device(s) shall be provided sufficient to support concentrated load(s) 1137 lb down and 371 lb up at 20-7-4 on bottom chord. The design/selection of such connection device(s) is the responsibility of others.
 - 12) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-2=94, 2-9=94, 10-16=-20
 Concentrated Loads (lb)
 Vert: 11=-1137(F)

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G104	FLAT	1	1	Job Reference (optional)

Universal Forest Products

ID:WOnBg7tdHLGQ9alu1HfbYyjDdg-46JO4I0LoqZWfSGGiiDHNHd7qyyNqB1rtISHVcznDN9
7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:00 2016 Page 1



Scale = 1/46.3

Plate Offsets (X,Y)-- [4:0-4-4,0-1-0], [5:0-4-0,0-4-12], [6:0-4-0,0-1-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.39 BC 0.28 WB 0.95 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.02 5 >999 360 Vert(TL) -0.03 5 >999 240 Horz(TL) 0.00 4 n/a n/a	MT20	197/144
TCDL 7.0				Weight: 79 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-
TOP CHORD 2x4 SPF No.2
BOT CHORD 2x6 SPF No.2
WEBS 2x4 SPF No.3 *Except*
W1: 2x6 SPF No.2

BRACING-
TOP CHORD Structural wood sheathing directly applied or 4-10-2 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 1 Row at midpt 1-6, 3-4, 2-5, 3-5

REACTIONS. (lb/size) 6=1453/Mechanical, 4=1453/Mechanical
Max Horz 6=-355(LC 7)
Max Uplift 6=-714(LC 5), 4=-837(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 1-6=-871/530, 3-4=-871/653
WEBS 2-5=-307/112, 1-5=-495/790, 3-5=-621/848


JOINT STRESS INDEX
1 = 0.92, 2 = 0.16, 3 = 0.92, 4 = 0.38, 5 = 0.41 and 6 = 0.31

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Provide adequate drainage to prevent water ponding.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=714, 4=837.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 10) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard
1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 4-6=-569(F=-549), 1-3=-94

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	G104A	FLAT	1	1	Job Reference (optional)

Universal Forest Products ID:WOnbBg7tdHLGQ9alu1HfbYyjDdg-Yltmle1zz8hMGcqTJPKWwUAiKMJoZfR?6yBq12znDN8 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:01 2016 Page 1



Scale = 1/4\"/>

Plate Offsets (X,Y)-- [4:0-4-4-0-1-0], [5:0-4-0-0-4-8], [6:0-4-0-0-1-0]					
LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.41 BC 0.20 WB 0.87 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.01 5 >999 360 Vert(TL) -0.01 5 >999 240 Horz(TL) 0.00 4 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0				Weight: 74 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 3-4-0 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2	WEBS 1 Row at midpt 1-6, 3-4, 2-5, 3-5

REACTIONS. (lb/size) 6=953/Mechanical, 4=953/Mechanical
 Max Horz 6=-355(LC 7)
 Max Uplift 6=-663(LC 5), 4=-851(LC 9)
 Max Grav 6=953(LC 1), 4=1129(LC 7)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-6=-519/503, 3-4=-823/690
 WEBS 2-5=-253/56, 1-5=-468/503, 3-5=-658/810

JOINT STRESS INDEX
 1 = 0.44, 2 = 0.14, 3 = 0.70, 4 = 0.40, 5 = 0.89 and 6 = 0.29

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Provide adequate drainage to prevent water ponding.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=663, 4=851.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 10) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 4-6=-569(F=-549), 1-3=-94

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE2	SPECIAL	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:02 2016 Page 1
 ID:HwFdsPDulkM8OOBHMlQXwEYjDdY-0UQ8V_2bJSpDumPft7FISijWCmikHIM8LcxNaUznDN7




Plate Offsets (X,Y)-- [1:0-1-12,0-1-8], [11:0-1-12,0-1-8], [17:0-2-0,0-2-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.21 BC 0.03 WB 0.13 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 13 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 85 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 OTHERS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing, Except: 10-0-0 oc bracing: 21-22,12-13.

REACTIONS. All bearings 19-10-0.
 (lb) - Max Horz 22=168(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 22, 17, 12 except 21=195(LC 9), 13=195(LC 9), 18=102(LC 9), 19=116(LC 9),
 20=110(LC 9), 16=102(LC 9), 15=116(LC 9), 14=110(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 22=319(LC 23), 21=364(LC 24), 17=334(LC 28), 13=364(LC 32), 12=319(LC 33),
 18=354(LC 27), 19=357(LC 26), 20=359(LC 25), 16=354(LC 29), 15=359(LC 31)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 6-17=279/11, 5-18=314/122, 4-19=317/136, 3-20=319/132, 2-21=324/138, 7-16=314/122, 8-15=317/136, 9-14=319/132,
 10-13=324/138, 1-22=305/99, 11-12=305/47

JOINT STRESS INDEX
 1 = 0.60, 2 = 0.31, 3 = 0.31, 4 = 0.31, 5 = 0.31, 6 = 0.55, 7 = 0.31, 8 = 0.31, 9 = 0.31, 10 = 0.31, 11 = 0.60, 12 = 0.31, 13 = 0.31, 14 = 0.31, 15 = 0.31, 16 = 0.31, 17 = 0.39, 18 = 0.31, 19 = 0.31, 20 = 0.31, 21 = 0.31 and 22 = 0.31

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 22, 17, 12 except (i=lb) 21=195, 13=195, 18=102, 19=116, 20=110, 16=102, 15=116, 14=110.
 - 12) Beveled plate or shim required to provide full bearing surface with truss chord at joint(s) 21, 17, 13, 18, 19, 20, 16, 15, 14.
 - 13) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 14) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE4	GABLE	1	1	Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:02 2016 Page 1
 ID:HwFdsPDulkM80OBHMiQXwEyjDdY-0UQ8V_2bJSpDumPft7FISijWtmiaHld8LcxNaUznDN7




Plate Offsets (X,Y)-- [1:0-1-8,0-1-8], [7:0-1-8,0-1-8]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	CSI. TC 0.23 BC 0.04 WB 0.11 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 8 n/a n/a	PLATES GRIP MT20 197/144 Weight: 51 lb FT = 4%
--	--	--	---	---

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. All bearings 12-0-0.
 (lb) - Max Horz 14=144(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 14, 8 except 12=106(LC 9), 13=151(LC 9), 10=106(LC 9), 9=151(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 14=321(LC 13), 8=321(LC 20), 11=302(LC 23), 12=357(LC 22), 13=362(LC 21), 10=357(LC 24), 9=362(LC 25)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-14=303/49, 7-8=303/19
 WEBS 4-11=262/6, 3-12=317/126, 2-13=319/135, 5-10=317/126, 6-9=319/135

JOINT STRESS INDEX
 1 = 0.69, 2 = 0.14, 3 = 0.14, 4 = 0.54, 5 = 0.14, 6 = 0.14, 7 = 0.69, 8 = 0.18, 9 = 0.15, 10 = 0.10, 11 = 0.08, 12 = 0.10, 13 = 0.15 and 14 = 0.18

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 14, 8 except (jt=lb) 12=106, 13=151, 10=106, 9=151.
 - 12) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 13) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE6	GABLE	2	1	

Universal Forest Products
 Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:03 2016 Page 1
 ID:HwFdsPDulkM8OOBHMiqXwEYjDdY-Uh_WjK3E4ix4Ww_rRqm_?vFgjA_e0kVHZGgx6wzndN6




Plate Offsets (X,Y)-- [1:0-1-8,0-2-0], [3:0-1-8,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.29 BC 0.24 WB 0.13 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.02 4-5 >999 360 Vert(TL) -0.05 4-5 >999 240 Horz(TL) 0.01 4 n/a n/a	MT20	197/144
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 70 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3 *Except*
 W1: 2x6 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 6=696/0-5-8, 4=696/0-5-8
 Max Horz 6=-146(LC 7)
 Max Uplift 6=-227(LC 9), 4=-227(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-15=-789/252, 15-16=-644/252, 2-16=-528/265, 2-17=-528/265, 17-18=-644/252, 3-18=-789/252, 1-6=-634/258, 3-4=-634/258
 BOT CHORD 5-6=-137/401, 4-5=-132/401
 WEBS 1-5=-93/301, 3-5=-111/301

JOINT STRESS INDEX
 1 = 0.80, 2 = 0.96, 3 = 0.80, 4 = 0.99, 5 = 0.20, 6 = 0.99, 7 = 0.00, 8 = 0.00, 9 = 0.00, 10 = 0.00, 11 = 0.00, 12 = 0.00, 13 = 0.00 and 14 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable studs spaced at 2-0-0 oc.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=227, 4=227.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE6A	SPECIAL	2	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:05 2016 Page 1
 ID:l7p?4lEXW2U??YmUvQxmSSyJDdX-R36H8?4UcNColD8EYFpS4Kk2szj8Ud_a1a91ApznDN4




Plate Offsets (X,Y)-- [1:0-0-12,0-2-0], [9:0-2-0,0-2-4], [14:0-1-12,0-2-0], [27:0-2-0,0-2-4], [28:0-1-12,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.12 BC 0.05 WB 0.20 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 15 n/a n/a	MT20	197/144
				Weight: 124 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2 OTHERS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing, Except: 10-0-0 oc bracing: 26-27.

REACTIONS. All bearings 24-2-6.
 (lb) - Max Horz 29=250(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 15, 22, 25, 19 except 29=168(LC 7), 23=125(LC 9), 24=115(LC 9), 26=165(LC 9), 28=252(LC 9), 18=125(LC 9), 17=113(LC 9), 16=146(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) 27 except 29=330(LC 13), 15=318(LC 26), 21=271(LC 33), 22=316(LC 32), 23=325(LC 31), 24=335(LC 30), 25=322(LC 29), 26=270(LC 28), 28=381(LC 27), 19=323(LC 3), 18=325(LC 35), 17=335(LC 36), 16=342(LC 37)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-29=313/52, 8-35=116/250, 9-35=53/256, 9-36=53/256, 10-36=116/250, 14-15=303/40
 WEBS 8-22=276/90, 7-23=285/145, 5-24=294/136, 4-25=285/98, 3-26=313/137, 2-28=328/186, 10-19=283/90, 11-18=285/145, 12-17=294/134, 13-16=300/127

JOINT STRESS INDEX
 1 = 0.58, 2 = 0.31, 3 = 0.31, 4 = 0.31, 5 = 0.31, 6 = 0.53, 7 = 0.31, 8 = 0.31, 9 = 0.45, 10 = 0.31, 11 = 0.31, 12 = 0.31, 13 = 0.31, 14 = 0.48, 15 = 0.31, 16 = 0.54, 17 = 0.31, 18 = 0.31, 19 = 0.31, 20 = 0.26, 21 = 0.31, 22 = 0.31, 23 = 0.31, 24 = 0.31, 25 = 0.31, 26 = 0.00, 27 = 0.44, 28 = 0.48 and 29 = 0.32

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 15, 22, 25, 19 except (jt=lb) 29=168, 23=125, 24=115, 26=165, 28=252, 18=125, 17=113, 16=146.
 - 12) Beveled plate or shim required to provide full bearing surface with truss chord at joint(s) 27, 15, 21, 22, 23, 24, 25, 26, 28, 19, 18, 17, 16.
 - 13) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 14) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE9	SCISSORS	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:06 2016 Page 1
 ID:I7p?4IEXW2U??YmUvQxmSSyJDdX-vGgfLL56NgKfNNjQ6yKhdY1BzN3RD69kGEVbjFznDN3




Plate Offsets (X,Y)-- [1:0-1-4,0-1-8], [7:0-1-4,0-1-8], [11:0-2-0,0-2-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.22 BC 0.05 WB 0.07 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 8 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 51 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. All bearings 12-10-0.
 (lb) - Max Horz 14=154(LC 8)
 Max Uplift All uplift 100 lb or less at joint(s) 14, 11, 8 except 12=104(LC 9), 13=164(LC 9), 10=104(LC 9), 9=164(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 14=330(LC 13), 11=337(LC 23), 8=330(LC 20), 12=357(LC 22), 13=374(LC 21),
 10=357(LC 24), 9=374(LC 25)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-14=311/27, 7-8=311/27
 WEBS 4-11=279/10, 3-12=319/123, 2-13=325/150, 5-10=319/123, 6-9=325/150

JOINT STRESS INDEX
 1 = 0.70, 2 = 0.14, 3 = 0.14, 4 = 0.55, 5 = 0.14, 6 = 0.14, 7 = 0.70, 8 = 0.23, 9 = 0.17, 10 = 0.10, 11 = 0.26, 12 = 0.10, 13 = 0.17 and 14 = 0.23

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 14, 11, 8 except (jt=lb) 12=104, 13=164, 10=104, 9=164.
 - 12) Beveled plate or shim required to provide full bearing surface with truss chord at joint(s) 11, 12, 13, 10, 9.
 - 13) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 14) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE10	GABLE	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:06 2016 Page 1
 ID:I7p?4IEXW2U??YmUvQxmSSyJdDx-vGgIL56NgkFNNjQ6yKhdYtA8N3CD5fkGEVbjFznDN3



Scale: 1/2"=1'

Plate Offsets (X,Y)-- [1:0-1-4,0-1-8], [7:0-1-4,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.28 BC 0.06 WB 0.17 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 8 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 56 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. All bearings 13-0-0.
 (lb) - Max Horz 14=152(LC 8)
 Max Uplift All uplift 100 lb or less at joint(s) 14, 8 except 12=101(LC 9), 13=164(LC 9), 10=101(LC 9), 9=164(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 14=332(LC 13), 8=332(LC 20), 11=402(LC 1), 12=504(LC 2), 13=547(LC 1), 10=504(LC 3), 9=547(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-14=309/38, 7-8=309/11
 WEBS 4-11=363/7, 3-12=463/120, 2-13=495/154, 5-10=463/120, 6-9=495/154

JOINT STRESS INDEX
 1 = 0.77, 2 = 0.22, 3 = 0.20, 4 = 0.88, 5 = 0.20, 6 = 0.22, 7 = 0.77, 8 = 0.26, 9 = 0.19, 10 = 0.16, 11 = 0.13, 12 = 0.16, 13 = 0.19 and 14 = 0.26

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 14, 8 except (jt=lb) 12=101, 13=164, 10=101, 9=164.
 - 12) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 13) Load case(s) 1, 2, 3 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 14) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard


- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-4=-218, 4-7=-218, 8-14=-20
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-17=-218, 4-17=-241, 4-7=-162, 8-14=-20
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-4=-162, 4-20=-241, 7-20=-218, 8-14=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE14B	GABLE	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:07 2016 Page 1
 ID:E7yf_Xt8G01cFXkTyLtzZQyjDcj-NSE1Yh6k8_SW_Xlccgrw9IQM4nPuyZQtUue8FiznDN2



Scale = 1.25:8

Plate Offsets (X,Y)-- [1-0-1-12,0-1-8], [9-0-1-12,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.20 BC 0.03 WB 0.07 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 10 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 55 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. All bearings 14-6-0.
 (lb) - Max Horz 18=170(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 14, 10 except 18=144(LC 7), 15=105(LC 9), 16=119(LC 9), 17=159(LC 9), 13=105(LC 9), 12=119(LC 9), 11=159(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 18=302(LC 13), 14=347(LC 26), 10=302(LC 22), 15=359(LC 25), 16=363(LC 24), 17=348(LC 23), 13=359(LC 27), 12=363(LC 28), 11=348(LC 29)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-18=294/93, 9-10=294/46
 WEBS 5-14=290/19, 4-15=319/125, 3-16=322/139, 2-17=311/110, 6-13=319/125, 7-12=322/139, 8-11=311/110

JOINT STRESS INDEX
 1 = 0.42, 2 = 0.14, 3 = 0.14, 4 = 0.14, 5 = 0.55, 6 = 0.14, 7 = 0.14, 8 = 0.14, 9 = 0.42, 10 = 0.10, 11 = 0.17, 12 = 0.11, 13 = 0.11, 14 = 0.15, 15 = 0.11, 16 = 0.11, 17 = 0.17 and 18 = 0.10

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 14, 10 except (it=lb) 18=144, 15=105, 16=119, 17=159, 13=105, 12=119, 11=159.
 - 12) Beveled plate or shim required to provide full bearing surface with truss chord at joint(s) 14, 15, 16, 17, 13, 12, 11.
 - 13) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 14) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE20	GABLE	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:08 2016 Page 1
 ID: AiV8imHPzszs?V2bYUT44yjDdU-reoPm17MvHaNchptDNM9izyXJBI5h_Y1jYOin8znDN1



Scale = 1:26.4

Plate Offsets (X,Y)-- [1:0-1-12,0-1-8], [9:0-1-12,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.23 BC 0.03 WB 0.21 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 10 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 64 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. All bearings 14-10-0.
 (lb) - Max Horiz 18=167(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 18, 10 except 15=103(LC 9), 16=119(LC 9), 17=155(LC 9), 13=103(LC 9), 12=119(LC 9), 11=155(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 18=309(LC 13), 10=309(LC 22), 14=410(LC 1), 15=528(LC 2), 16=493(LC 2), 17=386(LC 2), 13=528(LC 3), 12=493(LC 3), 11=386(LC 3)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-18=297/94, 9-10=297/45
 WEBS 5-14=370/12, 4-15=489/122, 3-16=451/140, 2-17=379/115, 6-13=489/122, 7-12=451/140, 8-11=379/115

JOINT STRESS INDEX
 1 = 0.54, 2 = 0.17, 3 = 0.20, 4 = 0.21, 5 = 0.86, 6 = 0.21, 7 = 0.20, 8 = 0.17, 9 = 0.54, 10 = 0.13, 11 = 0.19, 12 = 0.16, 13 = 0.17, 14 = 0.13, 15 = 0.17, 16 = 0.16, 17 = 0.19 and 18 = 0.13


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 18, 10 except (jt=lb) 15=103, 16=119, 17=155, 13=103, 12=119, 11=155.
 - 12) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 13) Load case(s) 1, 2, 3 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 14) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-5=218, 5-9=218, 10-18=20
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-21=218, 5-21=245, 5-9=162, 10-18=20
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-5=162, 5-24=245, 9-24=218, 10-18=20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	GE20A	GABLE	2	1	Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:09 2016 Page 1
 ID: AiV8imHPpzsZs?V2bYUT44yDdU-JrLnzN7_gbiEErS?n5tOEAVi0b5BQNFAYc7FJaznDN0



Scale = 1:34.6

Plate Offsets (X,Y)-- [1:0-1-8,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.24 BC 0.04 WB 0.50 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 8 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 65 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 OTHERS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 7-8

REACTIONS. All bearings 12-1-0.
 (lb) - Max Horz 14=413(LC 9)
 Max Uplift All uplift 100 lb or less at joint(s) 14, 8 except 9=110(LC 9), 10=114(LC 9), 11=113(LC 9), 12=106(LC 9), 13=315(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 14=367(LC 9), 8=320(LC 20), 9=570(LC 2), 10=536(LC 2), 11=476(LC 1), 12=476(LC 1), 13=509(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-14=-346/92, 1-15=-415/111, 2-15=-412/116, 2-16=-334/86, 3-16=-330/105, 3-17=-260/69, 4-17=-256/106, 7-8=-305/53
 BOT CHORD 13-14=-375/119
 WEBS 6-9=-534/135, 5-10=-494/133, 4-11=-436/133, 3-12=-434/130, 2-13=-445/145, 1-13=-131/412


JOINT STRESS INDEX
 1 = 0.73, 2 = 0.19, 3 = 0.19, 4 = 0.19, 5 = 0.22, 6 = 0.23, 7 = 0.24, 8 = 0.14, 9 = 0.19, 10 = 0.17, 11 = 0.15, 12 = 0.15, 13 = 0.22 and 14 = 0.30

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are 2x5 MT20 unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) Truss to be fully sheathed from one face or securely braced against lateral movement (i.e. diagonal web).
 - 9) Gable studs spaced at 2-0-0 oc.
 - 10) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 11) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 14, 8 except (jt=lb) 9=110, 10=114, 11=113, 12=106, 13=315.
 - 12) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 13) Load case(s) 1, 2, 3 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 14) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-7=-218, 8-14=-20
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-19=-218, 7-19=-257, 8-14=-20
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-7=-162, 8-14=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J2A	JACK	6	1	
Universal Forest Products					Job Reference (optional)
					7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:09 2016 Page 1
					ID:Wf11UUKYdVUszmN0N54en8yjDdP-JrLnzN7_gbiEERs?n5tOEAVdAb5LQU2AyC7FJaznDNO



Scale = 1:9.4




Plate Offsets (X,Y)-- [2:0-6-3,0-0-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.55	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.03	Vert(LL) -0.00 2 >999 360		
BCLL 0.0	Rep Stress Incr NO	WB 0.00	Vert(TL) -0.00 2-4 >999 240		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) -0.00 3 n/a n/a		
				Weight: 10 lb	FT = 4%

LUMBER-
TOP CHORD 2x6 SPF No.2
BOT CHORD 2x4 SPF No.2

BRACING-
TOP CHORD Structural wood sheathing directly applied or 1-10-15 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 3=-15/Mechanical, 2=856/0-5-8, 4=19/Mechanical
Max Horz 2=102(LC 9)
Max Uplift 3=-169(LC 13), 2=-232(LC 9)
Max Grav 3=299(LC 16), 2=1015(LC 13), 4=37(LC 4)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.


JOINT STRESS INDEX
2 = 0.85

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 3=169, 2=232.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-3=-218, 2-4=-20
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-218, 2-3=-228, 2-4=-20
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-3=-162, 2-4=-20
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-298, 2-3=-138, 2-4=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J2B	JACK	12	1	

Universal Forest Products
 Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:10 2016 Page 1
 ID:Wf11UKYdVUzsmN0N54en8yjDdP-n1v9Bj8dRvq5s?1BLoPdnO2oA_Qa9xIJAstos0znDN?



Scale = 1:7.9




Plate Offsets (X,Y)-- [2:0-0-10,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.53	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.03	Vert(LL) -0.00 2 >999 360		
BCLL 0.0	Rep Stress Incr NO	WB 0.00	Vert(TL) -0.00 2-4 >999 240		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) -0.00 3 n/a n/a		
				Weight: 10 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 1-10-15 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 3=-9/Mechanical, 2=849/0-3-8, 4=19/Mechanical
 Max Horz 2=81(LC 9)
 Max Uplift 3=-161(LC 13), 2=-230(LC 9)
 Max Grav 3=299(LC 16), 2=1004(LC 13), 4=37(LC 4)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

JOINT STRESS INDEX
 2 = 0.79

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 3=161, 2=230.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-3=-218, 2-4=-20
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-2=-218, 2-3=-227, 2-4=-20
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-3=-162, 2-4=-20
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-2=-298, 2-3=-138, 2-4=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J4A	JACK	4	1	Job Reference (optional)




Plate Offsets (X,Y)-- [2:0-6-7,0-0-8]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	CSI. TC 0.66 BC 0.14 WB 0.00 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) 0.02 2-4 >999 360 Vert(TL) -0.03 2-4 >999 240 Horz(TL) -0.00 3 n/a n/a	PLATES GRIP MT20 197/144 Weight: 16 lb FT = 4%
--	---	--	---	---

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 3-10-15 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 3=261/Mechanical, 2=1023/0-5-8, 4=36/0-1-8
 Max Horz 2=147(LC 9)
 Max Uplift 3=-62(LC 9), 2=-290(LC 9), 4=-35(LC 5)
 Max Grav 3=317(LC 16), 2=1095(LC 13), 4=72(LC 4)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

JOINT STRESS INDEX
 2 = 0.83

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 4.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 3, 4 except (jt=lb) 2=290.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-3=-218, 2-4=-20
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-5=-218, 3-5=-236, 2-4=-20
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-3=-162, 2-4=-20
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-298, 2-3=-138, 2-4=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J4B	JACK	10	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:11 2016 Page 1
 ID:T2QnA9Mo96kaC4XPVW66sZyjDdN-FDTYO39FCCyyT8bOvWwskbax4Ok6uNYTPWcMOTznDN




Plate Offsets (X,Y)-- [2:0-0-10,Edge]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	CSI. TC 0.65 BC 0.14 WB 0.00 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) 0.02 2-4 >999 360 Vert(TL) -0.03 2-4 >999 240 Horz(TL) -0.00 3 n/a n/a	PLATES GRIP MT20 197/144 Weight: 16 lb FT = 4%
--	---	--	---	---

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 3-10-15 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.


REACTIONS. (lb/size) 3=261/Mechanical, 2=1023/0-5-8, 4=36/0-1-8
 Max Horz 2=117(LC 9)
 Max Uplift 3=-56(LC 9), 2=-295(LC 9), 4=-35(LC 5)
 Max Grav 3=317(LC 16), 2=1095(LC 13), 4=72(LC 4)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

JOINT STRESS INDEX
 2 = 0.85

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 4.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 3, 4 except (jt=lb) 2=295.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-3=-218, 2-4=-20
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-5=-218, 3-5=-234, 2-4=-20
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-3=-162, 2-4=-20
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-298, 2-3=-138, 2-4=-20



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.30 BC 0.12 WB 0.00 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.01 1-3 >999 360 Vert(TL) -0.02 1-3 >999 240 Horz(TL) -0.00 2 n/a n/a	MT20	197/144
TCDL 7.0				Weight: 11 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 3-10-15 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=391/Mechanical, 3=33/0-1-8, 2=358/Mechanical
 Max Horz 1=78(LC 9)
 Max Uplift 1=-93(LC 9), 3=-32(LC 5), 2=-94(LC 9)
 Max Grav 1=393(LC 2), 3=66(LC 4), 2=366(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.

JOINT STRESS INDEX
 1 = 0.25

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 3.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 3, 2.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-3=-20, 1-2=-218
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-3=-20, 1-4=-218, 2-4=-225
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 1-3=-20, 1-2=-162

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J13	MONO TRUSS	24	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:11 2016 Page 1
 ID:td6wpBOgS1693YGzAegpUByjDdk-FDTYO39FCyT8bOvWwskbax4OimuNYTPWcMOTznDN




Plate Offsets (X,Y)-- [2:0-6-6,0-0-4], [4:0-1-8,0-1-3]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.65 BC 0.29 WB 0.00 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.06 2-4 >999 360 Vert(TL) -0.10 2-4 >625 240 Horz(TL) 0.00 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 23 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x6 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 5-6-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 2=1154/0-5-8, 4=504/0-1-8
 Max Horz 2=144(LC 9)
 Max Uplift 2=-326(LC 9), 4=-155(LC 9)
 Max Grav 2=1183(LC 2), 4=551(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 3-4=-501/106

JOINT STRESS INDEX
 2 = 0.81, 3 = 0.31 and 4 = 0.11

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 4 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 4.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 2=326, 4=155.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-4=-20, 1-3=-218
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-4=-20, 1-5=-218, 3-5=-238
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-4=-20, 1-3=-162
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-4=-20, 1-2=-298, 2-3=-138


Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J14	MONO TRUSS	14	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:12 2016 Page 1
ID:td6wpBOgS1693YGzAegpUByjDdK-kQ1wcPAtzW4p5IAaSDR5sp75Yo1ndqoceAMvvznDMz

Scale = 1:16.7



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.73	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.37	Vert(LL) 0.09 2-4 >764 360		
BCLL 0.0	Rep Stress Incr NO	WB 0.00	Vert(TL) -0.15 2-4 >450 240		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) 0.00 n/a n/a	Weight: 25 lb	FT = 4%

LUMBER-
TOP CHORD 2x6 SPF No.2
BOT CHORD 2x4 SPF No.2
WEBS 2x4 SPF No.3

BRACING-
TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 2=775/0-5-8, 4=543/Mechanical
Max Horz 2=193(LC 9)
Max Uplift 2=330(LC 9), 4=190(LC 9)
Max Grav 2=803(LC 2), 4=602(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 3-4=-546/135

JOINT STRESS INDEX
2 = 0.74, 3 = 0.70 and 4 = 0.32

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 2=330, 4=190.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20
Trapezoidal Loads (plf)
Vert: 1=-94-to-3=-218
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20
Trapezoidal Loads (plf)
Vert: 1=-94-to-5=-159, 5=-183-to-3=-242
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20
Trapezoidal Loads (plf)
Vert: 1=-38-to-3=-162
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J14	MONO TRUSS	14	1	

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:12 2016 Page 2
ID:td6wpBOgS1693YGzAegpUByjDdK-kQ1wcPAtzW4p5IAaSDR5sp75Yo1ndqoceAMvvvznDMz

LOAD CASE(S) Standard
Trapezoidal Loads (plf)

Vert: 1=-174-to-2=-208, 2=-48-to-3=-138

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J16	MONO TRUSS	5	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:12 2016 Page 1
ID:Lpfl0XPJDLE0hhrAkMB21PyjDdJ-kQ1wcPatzW4p5IAaSDR5sp73so0CdqoceAMvzvzDMz




Plate Offsets (X,Y)-- [4:0-2-7,0-0-9]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.84 BC 0.41 WB 0.00 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.11 2-4 >670 360 Vert(TL) -0.18 2-4 >395 240 Horz(TL) 0.00 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 23 lb	FT = 4%

LUMBER-
TOP CHORD 2x6 SPF No.2
BOT CHORD 2x4 SPF No.2
WEBS 2x4 SPF No.3

BRACING-
TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 2=682/0-5-8, 4=583/0-1-8
Max Horz 2=143(LC 9)
Max Uplift 2=-289(LC 9), 4=-204(LC 9)
Max Grav 2=708(LC 2), 4=636(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 3-4=-577/147

JOINT STRESS INDEX
2 = 0.61, 3 = 0.66 and 4 = 0.07

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 4 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 4.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 2=289, 4=204.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20
Trapezoidal Loads (plf)
Vert: 1=-94-to-3=-218
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20
Trapezoidal Loads (plf)
Vert: 1=-94-to-5=-152, 5=-172-to-3=-238
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20
Trapezoidal Loads (plf)
Vert: 1=-38-to-3=-162

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J16	MONO TRUSS	5	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:12 2016 Page 2
ID:Lpfl0XPJDLE0hrAKMB21PyjDdJ-kQ1wcPAtzW4p5IAaSDR5sp73so0CdqoceAMvvznDMz

LOAD CASE(S) Standard

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-4=-20

Trapezoidal Loads (plf)

Vert: 1=-174-to-2=-199, 2=-39-to-3=-138

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J20	SPECIAL	12	1	

Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:13 2016 Page 1
 ID:Lpfl0XPJDLE0hhrAkMB21PyjDdJ-CcblplAVkqCfjSim0wyKP0gEDCHtMEYmtq5TRLznDMy




Plate Offsets (X,Y)-- [2:0-3-12,0-0-4], [5:Edge,0-3-0], [6:Edge,0-3-8], [7:0-3-0-0-3-0], [9:0-1-12,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.86 BC 0.76 WB 0.22 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.08 6-7 >999 360 Vert(TL) -0.19 6-7 >501 240 Horz(TL) -0.01 7 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0				Weight: 72 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF 2100F 1.8E	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W4: 2x4 SPF No.2	WEBS 1 Row at midpt 5-6, 5-7

REACTIONS. (lb/size) 6=813/Mechanical, 7=1645/0-5-2, 9=789/0-5-8
 Max Horz 9=519(LC 9)
 Max Uplift 6=-206(LC 9), 7=-492(LC 9), 9=-23(LC 7)
 Max Grav 6=950(LC 2), 7=1745(LC 2), 9=924(LC 13)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-2=0/303, 2-10=-154/259, 3-10=-29/476, 3-4=-761/0, 4-11=-435/0, 11-12=-309/0, 5-6=-868/238, 2-9=-747/209
 BOT CHORD 3-7=-1742/610
 WEBS 3-9=-430/165

JOINT STRESS INDEX
 2 = 1.00, 3 = 0.93, 4 = 0.87, 5 = 0.98, 6 = 0.95, 7 = 0.89, 8 = 0.41 and 9 = 0.70

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 9 except (jt=lb) 6=206, 7=492.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-218, 2-5=-218, 8-9=-20, 6-7=-20
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-218, 2-11=-218, 5-11=-262, 8-9=-20, 6-7=-20
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-162, 2-5=-162, 8-9=-20, 6-7=-20
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-2=-298, 2-5=-138, 8-9=-20, 6-7=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	J20A	MONO TRUSS	12	1	

Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:13 2016 Page 1
 ID:Lpfi0XPJDLE0hhrAkMB21PyjDdJ-CbplpAVkqCfjSlm0wyKP0glnCQ4MGnmtq5TRLznDMY




Plate Offsets (X,Y)-- [2:0-1-12,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.63 BC 0.17 WB 0.08 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.01 4-5 >999 360 Vert(TL) -0.04 4-5 >999 240 Horz(TL) -0.00 4 n/a n/a	MT20	197/144
TCDL 7.0				Weight: 27 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 4-3-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 5=1024/0-5-8, 4=359/0-1-8
 Max Horz 5=265(LC 9)
 Max Uplift 5=-143(LC 9), 4=-144(LC 9)
 Max Grav 5=1069(LC 13), 4=395(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-2=0/303, 2-6=-282/14, 3-4=-356/82, 2-5=-1029/162
 WEBS 2-4=-72/256

JOINT STRESS INDEX
 2 = 0.43, 3 = 0.48, 4 = 0.11 and 5 = 0.60

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 4 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 4.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 5=143, 4=144.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 4-5=-20, 1-2=-218, 2-3=-218
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 4-5=-20, 1-2=-218, 2-6=-218, 3-6=-240
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 4-5=-20, 1-2=-162, 2-3=-162
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 4-5=-20, 1-2=-298, 2-3=-138




Plate Offsets (X,Y)-- [2:0-6-7,0-0-8], [4:Edge,0-1-14]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.66 BC 0.10 WB 0.00 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.01 2-4 >999 360 Vert(TL) -0.01 2-4 >999 240 Horz(TL) 0.00 n/a n/a	MT20	197/144
TCDL 7.0	Rep Stress Incr NO				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 16 lb	FT = 4%

LUMBER-
TOP CHORD 2x6 SPF No.2
BOT CHORD 2x4 SPF No.2
WEBS 2x4 SPF No.3

BRACING-
TOP CHORD Structural wood sheathing directly applied or 3-6-0 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 2=985/0-5-8, 4=217/0-1-8
Max Horz 2=136(LC 9)
Max Uplift 2=-237(LC 9), 4=-25(LC 9)
Max Grav 2=1085(LC 13), 4=343(LC 15)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 3-4=-312/40


JOINT STRESS INDEX
2 = 0.82, 3 = 0.36 and 4 = 0.07

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 4 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 4.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 4 except (jt=lb) 2=237.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20, 1-3=-218
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20, 1-5=-218, 3-5=-234
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20, 1-3=-162
 - 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 2-4=-20, 1-2=-298, 2-3=-138

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	PB2	KINGPOST	9	1	

Universal Forest Products
 7 640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:14 2016 Page 1
 ID:p?DgDtQx_fNsJrPMI3iHZcyjDdl-go9g04B7V7KWKcKzaeTZxECRBciji5j1v5Ur0_oznDMx



Scale = 1:15.3

Plate Offsets (X,Y)-- [3:0-0-12,0-1-8], [3:0-3-0,0-4-2]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.72 BC 0.34 WB 0.08 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.02 1-4 >999 360 Vert(TL) -0.03 1-4 >999 240 Horz(TL) 0.01 3 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 23 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 WEDGE
 Right: 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 5-5-11 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=466/0-5-8, 3=466/Mechanical
 Max Horz 1=-36(LC 7)
 Max Uplift 1=-273(LC 9), 3=-273(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-5=-633/342, 5-6=-568/342, 2-6=-550/348, 2-7=-574/353, 3-7=-641/347
 BOT CHORD 1-4=-260/520, 3-4=-260/520

JOINT STRESS INDEX
 1 = 0.55, 2 = 0.20, 3 = 0.71, 3 = 0.20 and 4 = 0.21

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 1=273, 3=273.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	PB3	HIP	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 M:Tek Industries, Inc. Mon Feb 08 10:07:14 2016 Page 1
 ID:HCn2RDRZlyVjw?_YrnDW6qyDdH-go9g04B7V7KWKcKzaeTZxECTWck65j3v5Ur0_oznDMx



Scale = 1:15.5




Plate Offsets (X,Y)-- [4:0-3-0-0-4-2]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.64 BC 0.31 WB 0.08 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.02 6 >999 360 Vert(TL) -0.03 1-6 >999 240 Horz(TL) 0.01 4 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 26 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 WEDGE
 Right: 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 4-8-7 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=466/0-5-8, 4=466/Mechanical
 Max Horz 1=33(LC 7)
 Max Uplift 1=-273(LC 9), 4=-273(LC 9)
 Max Grav 1=652(LC 18), 4=648(LC 18)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-7=-897/365, 7-8=-803/367, 8-9=-803/367, 2-9=-755/373, 2-10=-711/370, 3-10=-711/370, 3-11=-783/369, 11-12=-799/364, 4-12=-892/359
 BOT CHORD 1-6=-288/733, 5-6=-283/729, 4-5=-279/717

JOINT STRESS INDEX
 1 = 0.79, 2 = 0.20, 3 = 0.24, 4 = 0.67, 4 = 0.27, 5 = 0.18 and 6 = 0.13

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; porch left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 1=273, 4=273.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1	MONO PITCH	12	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:15 2016 Page 1
 ID:6M8JhGVKkoFfewSiC1KxL5yjDdB-8?j2EQCIGRSNymv98L_oURlcd?zDq?v2K8aZWEznDMw




Plate Offsets (X,Y)-- [2:0-1-12,0-2-8], [3:0-4-0,0-1-8], [9:0-3-0,0-1-0], [10:0-2-0,0-1-8], [13:0-1-8,0-1-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.74 BC 0.71 WB 0.81 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.13 9-10 >999 360 Vert(TL) -0.34 9-10 >873 240 Horz(TL) -0.05 14 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 160 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3 *Except*
 W1,W8: 2x6 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 4-8-14 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
 WEBS 1 Row at midpt 3-10, 5-10, 7-10, 7-9

REACTIONS. (lb/size) 8=0/Mechanical, 14=1634/0-5-8, 9=1753/0-5-8
 Max Horz 8=-659(LC 22), 9=659(LC 22)
 Max Uplift 14=471(LC 9), 9=-785(LC 9)
 Max Grav 14=1720(LC 2), 9=2243(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-15=-2064/370, 3-15=-1915/384, 3-4=-1536/181, 4-16=-1507/195, 5-16=-1385/208, 5-6=-1561/394, 6-17=-1458/400, 17-18=-1390/404,
 7-18=-1193/417, 7-19=-746/114, 8-19=-735/125, 2-14=-1654/494
 BOT CHORD 13-14=-176/410, 12-13=-188/2016, 11-12=-188/2016, 10-11=-188/2016, 9-10=-133/659
 WEBS 3-12=0/260, 3-10=-876/448, 5-10=-850/476, 7-10=-726/1760, 3-13=-385/65, 2-13=-76/1418, 7-9=-2179/816


JOINT STRESS INDEX
 2 = 0.97, 3 = 0.63, 4 = 0.64, 5 = 0.31, 6 = 0.66, 7 = 0.93, 9 = 0.64, 10 = 0.91, 11 = 0.84, 12 = 0.31, 13 = 0.71 and 14 = 0.82

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 14=471, 9=785.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1A	MONO PITCH	5	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:16 2016 Page 1
 ID:aYihvcWy56NkG41umirAulyjDdA-cBHRRmDN0laEawULh3V11elr9PLIZR4CZoK72gznDMV



Scale = 1:52.8




Plate Offsets (X,Y)-- [2:0-3-0,0-2-0], [3:0-3-2,0-2-0], [6:0-2-0,0-2-0], [7:0-2-12,0-1-0], [8:0-2-0,0-1-8], [11:0-0-12,0-1-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.50 BC 0.56 WB 0.88 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.13 7-8 >999 360 Vert(TL) -0.32 7-8 >755 240 Horz(TL) 0.01 7 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 151 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF 2100F 1.8E BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 *Except* W8,W1: 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing, Except: 10-0-0 oc bracing: 7-8. WEBS 1 Row at midpt 6-7, 3-8, 5-8, 6-8, 3-11

REACTIONS. (lb/size) 7=1172/0-5-8, 11=2870/0-5-8
 Max Horz 11=672(LC 9)
 Max Uplift 7=483(LC 9), 11=704(LC 9)
 Max Grav 7=1557(LC 2), 11=2976(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-13=-509/1528, 3-13=-496/1761, 3-4=-1287/43, 4-14=-1257/56, 14-15=-907/68, 5-15=-857/70, 5-16=-1386/284, 6-16=-1080/294
 BOT CHORD 11-12=-123/365, 10-11=-423/657, 9-10=-423/657, 8-9=-423/657
 WEBS 6-7=-1493/514, 2-11=-1826/751, 3-10=0/251, 3-8=-129/390, 5-8=-1375/522, 6-8=-581/1709, 3-11=-3189/622

JOINT STRESS INDEX
 2 = 0.89, 3 = 0.87, 4 = 0.73, 5 = 0.51, 6 = 0.66, 7 = 0.47, 8 = 0.89, 9 = 0.81, 10 = 0.31, 11 = 0.84 and 12 = 0.59

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=483, 11=704.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 7-12=-20
 Trapezoidal Loads (plf)
 Vert: 1=-173-to-2=-166, 2=-166-to-6=-94
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 7-12=-20
 Trapezoidal Loads (plf)
 Vert: 1=-173-to-2=-166, 2=-166-to-15=-120, 15=-176-to-6=-150
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 7-12=-20
 Trapezoidal Loads (plf)
 Vert: 1=-117-to-2=-110, 2=-110-to-6=-38

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1A	MONO PITCH	5	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:16 2016 Page 2
ID:aYihvcWy56NkG41umirAulyjDdA-cBHRRmDN0laEawULh3V11elr9PLIZR4CZoK72gznDMv

LOAD CASE(S) Standard

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 7-12=-20

Trapezoidal Loads (plf)

Vert: 1=-253-to-2=-246, 2=-86-to-6=-14

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1AA	MONO PITCH	8	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:16 2016 Page 1
ID:aYihvcWY56NkG41umirAulyjDdA-cBHRrmDN0laEawUlh3V11ejYPIBZRLCZok72gzndMv




Plate Offsets (X,Y)-- [2:0-5-0,0-2-0], [3:0-3-6,0-1-12], [7:0-2-12,0-2-0], [9:0-3-0,0-1-0], [10:0-1-12,0-1-8], [13:0-2-0,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0	2-0-0	TC 0.99	in (loc) l/defl L/d	MT20	197/144
(Roof Snow=40.0)	Plate Grip DOL 1.15	BC 0.72	Vert(LL) -0.13 9-10 >999 360	MT20HS	148/108
TCDL 7.0	Lumber DOL 1.15	WB 0.86	Vert(TL) -0.33 9-10 >802 240		
BCLL 0.0	Rep Stress Incr NO	(Matrix)	Horz(TL) -0.05 13 n/a n/a		
BCDL 10.0	Code IBC2009/TP12007			Weight: 164 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-0-2 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W3,W1,W8: 2x6 SPF No.2	WEBS 1 Row at midpt 3-10, 6-10, 7-10, 3-13, 7-9

REACTIONS. (lb/size) 8=0/Mechanical, 13=2693/0-5-8, 9=1905/0-5-8
Max Horz 8=-680(LC 22), 9=680(LC 22)
Max Uplift 13=-596(LC 9), 9=-728(LC 9)
Max Grav 13=-2790(LC 2), 9=-2384(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 2-15=-290/984, 3-15=-277/1203, 3-4=-1696/135, 4-16=-1652/149, 5-16=-1470/149, 5-6=-1301/162, 6-17=-1687/349, 17-18=-1471/359,
7-18=-1470/372, 7-19=-765/123, 8-19=-754/134
BOT CHORD 13-14=-94/439, 12-13=-2/1783, 11-12=-2/1783, 10-11=-2/1783, 9-10=-121/680
WEBS 3-12=0/283, 3-10=-556/286, 6-10=-1109/478, 7-10=-637/1880, 3-13=-3359/570, 2-13=-1463/597, 7-9=-2320/759

JOINT STRESS INDEX
2 = 0.91, 3 = 0.89, 4 = 0.80, 5 = 0.66, 6 = 0.41, 7 = 0.91, 9 = 0.68, 10 = 0.91, 11 = 0.77, 12 = 0.31, 13 = 0.86 and 14 = 0.66

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 13=596, 9=728.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TP1 1.
 - 11) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 9-14=-20
Trapezoidal Loads (plf)
Vert: 1=-173-to-2=-167, 2=-167-to-8=-94
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 9-14=-20
Trapezoidal Loads (plf)
Vert: 1=-173-to-2=-167, 2=-167-to-17=-118, 17=-179-to-8=-155
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1AA	MONO PITCH	8	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:17 2016 Page 2
 ID:aYihvcWy56NkG41umirAulyjDdA-4Nqpf6E0n2i5B33XFm1GZsqulpeQlubLnS3gb6znDMu

LOAD CASE(S) Standard

Uniform Loads (plf)

Vert: 9-14=-20

Trapezoidal Loads (plf)

Vert: 1=-117-to-2=-111, 2=-111-to-8=-38

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)


Vert: 9-14=-20

Trapezoidal Loads (plf)

Vert: 1=-253-to-2=-247, 2=-87-to-8=-14

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1AALTBR	MONO PITCH	0	1	Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 Mitek Industries, Inc. Mon Feb 08 10:07:17 2016 Page 1
 ID:aYihvcWy56NkG41umlrAuljyDdA-4Nqpf6E0n2i5B33XFm1GZsqvZpbOlwDLnS3gb6znDMu



Scale = 1.52:5

Plate Offsets (X,Y)-- [2:0-5-0-0-2-0], [3:0-1-14-0-1-8], [6:0-2-0-0-3-12], [7:0-3-0-0-1-0], [8:0-1-12-0-3-0], [11:0-2-0-0-2-8], [12:0-3-0-0-0-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.90 BC 0.92 WB 0.76 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.15 8-10 >999 360 Vert(TL) -0.33 7-8 >882 240 Horz(TL) 0.06 7 n/a n/a	MT20 MT18H	197/144 197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 151 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF 2100F 1.8E *Except*
 T1: 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3 *Except*
 W8,W1: 2x6 SPF No.2, W7: 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 3-8-4 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-4-13 oc bracing.
 WEBS 1 Row at midpt 6-7, 3-8, 5-8, 6-8

REACTIONS. (lb/size) 7=1680/0-5-8, 12=2363/0-5-8
 Max Horz 12=672(LC 9)
 Max Uplift 7=-596(LC 9), 12=-463(LC 9)
 Max Grav 7=2083(LC 2), 12=2450(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-13=-2717/352, 3-13=-2458/365, 3-4=-1868/168, 4-14=-1838/181, 14-15=-1488/193, 5-15=-1438/195, 5-16=-1975/411, 6-16=-1668/421,
 2-12=-2380/490
 BOT CHORD 11-12=-721/605, 10-11=-838/2584, 9-10=-838/2584, 8-9=-838/2584
 WEBS 6-7=-2019/627, 2-11=-82/1712, 3-10=0/260, 3-8=-1254/433, 5-8=-1397/527, 6-8=-781/2638, 3-11=-487/58

JOINT STRESS INDEX
 2 = 0.87, 3 = 0.93, 4 = 0.86, 5 = 0.51, 6 = 0.52, 7 = 0.59, 8 = 0.96, 9 = 0.75, 10 = 0.31, 11 = 0.69 and 12 = 0.93

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=596, 12=463.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 7-12=-20
 Trapezoidal Loads (plf)
 Vert: 1=-173-to-2=-166, 2=-166-to-6=-94
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 7-12=-20
 Trapezoidal Loads (plf)
 Vert: 1=-173-to-2=-166, 2=-166-to-15=-120, 15=-176-to-6=-150
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1AALTBR	MONO PITCH	0	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MITek Industries, Inc. Mon Feb 08 10:07:17 2016 Page 2
 ID:aYihvcWy56NkG41umlrAuljyDdA-4Nqpf6E0n2i5B33XFm1GZsqvZpbOlwDLnS3gb6znDIMu

LOAD CASE(S) Standard

Uniform Loads (plf)

Vert: 7-12=-20

Trapezoidal Loads (plf)

Vert: 1=-117-to-2=-110, 2=-110-to-6=-38

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 7-12=-20

Trapezoidal Loads (plf)

Vert: 1=-253-to-2=-246, 2=-86-to-6=-14

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1ALTBURG	MONO PITCH	0	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:18 2016 Page 1
 ID:6M8JhGVKKoFtewSiC1KxL5yjDdB-YZOBsSEeYMqypDekpUYV63N8ND1E1O3V06pE7ZznDMt




Plate Offsets (X,Y)-- [2:0-1-0,0-2-0], [3:0-3-6,0-1-12], [7:0-2-0,0-1-8], [9:0-3-0,0-1-0], [13:0-1-4,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.64 BC 0.56 WB 0.65 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.13 9-10 >999 360 Vert(TL) -0.32 9-10 >753 240 Horz(TL) -0.02 13 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 160 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1,W8: 2x6 SPF No.2	WEBS 1 Row at midpt 3-10, 5-10, 7-10, 3-13, 7-9

REACTIONS. (lb/size) 8=0/Mechanical, 13=2027/0-5-8, 9=1360/0-5-8
 Max Horz 8=-690(LC 22), 9=690(LC 22)
 Max Uplift 13=-724(LC 9), 9=-660(LC 9)
 Max Grav 13=-2135(LC 2), 9=-1829(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-15=-508/891, 3-15=-484/1040, 3-4=-1197/68, 4-16=-1169/82, 5-16=-926/95, 5-6=-1226/281, 6-17=-1124/288, 17-18=-1052/291,
 7-18=-1049/305, 7-19=-775/127, 8-19=-763/137
 BOT CHORD 13-14=-245/350, 12-13=-150/682, 11-12=-150/682, 10-11=-150/682, 9-10=-114/690
 WEBS 3-12=0/250, 3-10=-129/325, 5-10=-860/477, 7-10=-523/1109, 3-13=-2331/650, 2-13=-1093/747, 7-9=-1765/692


JOINT STRESS INDEX
 2 = 0.88, 3 = 0.95, 4 = 0.80, 5 = 0.32, 6 = 0.65, 7 = 0.75, 9 = 0.51, 10 = 0.83, 11 = 0.67, 12 = 0.31, 13 = 0.83 and 14 = 0.60

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 13=724, 9=660.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1ASHR	MONO PITCH	1	1	Job Reference (optional)
Universal Forest Products					7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:19 2016 Page 1

ID:2kG46yXasQVbuEb5JSNPRWvjDd9-0myZ4oFGJgypRNDwNB3keHwHcdNSmsZeFmYnf?znDMs



Scale = 1:52.8




Plate Offsets (X,Y)--	[2:0-5-0-0-2-4], [7:0-2-0-0-2-4], [8:0-3-0-0-1-0], [11:0-2-8-0-3-0]
-----------------------	---

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.80 BC 0.56 WB 0.64 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.00 1 n/r 180 Vert(TL) 0.00 1 n/r 80 Horz(TL) -0.02 9 n/a n/a	MT20 MT20HS	197/144 148/108
Weight: 149 lb					FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF 2100F 1.8E *Except* T1: 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-2-11 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 5-4-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W7,W1: 2x6 SPF No.2	WEBS 1 Row at midpt 7-8, 2-11, 3-9, 5-9, 7-9

REACTIONS. All bearings 25-0-0.
(lb) - Max Horz 12=672(LC 28)
Max Uplift All uplift 100 lb or less at joint(s) except 8=493(LC 29), 12=693(LC 28), 11=724(LC 28), 9=565(LC 28)
Max Grav All reactions 250 lb or less at joint(s) except 8=812(LC 16), 12=1669(LC 17), 11=1631(LC 15), 9=1883(LC 17)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 2-13=1535/976, 3-13=926/696, 3-4=1369/1101, 4-14=1034/974, 14-15=706/750, 5-15=620/670, 5-6=608/359, 6-16=450/311,
7-16=285/482, 2-12=1585/733
BOT CHORD 11-12=1151/1027, 10-11=609/535, 9-10=623/549, 8-9=648/648
WEBS 7-8=748/524, 2-11=1162/1205, 3-11=1550/872, 3-9=1076/1044, 5-9=1401/531, 7-9=637/529

JOINT STRESS INDEX
2 = 0.90, 3 = 0.90, 4 = 0.66, 5 = 0.51, 6 = 0.93, 7 = 0.35, 8 = 0.39, 9 = 0.81, 10 = 0.49, 11 = 0.51 and 12 = 0.88

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 493 lb uplift at joint 8, 693 lb uplift at joint 12, 724 lb uplift at joint 11 and 565 lb uplift at joint 9.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13, 14, 15, 16, 17, 18, 19 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 13) This truss has been designed for a total drag load of 2000 lb. Lumber DOL=(1.33) Plate grip DOL=(1.33) Connect truss to resist drag loads along bottom chord from 0-0-0 to 25-0-0 for 80.0 plf.

LOAD CASE(S) Standard
1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 8-12=-20
Trapezoidal Loads (plf)
Vert: 1=-173-to-2=-166, 2=-166-to-7=-94
2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1ASHR	MONO PITCH	1	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:19 2016 Page 2
 ID:2kG46yXasQVbuEb5JSNPRWYjDd9-0myZ4oFGJgypRNDwNB3keHwHcdNSmsZeFmYnf?znDIMS

LOAD CASE(S) Standard

Uniform Loads (plf)

Vert: 8-12=-20

Trapezoidal Loads (plf)

Vert: 1=-173-to-2=-166, 2=-166-to-15=-120, 15=-176-to-7=-150

3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 8-12=-20

Trapezoidal Loads (plf)

Vert: 1=-117-to-2=-110, 2=-110-to-7=-38

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 8-12=-20

Trapezoidal Loads (plf)

Vert: 1=-253-to-2=-246, 2=-86-to-7=-14

14) Dead + Snow (balanced) + Drag LC#1 Left: Lumber Increase=1.33, Plate Increase=1.33

Uniform Loads (plf)

Vert: 8-12=-20

Horz: 2-7=192

Drag: 8-12=-80

Trapezoidal Loads (plf)

Vert: 1=-173-to-2=-166, 2=-133-to-7=-61

15) Dead + Snow (balanced) + Drag LC#1 Right: Lumber Increase=1.33, Plate Increase=1.33

Uniform Loads (plf)

Vert: 8-12=-20

Horz: 2-7=-192

Drag: 8-12=80

Trapezoidal Loads (plf)

Vert: 1=-173-to-2=-166, 2=-200-to-7=-127

16) Dead + Snow (Unbal. Left) + Drag LC#1 Left: Lumber Increase=1.33, Plate Increase=1.33

Uniform Loads (plf)

Vert: 8-12=-20

Horz: 2-7=192

Drag: 8-12=-80

Trapezoidal Loads (plf)

Vert: 1=-173-to-2=-166, 2=-133-to-15=-86, 15=-143-to-7=-117

17) Dead + Snow (Unbal. Left) + Drag LC#1 Right: Lumber Increase=1.33, Plate Increase=1.33

Uniform Loads (plf)

Vert: 8-12=-20

Horz: 2-7=-192

Drag: 8-12=80

Trapezoidal Loads (plf)

Vert: 1=-173-to-2=-166, 2=-200-to-15=-153, 15=-209-to-7=-184

18) Dead + Snow (Unbal. Right) + Drag LC#1 Left: Lumber Increase=1.33, Plate Increase=1.33

Uniform Loads (plf)

Vert: 8-12=-20

Horz: 2-7=192

Drag: 8-12=-80

Trapezoidal Loads (plf)

Vert: 1=-117-to-2=-110, 2=-77-to-7=-5

19) Dead + Snow (Unbal. Right) + Drag LC#1 Right: Lumber Increase=1.33, Plate Increase=1.33

Uniform Loads (plf)

Vert: 8-12=-20

Horz: 2-7=-192

Drag: 8-12=80

Trapezoidal Loads (plf)

Vert: 1=-117-to-2=-110, 2=-144-to-7=-71

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1AV	ROOF TRUSS	16	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:19 2016 Page 1
 ID:2kG46yXasQVbuEb5JSNPRWYjDd9-0myZ4oFGJgypRNDwNB3keHwJGdlhmmAeFmYnf?znDMs




Plate Offsets (X,Y)--	[2-0-1-0-0-2-0], [3-0-1-12-0-1-12], [7-0-2-4-0-2-4], [8-0-3-4-0-2-0], [11-0-2-13-0-2-0], [13-0-4-0-0-2-6]
-----------------------	---

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.70 BC 0.86 WB 0.98 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.14 11-12 >999 360 Vert(TL) -0.22 11-12 >999 240 Horz(TL) -0.11 13 n/a n/a	MT20	197/144
Weight: 179 lb FT = 4%					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x6 SPF No.2 *Except* B1,B5: 2x4 SPF No.2, B2,B4: 2x4 SPF No.3 WEBS 2x4 SPF No.3 *Except* W7,W1: 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-8-14 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing, Except: 10-0-0 oc bracing: 11-12. 4-5-0 oc bracing: 7-11 WEBS 1 Row at midpt 8-10, 8-11

REACTIONS. (lb/size) 9=-0/Mechanical, 10=1382/0-5-8, 13=2005/0-5-8
 Max Horz 9=-564(LC 24), 10=601(LC 8)
 Max Uplift 10=-470(LC 9), 13=-921(LC 9)
 Max Grav 10=1821(LC 2), 13=2142(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-15=-434/821, 3-15=-421/843, 3-4=-1991/298, 4-16=-1839/309, 5-16=-1837/323, 5-6=-1996/518, 6-17=-1849/528, 17-18=-1837/530,
 7-18=-1769/542, 7-19=-682/456, 8-19=-606/462, 8-20=-659/240, 9-20=-647/245, 8-10=-1799/544
 BOT CHORD 13-14=-312/133, 3-13=-1682/631, 12-13=-809/569, 11-12=-89/666, 7-11=-1082/302, 10-11=-149/554
 WEBS 2-13=-535/410, 3-12=-502/2227, 5-12=-804/500, 7-12=-210/1436, 8-11=-398/1051

JOINT STRESS INDEX
 2 = 0.88, 3 = 0.96, 4 = 0.76, 5 = 0.31, 6 = 0.86, 7 = 0.71, 8 = 0.85, 10 = 0.90, 11 = 0.88, 12 = 0.69, 13 = 0.95 and 14 = 0.34

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 470 lb uplift at joint 10 and 921 lb uplift at joint 13.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1AW	ROOF TRUSS	4	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:20 2016 Page 1
 ID:XwqSKIYCdjdSVOAHtAuezjyDd8-VyWxH8Gu4z4g2Xn6wuazBUSON0d7VHuoUQIKBRznDMr




Plate Offsets (X,Y)--	[2:0-2-4,0-1-12], [3:0-1-4,0-2-0], [7:0-2-4,0-2-0], [8:0-3-12,0-1-12], [11:0-5-4,0-3-0], [12:0-4-8,0-0-7], [12:0-3-12,0-3-4], [13:0-5-12,0-1-12], [14:0-3-0,0-1-8]
-----------------------	--

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 1.00 BC 0.92 WB 0.76 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.23 12 >999 360 Vert(TL) -0.40 12-13 >735 240 Horz(TL) -0.16 14 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 202 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied, except end verticals.
BOT CHORD 2x4 SPF No.2 *Except*	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. Except:
WEBS 2x4 SPF No.3 *Except*	3-4-0 oc bracing: 7-11
OTHERS W11,W1: 2x6 SPF No.2, W9: 2x4 SPF No.2	6-0-0 oc bracing: 11-12
	8-5-0 oc bracing: 12-13
	WEBS 1 Row at midpt 3-12, 7-12, 8-11
	2 Rows at 1/3 pts 8-10
	JOINTS 1 Brace at Jt(s): 12

REACTIONS. (lb/size) 9=0/Mechanical, 10=1867/0-5-8, 14=1521/0-5-8
 Max Horz 9=-466(LC 24), 10=571(LC 8)
 Max Uplift 10=669(LC 9), 14=587(LC 9)
 Max Grav 10=2342(LC 2), 14=1622(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-32=2053/622, 3-32=1904/636, 3-4=2876/703, 4-33=2733/713, 5-33=2724/728, 5-6=2902/930,
 6-34=2750/941, 34-35=2733/943, 7-35=2675/955, 7-36=527/404, 8-36=512/409, 8-37=568/166,
 9-37=556/176, 8-10=2319/727, 2-14=1560/596
 BOT CHORD 3-13=891/335, 12-13=483/2020, 11-12=113/590, 7-11=1390/447, 10-11=180/453
 WEBS 2-13=504/1724, 3-12=143/628, 5-12=859/520, 7-12=768/2734, 8-11=535/1425

JOINT STRESS INDEX
 2 = 0.81, 3 = 0.80, 4 = 0.43, 5 = 0.32, 6 = 0.88, 7 = 0.94, 8 = 0.96, 10 = 0.88, 11 = 0.89, 12 = 0.95, 12 = 0.40, 13 = 0.44, 14 = 0.95, 15 = 0.31, 16 = 0.31, 17 = 0.31, 18 = 0.31, 19 = 0.31,
 20 = 0.31, 21 = 0.31, 22 = 0.31, 23 = 0.31, 24 = 0.31, 25 = 0.31, 26 = 0.31, 27 = 0.31, 28 = 0.31, 29 = 0.31, 30 = 0.31 and 31 = 0.31

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) All plates are 2x5 MT20 unless otherwise indicated.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Refer to girder(s) for truss to truss connections.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 669 lb uplift at joint 10 and 587 lb uplift at joint 14.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1C	MONO PITCH	4	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:21 2016 Page 1
 ID:TJyClzZS9LlAlhKg?bw628yjDd6-z84KVUHWrHDXghMJUc5Cji?egQ3CEm2xi41ukuznDMq




Plate Offsets (X,Y)-- [1:0-2-12,0-2-4], [2:0-2-14,0-1-8], [6:0-1-12,0-2-0], [8:Edge,0-3-8], [12:0-1-8,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.64 BC 0.54 WB 0.64 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.10 8-9 >999 360 Vert(TL) -0.25 8-9 >976 240 Horz(TL) -0.03 12 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 141 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-11-9 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W8: 2x4 SPF No.2	WEBS 1 Row at midpt 2-12, 2-9, 4-9, 6-9 2 Rows at 1/3 pts 6-8

REACTIONS. (lb/size) 7=-0/Mechanical, 8=1439/0-5-8, 12=1533/0-5-8
 Max Horz 7=-690(LC 22), 8=690(LC 22)
 Max Uplift 8=-716(LC 9), 12=-322(LC 9)
 Max Grav 8=1833(LC 2), 12=1632(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-14=-40/319, 2-14=-22/339, 2-3=-1295/138, 3-15=-1151/149, 4-15=-1144/162, 4-5=-1320/353, 5-16=-1192/362, 16-17=-1161/364,
 6-17=-1151/377, 6-18=-774/125, 7-18=-763/136, 6-8=-1759/750
 BOT CHORD 11-12=-124/999, 10-11=-124/999, 9-10=-124/999, 8-9=-87/694
 WEBS 2-12=-1817/326, 2-11=0/267, 2-9=-179/269, 4-9=-850/490, 6-9=-635/1229, 1-12=-387/156

JOINT STRESS INDEX
 1 = 0.88, 2 = 0.87, 3 = 0.48, 4 = 0.31, 5 = 0.74, 6 = 0.84, 8 = 1.00, 9 = 0.92, 10 = 0.61, 11 = 0.31, 12 = 0.92 and 13 = 0.54

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 716 lb uplift at joint 8 and 322 lb uplift at joint 12.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1D	MONO PITCH	4	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:22 2016 Page 1
 ID:Pi3z9fbjhy7t_?U26?ya7ZyjDd4-RLeipH8cblOIrxV2JcRGvYqzQOezDS4xknRGKznDMp



Scale = 1:56.7

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0	TC 0.61	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Plate Grip DOL 1.15	BC 0.53	Vert(LL) -0.09 9-11 >999 360		
BCLL 0.0	Lumber DOL 1.15	WB 0.63	Vert(TL) -0.24 9-11 >999 240		
BCDL 10.0	Rep Stress Incr YES	(Matrix)	Horz(TL) -0.03 12 n/a n/a		
	Code IBC2009/TPI2007			Weight: 140 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-9-14 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W7: 2x6 SPF No.2	WEBS 1 Row at midpt 6-8, 2-12, 2-9, 4-9, 6-9

REACTIONS. (lb/size) 7=0/Mechanical, 8=1478/0-5-8, 12=1269/0-5-8
 Max Horz 7=-685(LC 22), 8=685(LC 22)
 Max Uplift 8=-717(LC 9), 12=-250(LC 9)
 Max Grav 8=1829(LC 2), 12=1369(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-3=-1361/156, 3-14=-1220/166, 4-14=-1211/181, 4-5=-1381/371, 5-15=-1238/382, 6-15=-1220/395, 6-16=-770/142, 7-16=-759/152,
 6-8=-1751/752, 1-12=-321/63
 BOT CHORD 11-12=-189/1169, 10-11=-189/1169, 9-10=-189/1169, 8-9=-49/689
 WEBS 2-12=-1657/270, 2-11=0/277, 2-9=-233/255, 4-9=-835/489, 6-9=-638/1268

JOINT STRESS INDEX
 1 = 0.94, 2 = 0.88, 3 = 0.40, 4 = 0.31, 5 = 0.72, 6 = 0.67, 8 = 0.99, 9 = 0.95, 10 = 0.71, 11 = 0.31 and 12 = 0.71

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 717 lb uplift at joint 8 and 250 lb uplift at joint 12.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard




Plate Offsets (X,Y)-- [8:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.95 BC 0.51 WB 0.73 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.10 8-9 >999 360 Vert(TL) -0.25 8-9 >882 240 Horz(TL) -0.02 12 n/a n/a	MT20	197/144
				Weight: 127 lb	FT = 4%

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	BRACING- TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 2-9, 4-9, 6-9 2 Rows at 1/3 pts 6-8
---	---

REACTIONS. (lb/size) 7=-0/Mechanical, 8=1344/0-5-8, 12=1177/Mechanical
 Max Horz 7=-701(LC 22), 8=701(LC 22)
 Max Uplift 8=-688(LC 9), 12=-204(LC 9)
 Max Grav 8=1649(LC 2), 12=1280(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-3=-1221/120, 3-14=-1080/130, 4-14=-1071/144, 4-5=-1243/338, 5-15=-1085/350, 6-15=-1080/362, 6-16=-785/135, 7-16=-774/146,
 6-8=-1576/721, 1-12=-285/149
 BOT CHORD 11-12=-122/677, 10-11=-122/677, 9-10=-122/677, 8-9=-81/705
 WEBS 2-12=-1508/274, 2-11=0/278, 2-9=-40/439, 4-9=-840/498, 6-9=-593/1067

JOINT STRESS INDEX
 1 = 0.31, 2 = 0.85, 3 = 0.32, 4 = 0.31, 5 = 0.67, 6 = 0.84, 8 = 0.85, 9 = 0.80, 10 = 0.50, 11 = 0.31 and 12 = 0.82

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 688 lb uplift at joint 8 and 204 lb uplift at joint 12.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1F	MONO PITCH	4	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:24 2016 Page 1
 ID:ITJT?1eDkBeJTcnplR1WIPyjDd0-NjIS7VJP8Cb6X85u9kfvLKd4le5gR8ANO1GYKCznDMn




Plate Offsets (X,Y)-- [1:0-3-0,0-1-12], [6:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 1.00 BC 0.49 WB 0.55 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.09 6-7 >999 360 Vert(TL) -0.24 6-7 >830 240 Horz(TL) -0.01 9 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 112 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 2-7, 4-7, 1-9 2 Rows at 1/3 pts 4-6

REACTIONS. (lb/size) 5=-0/Mechanical, 6=1202/0-5-8, 9=1086/Mechanical
 Max Horz 5=-696(LC 20), 6=696(LC 20)
 Max Uplift 6=-646(LC 9), 9=-169(LC 9)
 Max Grav 6=1459(LC 2), 9=1195(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-10=-1069/99, 2-10=-915/115, 2-3=-1099/324, 3-11=-951/335, 11-12=-934/336, 4-12=-927/348, 4-13=-780/144, 5-13=-769/155,
 4-6=-1384/678, 1-9=-1109/203
 BOT CHORD 6-7=-77/700
 WEBS 1-7=0/880, 2-7=-879/537, 4-7=-546/855

JOINT STRESS INDEX
 1 = 0.95, 2 = 0.32, 3 = 0.88, 4 = 0.67, 6 = 0.95, 7 = 0.96, 8 = 0.54 and 9 = 0.83

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 646 lb uplift at joint 6 and 169 lb uplift at joint 9.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard




Plate Offsets (X,Y)-- [1:0-1-8,0-2-0], [7:0-2-0,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.79 BC 0.44 WB 0.97 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.11 6-7 >999 360 Vert(TL) -0.28 6-7 >630 240 Horz(TL) -0.01 8 n/a n/a	MT20	197/144
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 105 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3	WEBS 1 Row at midpt 4-7 2 Rows at 1/3 pts 4-6

REACTIONS. (lb/size) 5=-0/Mechanical, 6=1083/0-5-8, 8=978/Mechanical
 Max Horz 5=-694(LC 20), 6=694(LC 20)
 Max Uplift 6=-624(LC 9), 8=-117(LC 9)
 Max Grav 6=1285(LC 2), 8=1098(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-826/64, 2-9=-613/77, 2-3=-885/261, 3-10=-737/272, 10-11=-732/273, 4-11=-697/285, 4-12=-778/133, 5-12=-767/144, 4-6=-1207/658,
 1-8=-1040/139
 BOT CHORD 6-7=-70/699
 WEBS 1-7=0/828, 2-7=-768/473, 4-7=-476/590

JOINT STRESS INDEX
 1 = 0.71, 2 = 0.28, 3 = 0.57, 4 = 0.46, 6 = 0.95, 7 = 0.96 and 8 = 0.71


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 624 lb uplift at joint 6 and 117 lb uplift at joint 8.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1H	MONO PITCH	3	1	

Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:25 2016 Page 1
 ID:mftsDNfrVUmA4mM0vZYlqdyjDd?-rwJqKrK1vWjy9lg4jSA8uY9F81SyAWbXdh?5tfznDMm



LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.99 BC 0.43 WB 0.86 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.12 6-7 >999 360 Vert(TL) -0.30 6-7 >512 240 Horz(TL) -0.01 8 n/a n/a	PLATES MT20 GRIP 197/144 Weight: 99 lb FT = 4%
--	---	--	--	--

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	BRACING- TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 4-6, 4-7
---	---

REACTIONS. (lb/size) 5=0/Mechanical, 6=957/0-5-8, 8=875/Mechanical
 Max Horz 5=682(LC 20), 6=682(LC 20)
 Max Uplift 6=595(LC 9), 8=72(LC 9)
 Max Grav 6=1104(LC 2), 8=1008(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-566/38, 2-9=-471/48, 2-3=-680/214, 3-10=-534/224, 10-11=-532/225, 4-11=-447/238, 4-12=-767/130, 5-12=-756/141, 4-6=-1026/629,
 1-8=-980/79
 BOT CHORD 6-7=-63/687
 WEBS 1-7=-7/812, 2-7=-679/423, 4-7=-428/338

JOINT STRESS INDEX
 1 = 0.52, 2 = 0.25, 3 = 0.28, 4 = 0.41, 6 = 0.92, 7 = 0.90 and 8 = 0.34

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 595 lb uplift at joint 6 and 72 lb uplift at joint 8.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1HA	MONO PITCH	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:25 2016 Page 1
 ID:mftsDNfrVUmA4mM0vZYIqdyjDd?-rwJqKrK1vWjy9Iq4jSA8uY9Oq1TvAXVXdh?5tfznDMm



Scale = 1:56.6

Plate Offsets (X,Y)-- [4:0-2-12,0-4-0], [6:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.44 BC 0.36 WB 0.80 (Matrix)	in (loc) l/defl L/d Vert(LL) 0.10 6-7 >999 360 Vert(TL) -0.23 6-7 >654 240 Horz(TL) -0.09 5 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 122 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3
 OTHERS 2x6 SP No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
 WEBS 1 Row at midpt 4-7

REACTIONS. (lb/size) 5=137/0-1-8, 8=697/Mechanical, 10=988/0-5-8
 Max Horz 10=389(LC 9)
 Max Uplift 5=91(LC 9), 10=616(LC 9)
 Max Grav 5=323(LC 20), 8=703(LC 2), 10=1183(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-11=-372/0, 2-3=-469/134, 3-12=-335/144, 12-13=-330/144, 1-8=-672/0
 BOT CHORD 6-7=-19/343
 WEBS 1-7=0/504, 2-7=-633/378, 4-7=-504/450

JOINT STRESS INDEX
 1 = 0.69, 2 = 0.23, 3 = 0.28, 4 = 0.41, 6 = 0.90, 7 = 0.69, 8 = 0.28, 9 = 0.00, 9 = 0.00, 9 = 0.00 and 9 = 0.00


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Bearing at joint(s) 10 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate at joint(s) 5.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 91 lb uplift at joint 5 and 616 lb uplift at joint 10.
 - 10) Beveled plate or shim required to provide full bearing surface with truss chord at joint(s) 5.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T11	MONO PITCH	2	1	

Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:26 2016 Page 1
 ID:EsREQifUGou1iwxCTG3_NqyjDd_-J6tDYBKfgprpmSFGH9hNQiiUeRoAv_cgslfP5znDM



LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.75 BC 0.43 WB 0.81 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.12 6-7 >999 360 Vert(TL) -0.29 6-7 >440 240 Horz(TL) -0.01 8 n/a n/a	PLATES MT20 GRIP 197/144 Weight: 94 lb FT = 4%
--	---	--	--	--

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	BRACING- TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 4-6, 4-7, 1-8
---	--

REACTIONS. (lb/size) 5=-0/Mechanical, 6=829/0-5-8, 8=775/Mechanical
 Max Horz 5=-653(LC 20), 6=653(LC 20)
 Max Uplift 6=-555(LC 9), 8=-37(LC 9)
 Max Grav 6=921(LC 2), 8=920(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-313/11, 2-9=-294/15, 2-3=-475/177, 3-10=-333/188, 10-11=-327/188, 4-11=-266/201, 4-12=-740/134, 5-12=-729/145, 4-6=-843/589,
 1-8=-929/20
 BOT CHORD 6-7=-57/656
 WEBS 1-7=-49/884, 2-7=-640/415, 4-7=-656/273

JOINT STRESS INDEX
 1 = 0.62, 2 = 0.24, 3 = 0.24, 4 = 0.40, 6 = 0.89, 7 = 0.81 and 8 = 0.32

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 555 lb uplift at joint 6 and 37 lb uplift at joint 8.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1IA	MONO PITCH	2	1	

Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:26 2016 Page 1
 ID:EsREQifUGou1iwxCTG3_NqyjDd_-J6tDYBKfgprpmSFGH9hNQliQIRm5v?1gsLlP5znDM




Plate Offsets (X,Y)-- [4:0-2-12,0-4-0], [6:0-3-8,Edge], [7:0-3-12,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.97 BC 0.56 WB 0.72 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.08 6-7 >999 360 Vert(TL) -0.20 6-7 >625 240 Horz(TL) -0.09 8 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0	Rep Stress Incr YES Code IBC2009/TPI2007			Weight: 116 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 OTHERS 2x6 SP No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 4-7

REACTIONS. (lb/size) 5=-0/Mechanical, 8=794/Mechanical, 10=800/0-5-8
 Max Horz 5=-550(LC 20), 10=550(LC 20)
 Max Uplift 8=-116(LC 9), 10=-481(LC 9)
 Max Grav 8=909(LC 2), 10=922(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-11=-302/43, 2-3=-432/190, 3-12=-307/199, 12-13=-293/200, 4-14=-648/190, 5-14=-635/201, 1-8=-885/111
 BOT CHORD 6-7=0/510
 WEBS 1-7=-111/807, 2-7=-568/364, 4-7=-538/161

JOINT STRESS INDEX
 1 = 0.57, 2 = 0.21, 3 = 0.34, 4 = 0.80, 6 = 0.95, 7 = 0.96, 8 = 0.35, 9 = 0.00, 9 = 0.00, 9 = 0.00 and 9 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Bearing at joint(s) 10 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 116 lb uplift at joint 8 and 481 lb uplift at joint 10.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1J	MONO PITCH	2	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:27 2016 Page 1
 ID:EsREQifUGou1iwxCTG3_NqyjDd_nIRblXLHR7zgOcqSrtCzzzFgrr99eUuq5?UCxXznDMk




Plate Offsets (X,Y)-- [4:0-4-4,0-1-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.66 BC 0.38	in (loc) l/defl L/d Vert(LL) -0.09 4-5 >999 360 Vert(TL) -0.22 4-5 >470 240 Horz(TL) -0.01 5 n/a n/a	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	WB 0.62			
BCLL 0.0	Rep Stress Incr YES	(Matrix)			
BCDL 10.0	Code IBC2009/TPI2007			Weight: 87 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x6 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W2: 2x6 SPF No.2	WEBS 1 Row at midpt 2-4, 2-5

REACTIONS. (lb/size) 3=-0/Mechanical, 4=837/0-5-8, 5=540/Mechanical
 Max Horz 3=-668(LC 18), 4=668(LC 18)
 Max Uplift 4=-631(LC 9)
 Max Grav 4=853(LC 2), 5=986(LC 18)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-8=-754/124, 3-8=-743/142, 2-4=-766/675, 1-5=-350/209
 BOT CHORD 4-5=-156/668
 WEBS 2-5=-1091/254


JOINT STRESS INDEX
 1 = 0.40, 2 = 0.45, 4 = 0.39 and 5 = 0.42

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 631 lb uplift at joint 4.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1JA	MONO TRUSS	2	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:27 2016 Page 1
 ID: JZJ9pAgXQkqwRI9t2BWwVvyiUPn-nIRbIXLHR7zgOcqSrtCczFb4r9oeXsq5?UCxXznDMk



Scale = 1:61.2

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.97 BC 0.34 WB 0.43 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.07 4-5 >999 360 Vert(TL) -0.18 4-5 >566 240 Horz(TL) -0.25 5 n/a n/a	MT20 M18SHS	197/144 197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 94 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x6 SPF No.2 WEBS 2x4 SPF No.3 *Except* W3: 2x4 SPF No.2 OTHERS 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 3-11-15 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 2-5

REACTIONS. (lb/size) 3=0/Mechanical, 5=513/Mechanical, 7=854/0-5-8
 Max Horz 3=-341(LC 18), 7=341(LC 18)
 Max Uplift 5=-182(LC 9), 7=-340(LC 9)
 Max Grav 5=583(LC 2), 7=978(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-10=-455/303, 3-10=-443/310, 1-5=-344/251
 BOT CHORD 4-5=-93/259
 WEBS 2-5=-433/31

JOINT STRESS INDEX
 1 = 0.62, 2 = 0.82, 4 = 0.20, 5 = 0.23, 6 = 0.00, 6 = 0.00, 6 = 0.00 and 6 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Bearing at joint(s) 7 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 182 lb uplift at joint 5 and 340 lb uplift at joint 7.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1K	MONO PITCH	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:28 2016 Page 1
 ID:i2?cd2g6160uK4W00_aDw2yjDcz-GV?zztMvCR5X0mP1OajrWAnv3FTUNuqzJfEIT_znDMj



Scale = 1:156.7

Plate Offsets (X,Y)-- [4:0-3-0-0-1-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.44 BC 0.50 WB 0.83 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.12 4-5 >663 360 Vert(TL) -0.30 4-5 >265 240 Horz(TL) -0.01 5 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0				Weight: 66 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
 WEBS 1 Row at midpt 2-4, 1-5
 2 Rows at 1/3 pts 2-5

REACTIONS. (lb/size) 3=0/Mechanical, 4=467/0-5-8, 5=686/Mechanical
 Max Horz 3=-617(LC 18), 4=617(LC 18)
 Max Uplift 4=-525(LC 18), 5=-7(LC 9)
 Max Grav 4=470(LC 15), 5=1111(LC 18)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-8=-707/152, 3-8=-696/163, 2-4=-403/592, 1-5=-337/164
 BOT CHORD 4-5=-67/617
 WEBS 2-5=-1210/132


JOINT STRESS INDEX
 1 = 0.39, 2 = 0.45, 4 = 0.35 and 5 = 0.62

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 525 lb uplift at joint 4 and 7 lb uplift at joint 5.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1KA	MONO TRUSS	2	1	

Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:28 2016 Page 1



LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.90 BC 0.43 WB 0.42 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.09 4-5 >861 360 Vert(TL) -0.23 4-5 >343 240 Horz(TL) -0.26 5 n/a n/a	PLATES GRIP MT20 197/144 M18SHS 197/144 Weight: 82 lb FT = 4%
--	---	--	---	---

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.2 *Except* W1: 2x4 SPF 2100F 1.8E, W2: 2x4 SPF No.3 OTHERS 2x6 SPF No.2	BRACING- TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 1-5, 2-5
---	---

REACTIONS. (lb/size) 3=-0/Mechanical, 5=479/0-3-8, 7=661/0-5-8
 Max Horz 3=369(LC 9), 7=324(LC 18)
 Max Uplift 5=-225(LC 9), 7=-267(LC 5)
 Max Grav 5=549(LC 2), 7=732(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-439/332, 3-9=-427/339, 1-5=-331/215
 WEBS 2-5=-486/68


JOINT STRESS INDEX
 1 = 0.62, 2 = 0.84, 4 = 0.27, 5 = 0.30, 6 = 0.00, 6 = 0.00 and 6 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Bearing at joint(s) 7 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 225 lb uplift at joint 5 and 267 lb uplift at joint 7.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1L	MONO PITCH	2	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:29 2016 Page 1
 ID:AEY_rOhkoP8lxE5bah5SSFyjDcy-khZLADNXzkD0dvzryHE42OK5qfsr6KG6YJzJ0QznDMi



Scale = 1:56.6

Plate Offsets (X,Y)-- [4:0-3-0-0-1-0]					
LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.37 BC 0.24 WB 0.82 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 4-5 >999 360 Vert(TL) -0.07 4-5 >767 240 Horz(TL) -0.00 5 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0				Weight: 60 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3	WEBS 1 Row at midpt 2-4, 1-5 2 Rows at 1/3 pts 2-5

REACTIONS. (lb/size) 3=-0/Mechanical, 4=121/0-5-8, 5=800/Mechanical
 Max Horz 3=-522(LC 18), 4=522(LC 18)
 Max Uplift 4=-721(LC 18), 5=-124(LC 9)
 Max Grav 4=326(LC 15), 5=1238(LC 18)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-7=-619/195, 3-7=-608/201, 2-4=-279/768, 1-5=-321/112
 BOT CHORD 4-5=-15/522
 WEBS 2-5=-1359/39


JOINT STRESS INDEX
 1 = 0.37, 2 = 0.52, 4 = 0.45 and 5 = 0.69

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 721 lb uplift at joint 4 and 124 lb uplift at joint 5.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1LA	MONO TRUSS	2	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:29 2016 Page 1



Scale = 1/8" = 1'-0"

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.85 BC 0.18 WB 0.47 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.02 4-5 >999 360 Vert(TL) -0.05 4-5 >999 240 Horz(TL) -0.25 5 n/a n/a	MT20 M18SHS	197/144 197/144
TCDL 7.0				Weight: 82 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SPF No.2 *Except*	WEBS 1 Row at midpt 1-5, 2-5
OTHERS W1: 2x6 SPF No.2, W2: 2x4 SPF No.3	
OTHERS 2x6 SPF No.2	


REACTIONS. (lb/size) 3=0/Mechanical, 5=474/Mechanical, 7=428/0-5-8
 Max Horz 3=379(LC 9), 7=312(LC 18)
 Max Uplift 5=-290(LC 9), 7=-285(LC 5)
 Max Grav 5=575(LC 18), 7=459(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-428/336, 9-10=-425/340, 3-10=-416/348, 1-5=-314/176
 WEBS 2-5=-639/144

JOINT STRESS INDEX
 1 = 0.37, 2 = 0.80, 4 = 0.25, 5 = 0.31, 6 = 0.00, 6 = 0.00 and 6 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Bearing at joint(s) 7 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 290 lb uplift at joint 5 and 285 lb uplift at joint 7.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.82 BC 0.59 WB 0.56 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 10-11 >999 360 Vert(TL) -0.02 7-11 >999 240 Horz(TL) -0.03 10 n/a n/a	MT20 MT20HS MT18H Weight: 207 lb	197/144 148/108 197/144 FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 *Except* B2,B5: 2x4 SPF No.3, B3: 2x6 SPF No.2 WEBS 2x4 SPF No.3 *Except* W1: 2x4 SPF No.2, W1: 2x6 SPF No.2 OTHERS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 5-8-1 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing, Except: 4-2-4 oc bracing: 30-31 5-4-5 oc bracing: 28-30 5-11-13 oc bracing: 26-28. 3-10-0 oc bracing: 7-11 WEBS 1 Row at midpt 8-10, 3-21, 7-21, 8-11 JOINTS 1 Brace at Jt(s): 21, 25, 29, 17, 13

REACTIONS. All bearings 25-0-0 except (jt=length) 9=Mechanical.
 (lb) - Max Horz 9=722(LC 46), 31=2024(LC 26)
 Max Uplift All uplift 100 lb or less at joint(s) 24, 16, 14, 12 except 10=391(LC 27), 31=555(LC 28), 30=479(LC 29), 11=1368(LC 29),
 20=816(LC 28), 22=178(LC 28), 18=179(LC 28)
 Max Grav All reactions 250 lb or less at joint(s) 24, 26, 28, 16, 14, 12 except 10=516(LC 16), 31=962(LC 17), 30=950(LC 16),
 11=1995(LC 16), 20=1250(LC 17), 22=341(LC 17), 18=342(LC 17)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-32=1020/803, 3-32=632/459, 3-4=1603/1258, 4-33=1117/939, 5-33=1091/845, 5-6=897/657,
 6-34=456/306, 34-35=454/279, 7-35=486/513, 7-36=857/569, 8-36=721/489, 8-37=820/310,
 9-37=793/317, 8-10=490/281, 2-31=926/606
 BOT CHORD 30-31=1941/1543, 3-30=990/687, 29-30=939/717, 27-29=678/464, 25-27=564/341, 23-25=436/234,
 21-23=498/269, 19-21=1214/1314, 17-19=1143/1215, 15-17=1021/1101, 13-15=899/977,
 11-13=802/887, 7-11=1650/1242, 10-11=452/435, 28-30=1234/1176, 26-28=987/928, 24-26=870/822,
 22-24=774/715, 20-22=667/608, 18-20=559/501, 16-18=453/394, 14-16=346/288, 11-12=367/285
 WEBS 2-30=767/910, 3-21=797/894, 5-21=861/521, 7-21=895/628, 8-11=576/317, 20-21=1223/830,
 22-23=315/191, 18-19=316/191

JOINT STRESS INDEX
 2 = 0.76, 3 = 0.73, 4 = 0.53, 5 = 0.32, 6 = 0.68, 7 = 0.56, 8 = 0.85, 10 = 0.90, 11 = 0.57, 12 = 0.31, 13 = 0.31, 14 = 0.31, 15 = 0.31, 16 = 0.31, 17 = 0.31, 18 = 0.31, 19 = 0.31, 20 = 0.48, 21 = 0.42, 22 = 0.31,
 23 = 0.31, 24 = 0.31, 25 = 0.31, 26 = 0.31, 27 = 0.31, 28 = 0.31, 29 = 0.31, 30 = 0.40 and 31 = 0.84

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TC DL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) All plates are 2x5 MT20 unless otherwise indicated.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Refer to girder(s) for truss to truss connections.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 24, 16, 14, 12 except (jt=lb) 10=391, 31=555, 30=479, 11=1368, 20=816, 22=178, 18=179.
 - 11) Non Standard bearing condition. Review required.
 - 12) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 13) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 14) This truss has been designed for a total drag load of 2000 lb. Lumber DOL=(1.33) Plate grip DOL=(1.33) Connect truss to resist drag loads along bottom chord from 0-0-0 to 25-0-0 for 80.0 plf.

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T1SSHR	MONO PITCH	3	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:32 2016 Page 1
 ID:6M8JhGVKk0FfewSiC1KxL5yjDdB-8GEUoEPQFbzUNiQdQong0ycxsl6JhbZEHCzclznDMf




Plate Offsets (X,Y)-- [2:0-2-12,0-2-8], [3:0-2-2,0-2-8], [4:0-2-8,Edge], [7:0-1-12,0-1-8], [10:0-2-0,0-1-8], [13:0-1-4,0-2-8], [14:0-3-0,0-1-8]

LOADING (psf)	SPACING	CSI.	DEFL.	PLATES	GRIP
TCLL 20.0	2-0-0	TC 0.38	in (loc) l/defl L/d	MT20	244/190
TCDL 7.0	Plate Grip DOL 1.15	BC 0.78	Vert(LL) -0.14 9-10 >999 360		
BCLL 0.0	Lumber DOL 1.15	WB 0.78	Vert(TL) -0.36 9-10 >832 240		
BCDL 10.0	Rep Stress Incr YES	(Matrix)	Horz(TL) -0.05 14 n/a n/a		
	Code IBC2006/TPI2002			Weight: 181 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SYP SS *Except* T1: 2x6 SYP No.2	TOP CHORD Structural wood sheathing directly applied or 4-4-7 oc purlins, except end verticals.
BOT CHORD 2x4 SP No.2	BOT CHORD Rigid ceiling directly applied or 4-11-10 oc bracing.
WEBS 2x4 SP No.3 *Except* W1: 2x6 SYP No.2	WEBS 1 Row at midpt 3-10, 7-10, 7-9

REACTIONS. (lb/size) 8=0/Mechanical, 14=1064/0-5-8, 9=1093/0-5-8
 Max Horz 8=-715(LC 37), 9=715(LC 37)
 Max Uplift 14=-1233(LC 21), 9=-660(LC 22)
 Max Grav 14=1964(LC 12), 9=1165(LC 11)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-15=-2766/1712, 3-15=-2285/1350, 3-4=-2126/1422, 4-16=-2119/1349, 5-16=-1730/1050, 5-6=-1469/855, 6-17=-1063/514, 7-17=-1042/513,
 7-18=-797/109, 8-18=-786/120, 2-14=-1892/1243
 BOT CHORD 13-14=-228/462, 12-13=-1379/2493, 11-12=-1080/2224, 10-11=-480/1624, 9-10=-680/1151
 WEBS 3-12=0/258, 3-10=-819/600, 5-10=-451/383, 7-10=-699/1265, 3-13=-628/465, 2-13=-1309/2174, 7-9=-1101/692

JOINT STRESS INDEX
 2 = 0.70, 3 = 0.41, 4 = 0.84, 5 = 0.22, 6 = 0.62, 7 = 0.80, 9 = 0.34, 10 = 0.93, 11 = 0.70, 12 = 0.22, 13 = 0.88 and 14 = 0.52

- NOTES-**
- This truss has been checked for uniform roof live load only, except as noted.
 - Wind: ASCE 7-05; 90mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Refer to girder(s) for truss to truss connections.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 14=1233, 9=660.
 - This truss is designed in accordance with the 2006 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - This truss has been designed for a total drag load of 2000 lb. Lumber DOL=(1.33) Plate grip DOL=(1.33) Connect truss to resist drag loads along bottom chord from 0-0-0 to 25-0-0 for 80.0 plf.

LOAD CASE(S) Standard


Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2	SPECIAL	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:33 2016 Page 1

ID: ?OwF6SmVOFuug9YkxyCsiWYjDcs-cSos0aQ20zjq6XHcB7J0DEVjBGAI2D9ITxyW9BznDMe



Scale = 1:35.6




Plate Offsets (X,Y)--	[2:0-1-8,0-1-12], [3:0-1-12,0-1-8], [4:0-4-4,0-2-8], [5:0-5-4,0-1-12], [7:0-4-0,0-3-0], [8:0-5-4,0-2-12], [9:0-2-12,0-1-0]
-----------------------	--

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.61 BC 0.50 WB 0.50 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.07 7-8 >999 360 Vert(TL) -0.20 7-8 >999 240 Horz(TL) 0.04 6 n/a n/a	MT20 MT18H	197/144 197/144
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 98 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-5-11 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W7: 2x6 SPF No.2	WEBS 1 Row at midpt 3-7

REACTIONS. (lb/size) 9=1238/0-5-8, 6=1027/Mechanical
Max Horz 9=-216(LC 7)
Max Uplift 9=-476(LC 9), 6=-341(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 2-10=-884/324, 3-10=-829/327, 3-11=-1412/438, 11-12=-1215/439, 4-12=-1057/457, 4-13=-1225/456, 5-13=-1419/437, 2-9=-1278/454, 5-6=-1008/410
BOT CHORD 7-8=-335/823, 6-7=-130/378
WEBS 3-8=-783/341, 3-7=-88/459, 4-7=-20/470, 5-7=-132/786, 2-8=-285/1139

JOINT STRESS INDEX
2 = 0.77, 3 = 0.60, 4 = 0.93, 5 = 0.91, 6 = 0.97, 7 = 0.92, 8 = 0.93 and 9 = 0.55

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 9=476, 6=341.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2A	SPECIAL	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:34 2016 Page 1
 ID:?OwF6SmVOFuug9YkxyCsiWYjDcs-4eMEDwRgnHrhkhsplrqrFIR1thgVcnf_ribh4hdznDMd



Scale = 1.35:7

Plate Offsets (X,Y)--	[2:0-1-8,0-1-12], [3:0-1-12,0-1-8], [4:0-4-12,0-2-0], [5:0-7-4,0-4-12], [6:0-4-8,0-1-8], [7:0-1-12,Edge], [8:0-4-0,0-3-4], [9:0-5-4,0-2-12], [10:0-2-12,0-1-0]
-----------------------	--

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.69 BC 0.52 WB 0.53 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.09 7-8 >999 360 Vert(TL) -0.24 7-8 >933 240 Horz(TL) 0.05 7 n/a n/a	MT20 MT20HS M18SHS Weight: 98 lb	197/144 148/108 197/144 FT = 4%
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-9-8 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3	WEBS 1 Row at midpt 3-8

REACTIONS. (lb/size) 7=1033/Mechanical, 10=1242/0-5-8
 Max Horz 10=-211(LC 7)
 Max Uplift 7=-346(LC 9), 10=-475(LC 9)
 Max Grav 7=1218(LC 19), 10=1242(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-11=-887/325, 3-11=-832/329, 3-12=-1418/440, 12-13=-1221/441, 4-13=-1184/458, 4-14=-1247/464, 14-15=-1257/446, 5-15=-1570/446,
 6-7=-295/668, 2-10=-1277/453
 BOT CHORD 8-9=-361/823, 7-8=-227/795
 WEBS 3-9=-787/352, 3-8=-80/571, 4-8=-48/483, 5-8=-60/628, 2-9=-294/1138, 5-7=-2101/713

JOINT STRESS INDEX
 2 = 0.77, 3 = 0.60, 4 = 0.85, 5 = 0.92, 6 = 0.81, 7 = 0.77, 8 = 0.84, 9 = 0.90 and 10 = 0.53

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) All plates are MT20 plates unless otherwise indicated.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Refer to girder(s) for truss to truss connections.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=346, 10=475.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2B	SPECIAL	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:34 2016 Page 1
 ID:?OwF6SmVOFuug9YkxyCsiWylDcs-4eMEDwRgnHrhkhsplrqFIR1wDgWgneUribh4hdznDMd



Scale = 1:35.7




Plate Offsets (X,Y)--	[2:0-1-8,0-1-12], [3:0-1-12,0-2-0], [4:0-4-8,0-2-0], [5:0-2-4,0-3-8], [6:0-1-12,0-2-0], [8:0-2-0,0-1-12], [9:0-4-0,0-2-12], [10:0-5-4,0-2-12], [11:0-2-12,0-1-0]
-----------------------	--

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.46 BC 0.45 WB 0.63 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.09 9-10 >999 360 Vert(TL) -0.22 9-10 >976 240 Horz(TL) 0.05 7 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 101 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-6-13 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3	WEBS 1 Row at midpt 3-9

REACTIONS. (lb/size) 7=1032/Mechanical, 11=1243/0-5-8
 Max Horz 11=247(LC 9)
 Max Uplift 7=353(LC 9), 11=468(LC 9)
 Max Grav 7=1059(LC 19), 11=1243(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-12=896/319, 3-12=841/322, 3-13=1407/443, 13-14=1210/444, 4-14=1172/461, 4-15=1172/478, 15-16=1218/462, 16-17=1386/460, 5-17=1425/452, 5-18=857/251, 6-18=859/251, 6-7=1041/348, 2-11=1285/441
 BOT CHORD 9-10=409/827, 8-9=288/972
 WEBS 3-10=782/372, 3-9=77/493, 4-9=82/490, 5-9=75/410, 5-8=1287/448, 2-10=295/1146, 6-8=406/1417

JOINT STRESS INDEX
 2 = 0.78, 3 = 0.48, 4 = 0.82, 5 = 0.88, 6 = 0.86, 7 = 0.42, 8 = 0.79, 9 = 0.93, 10 = 0.96 and 11 = 0.58

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=353, 11=468.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2C	SPECIAL	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:35 2016 Page 1
 ID:TaTeJnm79Z0IH17xUfj5EkyjDcr-YrwcRGRIYazYlQr?JYLVIifa503s0W69?wFRd4znDMc



Scale = 1.35:7

Plate Offsets (X,Y)-- [2:0-1-8,0-1-12], [3:0-1-12,0-1-8], [4:0-4-4,0-2-0], [5:0-3-0,0-3-4], [9:0-4-0,0-2-12], [10:0-6-0,0-2-8], [11:0-2-12,0-1-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.46 BC 0.44 WB 0.53 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.09 9-10 >999 360 Vert(TL) -0.24 9-10 >909 240 Horz(TL) 0.05 7 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 102 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-6-2 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3	WEBS 1 Row at midpt 3-9

REACTIONS. (lb/size) 7=1032/Mechanical, 11=1243/0-5-8
 Max Horz 11=293(LC 9)
 Max Uplift 7=362(LC 9), 11=458(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-12=-901/312, 3-12=-846/315, 3-13=-1398/441, 13-14=-1201/441, 4-14=-1164/458, 4-15=-1069/487, 15-16=-1187/474, 16-17=-1253/473,
 5-17=-1263/466, 5-18=-894/313, 6-18=-896/312, 6-7=-992/376, 2-11=-1289/430
 BOT CHORD 9-10=-454/836, 8-9=-343/983
 WEBS 3-10=-782/385, 3-9=-69/412, 4-9=-109/517, 5-9=-108/284, 5-8=-994/409, 2-10=-294/1151, 6-8=-418/1209


JOINT STRESS INDEX
 2 = 0.79, 3 = 0.60, 4 = 0.85, 5 = 0.52, 6 = 0.79, 7 = 0.67, 8 = 0.73, 9 = 0.83, 10 = 0.67 and 11 = 0.61

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=362, 11=458.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2D	SPECIAL	1	1	

Universal Forest Products
 Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:36 2016 Page 1
 ID:TaTeJnm79Z0IH7xUfj5EKyjDcr-11U?ecSwJu5Pz_0BsGskqs79hTB6FZX89vAAIWznDMb



Scale = 1:35.7




Plate Offsets (X,Y)--	[2:0-1-8,0-1-12], [3:0-1-12,0-1-8], [4:0-4-8,0-2-0], [5:0-3-0,0-3-4], [6:0-2-0,0-1-12], [7:0-0-0,0-0-1], [10:0-6-0,0-2-8], [11:0-2-12,0-1-0]
-----------------------	--

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.85 BC 0.45 WB 0.53 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.10 9-10 >999 360 Vert(TL) -0.25 9-10 >873 240 Horz(TL) 0.05 7 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 104 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 5-5-14 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 3-9

REACTIONS. (lb/size) 7=1032/Mechanical, 11=1243/0-5-8
 Max Horz 11=340(LC 9)
 Max Uplift 7=374(LC 9), 11=447(LC 9)
 Max Grav 7=1068(LC 18), 11=1243(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-12=904/303, 3-12=849/306, 3-13=1394/435, 13-14=1196/436, 4-14=1160/453, 4-15=1081/494, 15-16=1086/492, 5-16=1226/487,
 5-17=972/363, 17-18=973/363, 6-18=976/363, 6-7=1015/396, 2-11=1291/418
 BOT CHORD 10-11=276/131, 9-10=494/840, 8-9=391/1052
 WEBS 3-10=785/391, 3-9=68/342, 4-9=132/621, 5-8=913/404, 2-10=287/1158, 6-8=448/1189

JOINT STRESS INDEX
 2 = 0.79, 3 = 0.60, 4 = 0.82, 5 = 0.69, 6 = 0.83, 7 = 0.68, 8 = 0.71, 9 = 0.96, 10 = 0.68 and 11 = 0.62

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=374, 11=447.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2E	SPECIAL	1	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:37 2016 Page 1
 ID:TaTeJnm79Z0IH7xUfj5EkjDcr-VD2NryTY4CEGb8bNQzOzN4fLkTXO_?xIOZwklzndMA




Plate Offsets (X,Y)-- [2:0-1-8,0-1-12], [3:0-1-12,0-1-8], [4:0-4-12,0-2-0], [9:0-4-0,0-2-12], [10:0-6-0,0-2-8], [11:0-2-12,0-1-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.83 BC 0.45 WB 0.58 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.10 9-10 >999 360 Vert(TL) -0.25 9-10 >879 240 Horz(TL) 0.05 7 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 107 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-6-6 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3	WEBS 1 Row at midpt 6-7, 3-9

REACTIONS. (lb/size) 7=1032/Mechanical, 11=1243/0-5-8
 Max Horz 11=386(LC 9)
 Max Uplift 7=388(LC 9), 11=433(LC 9)
 Max Grav 7=1186(LC 18), 11=1243(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-12=-902/290, 3-12=-847/293, 3-13=-1398/428, 13-14=-1201/428, 4-14=-1164/446, 4-15=-1111/500, 5-15=-1186/496, 5-16=-1031/411,
 16-17=-1032/411, 6-17=-1034/411, 6-7=-1123/416, 2-11=-1291/406
 BOT CHORD 10-11=-321/121, 9-10=-529/835, 8-9=-438/1104
 WEBS 3-10=-778/387, 3-9=-64/336, 4-9=-149/937, 5-9=-482/238, 5-8=-868/417, 2-10=-271/1150, 6-8=-485/1201


JOINT STRESS INDEX
 2 = 0.79, 3 = 0.60, 4 = 0.83, 5 = 0.90, 6 = 0.80, 7 = 0.71, 8 = 0.70, 9 = 0.81, 10 = 0.68 and 11 = 0.61

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=388, 11=433.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2F	SPECIAL	1	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:38 2016 Page 1
 ID:xn10W7nlvt8cvSi72NFkxnyjDcq-zQcl3iUBrVM6DIAa_gvCwHCTwHsYjRVRcDfHqPznDMZ



Scale = 1:34.1




Plate Offsets (X,Y)-- [2:0-1-12,0-2-0], [3:0-7-3,Edge], [4:Edge,0-2-4], [6:0-4-0-0-3-4], [7:0-5-4,0-2-12]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.99 BC 0.52 WB 0.69 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.11 5-6 >999 360 Vert(TL) -0.29 5-6 >750 240 Horz(TL) 0.04 5 n/a n/a	PLATES GRIP MT20 197/144 Weight: 105 lb FT = 4%
--	--	--	---	--

LUMBER- TOP CHORD 2x8 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	BRACING- TOP CHORD Structural wood sheathing directly applied or 4-5-15 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 8-4-14 oc bracing. WEBS 1 Row at midpt 4-6 2 Rows at 1/3 pts 4-5
---	---

REACTIONS. (lb/size) 5=1016/Mechanical, 8=1017/Mechanical
 Max Horz 8=282(LC 9)
 Max Uplift 5=-396(LC 9), 8=-268(LC 9)
 Max Grav 5=1339(LC 13), 8=1328(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-916/169, 2-9=-851/171, 2-10=-1637/432, 10-11=-1356/435, 3-11=-1317/453, 3-12=-1190/488, 12-13=-1190/488, 4-13=-1192/488,
 4-5=-1264/433, 1-8=-1332/215
 BOT CHORD 7-8=-309/88, 6-7=-482/970
 WEBS 2-7=-1377/463, 2-6=-158/875, 3-6=-354/240, 4-6=-552/1296, 1-7=-306/1557

JOINT STRESS INDEX
 1 = 0.30, 2 = 0.57, 3 = 0.99, 4 = 0.82, 5 = 1.00, 6 = 0.88, 7 = 0.85 and 8 = 0.95

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 5=396, 8=268.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2G	MONO HIP	1	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:38 2016 Page 1
 ID: xn10W7nlvt8cvSi72NFKnxylDcq-zQcl3lUBrVM6DIAa_gvCwHCUoHrmjNGRCDFHqPznDMZ




Plate Offsets (X,Y)-- [3:0-8-0-4-0], [4:0-2-12,0-2-0], [5:Edge,0-3-8], [7:Edge,0-1-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.93 BC 0.63 WB 0.96 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.18 6-7 >999 360 Vert(TL) -0.44 6-7 >485 240 Horz(TL) 0.02 5 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 101 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-8-11 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 8-3-14 oc bracing.
WEBS 2x4 SPF No.3 *Except* W6: 2x4 SPF No.2	WEBS 1 Row at midpt 4-5, 2-7

REACTIONS. (lb/size) 5=1017/Mechanical, 7=1017/Mechanical
 Max Horz 7=327(LC 9)
 Max Uplift 5=-416(LC 9), 7=-248(LC 9)
 Max Grav 5=1246(LC 13), 7=1408(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-8=-485/75, 2-8=-291/87, 2-9=-1049/231, 9-10=-841/239, 3-10=-834/251, 3-11=-726/303, 11-12=-727/303, 4-12=-727/303, 4-5=-1173/443,
 1-7=-526/145
 BOT CHORD 6-7=-485/1111
 WEBS 2-6=-520/252, 3-6=-509/222, 4-6=-412/991, 2-7=-1156/226

JOINT STRESS INDEX
 1 = 0.86, 2 = 0.47, 3 = 0.96, 4 = 0.97, 5 = 0.89, 6 = 0.96 and 7 = 0.84

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 5=416, 7=248.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2H	MONO HIP	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:39 2016 Page 1
 ID: xn10W7nlt8cvSi72NFKnxjDcq-Rc97GdVppUzqSkmYOQRSVlhjFwSqybrtPrMrznDMY




Plate Offsets (X,Y)-- [1:0-1-8,0-2-8], [2:0-1-12,0-1-8], [3:0-3-8,0-3-4], [4:0-1-12,0-2-0], [6:0-1-12,0-1-8]
--

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.79 BC 0.38 WB 0.93 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.04 6-7 >999 360 Vert(TL) -0.10 5-6 >999 240 Horz(TL) 0.02 5 n/a n/a	PLATES GRIP MT20 197/144 Weight: 109 lb FT = 4%
--	--	--	---	--

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2	BRACING- TOP CHORD Structural wood sheathing directly applied or 5-5-11 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 8-6-10 oc bracing. WEBS 1 Row at midpt 4-5, 3-6
--	---

REACTIONS. (lb/size) 5=1012/Mechanical, 8=1012/Mechanical
 Max Horz 8=371(LC 9)
 Max Uplift 5=-435(LC 9), 8=-226(LC 9)
 Max Grav 5=1135(LC 13), 8=1467(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-1596/224, 2-9=-1361/237, 2-10=-981/182, 10-11=-751/192, 3-11=-735/204, 3-12=-640/261, 4-12=-642/260, 4-5=-1070/461,
 1-8=-1399/255
 BOT CHORD 7-8=-434/287, 6-7=-474/1182
 WEBS 2-6=-734/295, 3-6=-432/211, 4-6=-427/1050, 1-7=-42/932

JOINT STRESS INDEX
 1 = 0.94, 2 = 0.60, 3 = 0.98, 4 = 0.82, 5 = 0.88, 6 = 0.96, 7 = 0.78 and 8 = 0.80

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 5=435, 8=226.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2J	MONO HIP	1	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:39 2016 Page 1
 ID: xn10W7nlvt8cvSi72NFkxnyjDcq-Rc97GdVpcpUzqSkmYOQRSVlhahEmSt7brtPrMrznDMY




Plate Offsets (X,Y)-- [1:Edge,0-3-0], [2:0-1-12,0-1-8], [3:0-3-8,0-2-12], [4:Edge,0-2-4], [5:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.80 BC 0.39 WB 0.73 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.06 6-7 >999 360 Vert(TL) -0.11 6-7 >999 240 Horz(TL) 0.02 5 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 113 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-0-5 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 8-9-10 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1: 2x4 SPF No.2	WEBS 1 Row at midpt 4-5, 2-6, 3-6

REACTIONS. (lb/size) 5=1017/Mechanical, 8=1017/Mechanical
 Max Horz 8=466(LC 8)
 Max Uplift 5=383(LC 9), 8=282(LC 9)
 Max Grav 5=1105(LC 14), 8=1529(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-1695/302, 2-9=-1428/318, 2-10=-916/256, 10-11=-632/268, 3-11=-606/280, 3-12=-551/324, 4-12=-553/324, 4-5=-1063/442,
 1-8=-1453/309
 BOT CHORD 7-8=-448/290, 6-7=-357/1254
 WEBS 2-6=-934/351, 3-6=-359/252, 4-6=-338/1171, 1-7=-76/1001

JOINT STRESS INDEX
 1 = 0.80, 2 = 0.60, 3 = 0.98, 4 = 0.95, 5 = 0.92, 6 = 0.95, 7 = 0.65 and 8 = 1.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 5=383, 8=282.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2K	MONO HIP	1	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:40 2016 Page 1
 ID:PzbOkToNgAGTXcHc4mZK9yjDcp-vojVUzVRN7cqScJy55xg?iHvx4aKBMUk4X8OvHznDMX




Plate Offsets (X,Y)-- [1:0-5-4,0-1-12], [2:0-1-12,0-1-8], [4:0-3-4,0-3-8], [6:0-2-12,0-1-0], [7:0-1-8,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.64 BC 0.43	in (loc) l/defl L/d Vert(LL) -0.06 7-8 >999 360 Vert(TL) -0.14 7-8 >999 240 Horz(TL) 0.02 6 n/a n/a	MT20 MT18H	197/144 197/144
TCDL 7.0	Rep Stress Incr YES	WB 0.59			
BCLL 0.0	Code IBC2009/TPI2007	(Matrix)			
BCDL 10.0				Weight: 118 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-11-9 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 7-10-14 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2	WEBS 1 Row at midpt 5-6, 2-7, 4-7, 5-7

REACTIONS. (lb/size) 6=1012/Mechanical, 9=1012/Mechanical
 Max Horz 9=464(LC 9)
 Max Uplift 6=-483(LC 9), 9=-178(LC 9)
 Max Grav 6=1233(LC 14), 9=1560(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-10=-1734/145, 2-10=-1441/161, 2-3=-811/50, 3-11=-521/61, 11-12=-499/62, 4-12=-350/76, 4-13=-436/161, 5-13=-438/161, 5-6=-1207/487,
 1-9=-1483/214
 BOT CHORD 8-9=-557/420, 7-8=-480/1255
 WEBS 2-7=-1074/422, 4-7=-469/255, 5-7=-487/1341, 1-8=0/857

JOINT STRESS INDEX
 1 = 0.85, 2 = 0.60, 3 = 0.86, 4 = 0.99, 5 = 0.79, 6 = 0.48, 7 = 0.87, 8 = 0.56 and 9 = 0.74

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=483, 9=178.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2N	SPECIAL	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:41 2016 Page 1
 ID:PzbOkToNgAGTXcHJc4mZK9yDcp-N?HuhJW38Qkh4lu9fpSvXwq1WUtKwlytJBuxRjznDMW




Plate Offsets (X,Y)-- [1:Edge,0-2-12], [2:0-1-12,0-1-8], [8:0-2-12,0-2-12], [9:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.78 BC 0.51 WB 0.83 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.01 9 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 138 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2 *Except*	BOT CHORD Rigid ceiling directly applied or 5-0-15 oc bracing. Except:
WEBS 2x4 SPF No.3 *Except*	WEBS 1 Row at midpt 4-8
W1: 2x4 SPF No.2	1 Row at midpt 6-7, 2-8, 5-8, 5-7

REACTIONS. (lb/size) 11=493/Mechanical, 9=772/Mechanical, 10=768/Mechanical
 Max Horz 11=533(LC 9)
 Max Uplift 9=-487(LC 9), 10=-218(LC 9)
 Max Grav 11=677(LC 14), 9=1054(LC 14), 10=1192(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-12=-548/11, 12-13=-326/17, 2-13=-299/35, 2-3=-383/52, 3-14=-334/58, 6-7=-254/167, 1-11=-597/0
 BOT CHORD 10-11=-599/320, 8-9=-977/523, 4-8=-918/373
 WEBS 2-10=-1066/284, 8-10=-286/209, 2-8=-287/289, 5-8=-328/136, 5-7=-123/263, 1-10=-136/346

JOINT STRESS INDEX
 1 = 0.85, 2 = 0.60, 3 = 0.93, 4 = 0.69, 5 = 0.94, 6 = 0.31, 7 = 0.56, 8 = 0.65, 9 = 0.86, 10 = 0.48 and 11 = 0.87

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 9=487, 10=218.
 - 10) Non Standard bearing condition. Review required.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2P	MONO TRUSS	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:42 2016 Page 1
 ID:t99mxxp?RUPK8msWAnHosMyjDco-rBrGvIXhvksYhvTLDWz847NCzuGblM1XrdVzAznDMV



Scale = 1:50.2

Plate Offsets (X,Y)-- [2:0-4-12,0-1-12], [5:0-2-8,0-4-0], [7:0-2-8,0-0-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.79 BC 0.38 WB 0.50 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.06 7-8 >999 360 Vert(TL) -0.16 7-8 >999 240 Horz(TL) -0.03 11 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 119 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2 OTHERS 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 5-8

REACTIONS. (lb/size) 9=1185/0-5-8, 11=1045/0-4-8
 Max Horz 9=782(LC 9)
 Max Uplift 9=-249(LC 9), 11=-693(LC 9)
 Max Grav 9=1211(LC 2), 11=1380(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-2=0/273, 2-12=-936/0, 3-12=-750/0, 3-4=-942/136, 4-13=-777/148, 5-13=-750/164, 2-9=-1131/288
 BOT CHORD 8-9=-603/306
 WEBS 3-8=-733/494, 5-8=-562/975, 2-8=-8/537

JOINT STRESS INDEX
 2 = 0.98, 3 = 0.32, 4 = 0.56, 5 = 0.62, 7 = 0.96, 8 = 0.73, 9 = 0.80, 10 = 0.00, 10 = 0.00, 10 = 0.00 and 10 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 11 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 9=-249, 11=-693.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T2R	MONO TRUSS	1	1	

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:42 2016 Page 1




Plate Offsets (X,Y)-- [2:0-3-0-0-2-0], [5:0-3-0-0-5-4], [7:0-2-8-0-0-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.79 BC 0.38 WB 0.42 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.06 7-8 >999 360 Vert(TL) -0.16 7-8 >999 240 Horz(TL) -0.03 11 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 128 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x8 SPF No.2 *Except* T1: 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2	WEBS 1 Row at midpt 5-8
OTHERS 2x6 SPF No.2	

REACTIONS. (lb/size) 9=1160/0-5-8, 11=1204/0-4-8
 Max Horz 9=842(LC 9)
 Max Uplift 9=-185(LC 9), 11=-855(LC 9)
 Max Grav 9=1160(LC 1), 11=1600(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-2=0/272, 2-12=-847/0, 3-12=-649/0, 3-4=-793/48, 4-13=-645/67, 13-14=-621/74, 5-14=-486/92, 5-6=-342/0, 2-9=-1082/225
 BOT CHORD 8-9=-675/302
 WEBS 3-8=-615/431, 5-8=-512/864, 2-8=-28/414

JOINT STRESS INDEX
 2 = 0.96, 3 = 0.27, 4 = 0.27, 5 = 0.96, 7 = 0.95, 8 = 0.65, 9 = 0.80, 10 = 0.00, 10 = 0.00 and 10 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Bearing at joint(s) 11 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 9=185, 11=855.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T3ALTB RG	MONO TRUSS	0	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:43 2016 Page 1
 ID:t99mxxp?RUPK8msWAnHosMyjDco-KNPe6?YJg2_PJ32XnEUNdlVOCibL0itAmVN2VcznDMU



Scale = 1:32.9

Plate Offsets (X,Y)-- [2:0-2-0,0-2-0], [4:0-3-0,0-3-0], [5:0-3-0,0-12], [6:0-1-12,0-1-8], [7:0-2-0,0-1-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.76 BC 0.41 WB 0.49 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.11 5-6 >999 360 Vert(TL) -0.26 5-6 >595 240 Horz(TL) 0.18 10 n/a n/a	MT20 MT18H	197/144 197/144
TCDL 7.0	Rep Stress Incr YES				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 77 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-6-8 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W5: 2x4 SPF No.2, W1,W6: 2x6 SPF No.2	WEBS 1 Row at midpt 4-6

REACTIONS. (lb/size) 8=959/0-5-8, 10=688/0-5-8
 Max Horz 8=398(LC 9)
 Max Uplift 8=-312(LC 9), 10=-306(LC 9)
 Max Grav 8=1020(LC 2), 10=863(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-11=-1123/182, 3-11=-976/189, 3-12=-1276/367, 12-13=-1098/373, 4-13=-1082/386, 2-8=-982/319
 BOT CHORD 6-7=-431/999
 WEBS 3-6=-821/443, 4-6=-498/1092, 2-7=-200/1102


JOINT STRESS INDEX
 2 = 0.82, 3 = 0.30, 4 = 0.68, 5 = 1.00, 6 = 0.87, 7 = 0.80, 8 = 0.60, 9 = 0.00 and 9 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Bearing at joint(s) 10 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 8=312, 10=306.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T3D	MONO PITCH	5	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:44 2016 Page 1
 ID:6M8JhGVKKoFtewSiC1KxL5yjDdB-oaz0JLYxQL6GxDdkKx0c9YSYRitd7A1K?96c22znDMT



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 20.0	2-0-0	TC 0.80	in (loc) l/defl L/d	MT20	244/190
TCDL 7.0	Plate Grip DOL 1.15	BC 0.67	Vert(LL) -0.15 6-7 >898 360		
BCLL 0.0	Lumber DOL 1.15	WB 0.62	Vert(TL) -0.38 6-7 >356 240		
BCDL 10.0	Rep Stress Incr YES	(Matrix)	Horz(TL) -0.01 8 n/a n/a		
	Code IBC2006/TPI2002			Weight: 111 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SYP SS
 BOT CHORD 2x4 SP No.2
 WEBS 2x4 SP No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
 WEBS 1 Row at midpt 4-7, 4-6

REACTIONS. (lb/size) 5=0/Mechanical, 8=504/Mechanical, 6=543/0-5-8
 Max Horz 5=-718(LC 17), 6=718(LC 17)
 Max Uplift 6=-513(LC 7)
 Max Grav 8=912(LC 17), 6=558(LC 13)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-374/70, 2-9=-359/75, 2-3=-389/190, 3-10=-371/200, 4-10=-350/213, 4-11=-800/85, 5-11=-789/95, 1-8=-925/0
 BOT CHORD 6-7=-199/718
 WEBS 1-7=0/847, 2-7=-395/292, 4-7=-644/340, 4-6=-492/547

JOINT STRESS INDEX
 1 = 0.77, 2 = 0.13, 3 = 0.15, 4 = 0.26, 6 = 0.27, 7 = 0.87 and 8 = 0.28

- NOTES-**
- 1) This truss has been checked for uniform roof live load only, except as noted.
 - 2) Wind: ASCE 7-05; 90mph; TCCL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 3) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 4) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 5) Refer to girder(s) for truss to truss connections.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=513.
 - 8) This truss is designed in accordance with the 2006 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard




Plate Offsets (X,Y)-- [1:0-1-12,0-1-12], [4:0-2-8,0-1-8], [7:0-2-0,0-1-12]

LOADING (psf)	SPACING- 2-0-0	CSI.	DEFL. in (loc) l/defl L/d	PLATES	GRIP
TCLL 20.0	Plate Grip DOL 1.15	TC 0.63	Vert(LL) -0.14 6-7 >931 360	MT20	244/190
TCDL 7.0	Lumber DOL 1.15	BC 0.66	Vert(TL) -0.36 6-7 >369 240	MT18H	244/190
BCLL 0.0	Rep Stress Incr YES	WB 0.80	Horz(TL) -0.01 8 n/a n/a		
BCDL 10.0	Code IBC2006/TPI2002	(Matrix)			
				Weight: 131 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SP No.1	TOP CHORD Structural wood sheathing directly applied or 4-8-0 oc purlins, except end verticals.
BOT CHORD 2x4 SP No.2	BOT CHORD Rigid ceiling directly applied or 4-6-2 oc bracing.
WEBS 2x4 SP No.3 *Except*	WEBS 1 Row at midpt 1-7, 1-8, 4-6
W4,W5: 2x6 SP No.2, W1: 2x4 SP No.2	2 Rows at 1/3 pts 4-7

REACTIONS. (lb/size) 5=0/Mechanical, 8=510/Mechanical, 6=535/0-5-8
 Max Horz 5=728(LC 35), 6=728(LC 35)
 Max Uplift 8=1910(LC 13), 6=1642(LC 22)
 Max Grav 8=2443(LC 12), 6=1663(LC 11)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-9=-991/848, 2-9=-630/488, 2-3=-501/393, 3-10=-768/757, 4-10=-1450/1537, 4-11=-810/127, 5-11=-799/138, 1-8=-2444/1877
 BOT CHORD 7-8=-615/605, 6-7=-1570/1734
 WEBS 1-7=-1748/2243, 2-7=-415/320, 4-7=-2422/2210, 4-6=-1598/1677

JOINT STRESS INDEX
 1 = 0.87, 2 = 0.14, 3 = 0.20, 4 = 0.91, 6 = 0.82, 7 = 0.88 and 8 = 0.49

- NOTES-**
- 1) This truss has been checked for uniform roof live load only, except as noted.
 - 2) Wind: ASCE 7-05; 90mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 3) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 4) All plates are MT20 plates unless otherwise indicated.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss to truss connections.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 8=1910, 6=1642.
 - 9) This truss is designed in accordance with the 2006 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 11) This truss has been designed for a total drag load of 2000 lb. Lumber DOL=(1.33) Plate grip DOL=(1.33) Connect truss to resist drag loads along bottom chord from 0-0-0 to 11-5-8 for 174.6 plf.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T3SHR	MONO TRUSS	1	1	

Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:45 2016 Page 1

ID:t99mxxp?RUPK8msWANHosMyjDco-GmXOXhZaBfE7YNCwufXrim?mg5HhseOTDps9aVznDMS

Universal Forest Products



Scale = 1:33.5

Plate Offsets (X,Y)-- [2:0-1-4,0-2-4], [4:0-4-5,0-5-0], [5:Edge,0-3-8], [6:0-4-0,0-1-12], [7:0-3-0,0-1-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.64 BC 0.42 WB 0.55 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.10 5-6 >976 360 Vert(TL) -0.25 5-6 >399 240 Horz(TL) 0.11 9 n/a n/a	MT20 M18SHS	197/144 197/144
TCDL 7.0				Weight: 77 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-7-14 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 5-2-2 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1,W6: 2x6 SPF No.2	WEBS 1 Row at midpt 4-6

REACTIONS. All bearings 13-1-0 except (jt=length) 9=0-5-8.
 (lb) - Max Horz 7=398(LC 28)
 Max Uplift All uplift 100 lb or less at joint(s) except 7=942(LC 28), 5=526(LC 29), 6=493(LC 28), 9=601(LC 17)
 Max Grav All reactions 250 lb or less at joint(s) except 7=1238(LC 15), 5=1046(LC 16), 6=1164(LC 17), 9=422(LC 28)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-10=-1655/1489, 3-10=-1108/1113, 3-11=-848/707, 4-12=-671/899, 5-8=-958/561, 4-8=-958/561, 2-7=-1202/945
 BOT CHORD 6-7=-749/576, 5-6=-1256/1313
 WEBS 3-6=-871/476, 4-6=-888/726, 2-6=-1266/1413

JOINT STRESS INDEX
 2 = 0.87, 3 = 0.31, 4 = 0.75, 5 = 0.84, 6 = 0.74, 7 = 0.80, 8 = 0.00 and 8 = 0.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Bearing at joint(s) 9 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 942 lb uplift at joint 7, 526 lb uplift at joint 5, 493 lb uplift at joint 6 and 601 lb uplift at joint 9.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.
 - 12) This truss has been designed for a total drag load of 2000 lb. Lumber DOL=(1.33) Plate grip DOL=(1.33) Connect truss to resist drag loads along bottom chord from 0-0-0 to 13-1-0 for 152.9 plf.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T4	COMMON	6	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:46 2016 Page 1
 ID:LMj899peCoXBmwRijVo1PayjDcn-ky5nk1aCyzM_AXn6SM24EzXzpVg?bBncSTbi6xznDMR




Plate Offsets (X,Y)-- [2:0-3-0-0-1-12], [4:0-3-0-0-1-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.48	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.23	Vert(LL) -0.02 6-7 >999 360		
BCLL 0.0	Rep Stress Incr YES	WB 0.16	Vert(TL) -0.05 7-8 >999 240		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) 0.00 6 n/a n/a		
				Weight: 68 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. (lb/size) 8=857/0-5-8, 6=857/0-5-8
 Max Horz 8=-199(LC 7)
 Max Uplift 8=-357(LC 9), 6=-357(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-642/213, 3-9=-504/226, 3-10=-504/226, 4-10=-642/213, 2-8=-798/385, 4-6=-798/385
 WEBS 2-7=-48/354, 4-7=-57/354

JOINT STRESS INDEX
 2 = 0.89, 3 = 0.97, 4 = 0.89, 6 = 0.80, 7 = 0.26 and 8 = 0.80

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 357 lb uplift at joint 8 and 357 lb uplift at joint 6.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T5	SPECIAL	10	1	

Universal Forest Products
 Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:46 2016 Page 1
 ID:LMj899peCoXBmwRijVo1PayjDcn-ky5nk1aCyzM_AXn6SM24EzXtdVaGb_dcSTbi6xznDMR




Plate Offsets (X,Y)-- [1:0-1-8,0-2-8], [3:0-2-4,0-2-4], [4:Edge,0-3-8], [5:Edge,0-2-12], [6:0-5-4,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.88 BC 0.59 WB 1.00 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.21 5-6 >814 360 Vert(TL) -0.54 5-6 >315 240 Horz(TL) 0.14 5 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 79 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 *Except* W1: 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 3-11-3 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-11-2 oc bracing. WEBS 1 Row at midpt 3-5

REACTIONS. (lb/size) 7=1097/0-5-8, 5=1389/0-5-8
 Max Horz 7=508(LC 9)
 Max Uplift 7=78(LC 9), 5=448(LC 9)
 Max Grav 7=1136(LC 2), 5=1573(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-7=-1268/420, 1-8=-3086/807, 2-8=-2895/815, 2-9=-2976/963, 3-9=-2706/975, 3-10=-383/0, 4-5=-507/131
 BOT CHORD 6-7=-684/383, 5-6=-430/1204
 WEBS 1-6=-487/2261, 2-6=-380/241, 3-6=-892/1815, 3-5=-1512/562

JOINT STRESS INDEX
 1 = 0.96, 2 = 0.19, 3 = 0.80, 4 = 0.74, 5 = 0.58, 6 = 0.93 and 7 = 0.85


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 7 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 78 lb uplift at joint 7 and 448 lb uplift at joint 5.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 6-7=-20, 5-6=-20
Trapezoidal Loads (plf)
Vert: 1=-94-to-4=-218
2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 6-7=-20, 5-6=-20
Trapezoidal Loads (plf)
Vert: 1=-94-to-3=-174, 3=-219-to-4=-263
3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 6-7=-20, 5-6=-20
Trapezoidal Loads (plf)
Vert: 1=-38-to-4=-162

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T5A	SPECIAL	2	1	
Universal Forest Products					Job Reference (optional)

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:47 2016 Page 1
 ID:qYHXMVqGz5f2O40uHCJGxnyjDcm-C9e9yNbnqjGUrogMI03ZJnB48Yv10KYQmh6LGeNznDMQ



Scale = 1/62.6




Plate Offsets (X,Y)-- [1:0-1-4,0-2-0], [2:0-1-12,0-1-8], [4:0-1-12,0-1-8], [6:0-5-0,0-4-0], [11:0-2-12,0-2-4]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING - 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI TC 0.48 BC 0.18 WB 0.45 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.00 6-7 n/r 180 Vert(TL) -0.00 6-7 n/r 80 Horz(TL) -0.01 8 n/a n/a	PLATES MT20 MT20HS Weight: 147 lb FT = 4%	GRIP 197/144 148/108
--	---	---	---	--	--------------------------------

LUMBER TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 OTHERS 2x6 SPF No.2	BRACING TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 6-8, 5-9, 6-9
---	---

REACTIONS. All bearings 20-10-0.
 (lb) - Max Horz 12=710(LC 9)
 Max Uplift All uplift 100 lb or less at joint(s) 12 except 8=246(LC 9), 11=453(LC 9), 10=126(LC 9), 9=410(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 12=404(LC 9), 8=790(LC 2), 11=808(LC 1), 10=680(LC 1), 9=1641(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-12=-340/28, 1-14=-303/65, 2-14=-294/85, 2-15=-340/64, 3-15=-328/73, 3-4=-320/84, 4-16=-331/82, 16-17=-319/294, 5-17=-308/346,
 6-18=-114/415, 8-13=-740/267, 6-13=-740/266
 BOT CHORD 11-12=-826/251, 10-11=-406/128
 WEBS 1-11=-97/326, 2-11=-664/179, 4-10=-564/111, 5-9=-1198/362

JOINT STRESS INDEX
 1 = 0.81, 2 = 0.60, 3 = 0.66, 4 = 0.60, 5 = 0.52, 6 = 0.81, 8 = 0.75, 9 = 0.78, 10 = 0.54, 11 = 0.95, 12 = 0.58, 13 = 0.00, 13 = 0.26, 13 = 0.26 and 13 = 0.26

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) Gable requires continuous bottom chord bearing.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 12 except (jt=lb) 8=246, 11=453, 10=126, 9=410.
 - 10) Beveled plate or shim required to provide full bearing surface with truss chord at joint(s) 8, 11, 10, 9.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 13) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 11-12=-20, 8-11=-20 Trapezoidal Loads (plf) Vert: 1=-94-to-6=-213, 6=-213-to-7=-218	2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 11-12=-20, 8-11=-20 Trapezoidal Loads (plf) Vert: 1=-94-to-17=-181, 17=-240-to-6=-272, 6=-272-to-7=-277
--	---

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T5A	SPECIAL	2	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:47 2016 Page 2
 ID:qYHXMVqGz5f2O40uHCJGxnyjDcm-C9e9yNbqjGUrogMI03ZJnB48Yv10KYQmh6LGeNznDMQ

LOAD CASE(S) Standard

3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 11-12=-20, 8-11=-20

Trapezoidal Loads (plf)

Vert: 1=-38-to-6=-157, 6=-157-to-7=-162

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 11-12=-20, 8-11=-20

Trapezoidal Loads (plf)


Vert: 1=-14-to-6=-133, 6=-293-to-7=-298

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T6A	SPECIAL	2	1	

Job Reference (optional)

Universal Forest Products

ID:qYHXMVqGz5f2O40uHCJGxnyjDcm-gLCX9icSUaciPqwVZn4YKocEXJIW3ujvw4pBpznDMP



Scale: 1/4"=1'

Plate Offsets (X,Y)-- [1:Edge,0-2-12], [4:0-2-8,0-1-8], [8:0-1-8,0-2-0], [9:0-1-12,0-1-8], [12:0-1-12,0-2-0], [14:0-6-0,Edge], [15:0-6-0,0-0-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.79 BC 0.41 WB 0.96 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.09 12-14 >999 360 Vert(TL) -0.16 12-14 >889 240 Horz(TL) 0.07 8 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 130 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-1-1 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing, Except:
WEBS 2x4 SPF No.3 *Except* W1: 2x4 SPF No.2	WEBS 1 Row at midpt 5-12

REACTIONS. (lb/size) 15=872/0-5-8, 12=3893/(0-5-8 + bearing block) (req. 0-6-2), 8=925/0-5-8
 Max Horz 15=276(LC 7)
 Max Uplift 15=93(LC 9), 12=671(LC 9), 8=127(LC 9)
 Max Grav 15=881(LC 2), 12=3893(LC 1), 8=1120(LC 3)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-15=969/210, 1-16=1522/196, 2-16=1240/207, 2-3=1540/392, 3-17=1341/399, 4-17=1102/409, 4-18=148/1078, 18-19=137/1295,
 5-19=133/1598, 5-20=304/286, 6-20=637/138, 7-21=498/111, 7-8=598/153
 BOT CHORD 14-15=307/340, 13-14=415/159, 12-13=415/159, 11-12=299/221, 10-11=299/221, 9-10=299/221, 8-9=63/735
 WEBS 1-14=14/837, 2-14=978/316, 4-14=516/2106, 4-12=1471/390, 5-12=2675/411, 5-9=198/951, 6-9=933/291, 6-8=672/177

JOINT STRESS INDEX
 1 = 0.96, 2 = 0.49, 3 = 0.43, 4 = 0.72, 5 = 0.91, 6 = 0.41, 7 = 0.93, 8 = 0.91, 9 = 0.95, 10 = 0.26, 11 = 0.00, 11 = 0.00, 12 = 0.94, 12 = 0.00, 13 = 0.00, 13 = 0.00, 14 = 0.85 and 15 = 0.83

- NOTES-**
- 2x4 SPF No.2 bearing block 12" long at jt. 12 attached to front face with 2 rows of 10d (0.131"x3") nails spaced 3" o.c. 8 Total fasteners. User Defined Bearing crushing capacity= 425psi.
 - Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - Unbalanced snow loads have been considered for this design.
 - As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - Bearing at joint(s) 15 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 15 except (jt=lb) 12=671, 8=127.
 - This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - Load case(s) 1, 2, 3 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-5=-218, 5-7=-218, 14-15=-20, 8-14=-20
 - Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-18=-218, 5-18=-252, 5-7=-162, 14-15=-20, 8-14=-20
 - Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
Uniform Loads (plf)
Vert: 1-5=-162, 5-6=-263, 6-7=-218, 14-15=-20, 8-14=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T7	SPECIAL	2	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:49 2016 Page 1
 ID:qYHXMVqGz5f2O40uHCJGxnyjDcm-8XmvN2c4FukZ1_Vh7Ubnc9OOjcSoku38QqNjGznDMO




Plate Offsets (X,Y)-- [5:0-2-12,0-2-0], [6:0-3-8,Edge], [7:0-2-0,0-2-0], [10:Edge,0-2-12]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.85 BC 0.56 WB 0.96 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.18 9-10 >999 360 Vert(TL) -0.46 9-10 >577 240 Horz(TL) 0.03 6 n/a n/a	MT20 MT20HS	197/144 148/108
				Weight: 133 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-7-1 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 8-9-10 oc bracing. WEBS 1 Row at midpt 5-6, 2-10

REACTIONS. (lb/size) 10=1261/Mechanical, 6=1261/0-3-8
 Max Horz 10=118(LC 9)
 Max Uplift 10=375(LC 9), 6=449(LC 9)
 Max Grav 10=1618(LC 17), 6=1569(LC 17)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-10=-339/90, 2-13=-1318/317, 3-13=-1312/317, 3-14=-1031/267, 4-14=-964/277, 4-15=-968/322, 5-15=-972/322, 5-6=-1483/483
 BOT CHORD 9-10=-380/1041, 8-9=-436/1316, 7-8=-436/1316
 WEBS 2-10=-1577/428, 2-9=-86/700, 3-9=-401/145, 3-7=-632/188, 4-7=-425/248, 5-7=-457/1335

JOINT STRESS INDEX
 1 = 0.92, 2 = 0.74, 3 = 0.65, 4 = 0.89, 5 = 0.90, 6 = 0.69, 7 = 0.87, 8 = 0.57, 9 = 0.66 and 10 = 1.00

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 10=375, 6=449.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T7A	SPECIAL	2	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:49 2016 Page 1
 ID:IkrrvrrukPnv?Db5rwwqVU?yjDcl-8XmvN2c4FukZ1_Vh7Ubnsc9PzjeioMP38QqNjGznDMO




Plate Offsets (X,Y)-- [1:0-2-12,0-2-0], [4:0-3-4,0-2-0], [5:0-1-12,0-2-0], [6:0-2-12,0-1-0], [7:0-4-0,0-1-12], [10:0-1-12,0-1-12]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.81 BC 0.42 WB 0.87 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.07 9-10 >999 360 Vert(TL) -0.12 9-10 >999 240 Horz(TL) 0.03 6 n/a n/a	PLATES GRIP MT20 197/144 Weight: 142 lb FT = 4%
--	--	--	--	--

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.2	BRACING- TOP CHORD Structural wood sheathing directly applied or 5-3-8 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 7-9-6 oc bracing. WEBS 1 Row at midpt 5-6, 3-7, 4-7
---	--

REACTIONS. (lb/size) 11=1261/Mechanical, 6=1261/0-3-8
 Max Horz 11=248(LC 9)
 Max Uplift 11=334(LC 9), 6=489(LC 9)
 Max Grav 11=1333(LC 17), 6=1290(LC 18)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-11=-1258/362, 1-12=-1420/318, 2-12=-1418/318, 2-13=-1521/268, 13-14=-1364/275, 3-14=-1238/284, 3-15=-851/176, 15-16=-701/177,
 4-16=-686/186, 4-17=-638/226, 5-17=-640/225, 5-6=-1243/507
 BOT CHORD 10-11=-256/68, 9-10=-572/1446, 8-9=-429/1268, 7-8=-429/1268
 WEBS 1-10=-379/1709, 2-10=-876/291, 2-9=-547/192, 3-9=-80/473, 3-7=-1066/351, 4-7=-350/192, 5-7=-471/1341

JOINT STRESS INDEX
 1 = 0.94, 2 = 0.70, 3 = 0.64, 4 = 0.90, 5 = 0.86, 6 = 0.93, 7 = 0.92, 8 = 0.55, 9 = 0.54, 10 = 0.86 and 11 = 0.98

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 11=334, 6=489.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T7B	SPECIAL	2	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:50 2016 Page 1
 ID:lkvarrukPnv?Db5rwwqVU?yDcl-cjKHaOdi0BsPf84thC60PpiYC6xuXptCN4ZwFiznDMN




Plate Offsets (X,Y)-- [1:0-2-8,0-2-0], [5:0-7-12,Edge], [6:0-2-12,0-2-0], [7:Edge,0-3-8], [8:0-1-8,0-1-8], [11:0-2-8,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.91 BC 0.61 WB 0.85 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.10 8-10 >999 360 Vert(TL) -0.24 8-10 >999 240 Horz(TL) 0.05 7 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0	Rep Stress Incr YES			Weight: 144 lb	FT = 4%
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 4-8-4 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
WEBS 2x4 SPF No.2	WEBS 1 Row at midpt 6-7, 2-10, 4-8, 5-8, 6-8

REACTIONS. (lb/size) 12=1261/Mechanical, 7=1261/0-3-8
 Max Horz 12=377(LC 9)
 Max Uplift 12=294(LC 9), 7=530(LC 9)
 Max Grav 12=1472(LC 18), 7=1631(LC 18)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-12=-1446/298, 1-13=-1562/273, 2-13=-1560/274, 2-14=-1897/219, 14-15=-1683/224, 3-15=-1657/225, 3-4=-1470/239, 4-16=-614/22,
 5-16=-363/35, 5-17=-317/97, 6-17=-319/97, 6-7=-1610/494
 BOT CHORD 11-12=-380/33, 10-11=-663/1618, 9-10=-491/1547, 8-9=-491/1547
 WEBS 1-11=-371/2141, 2-11=-1346/328, 4-10=0/383, 4-8=-1589/509, 5-8=-698/308, 6-8=-551/1842

JOINT STRESS INDEX
 1 = 0.92, 2 = 0.79, 3 = 0.90, 4 = 0.67, 5 = 0.95, 6 = 0.95, 7 = 0.75, 8 = 0.89, 9 = 0.60, 10 = 0.54, 11 = 0.92 and 12 = 0.80

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 12=294, 7=530.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T7C	MONO TRUSS	2	1	Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:51 2016 Page 1
 ID:lkvarrukPnv?Db5rwqVU?yjDcl-5wufnkeKnV_GGI4FveFx1EI7WJPGIsMckJTn8znDMM




Plate Offsets (X,Y)-- [1:0-3-0-0-1-12], [5:0-3-12,0-2-0], [7:0-2-0-0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.83 BC 0.47 WB 0.74 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.09 7-9 >999 360 Vert(TL) -0.18 7-9 >999 240 Horz(TL) 0.02 6 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0	Rep Stress Incr YES			Weight: 138 lb	FT = 4%
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-1-3 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 7-1-7 oc bracing.
WEBS 2x4 SPF No.3 *Except* W7: 2x6 SPF No.2, W1: 2x4 SPF No.2	WEBS 1 Row at midpt 5-6, 2-7, 4-7, 5-7

REACTIONS. (lb/size) 6=1264/0-3-8, 10=1264/Mechanical
 Max Horz 10=514(LC 9)
 Max Uplift 6=567(LC 9), 10=259(LC 9)
 Max Grav 6=1589(LC 2), 10=1333(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-11=-1656/265, 2-11=-1522/278, 2-3=-1176/129, 3-12=-1055/139, 12-13=-939/149, 4-13=-906/151, 4-14=-1274/332, 5-14=-1055/344,
 5-6=-1505/598, 1-10=-1253/292
 BOT CHORD 9-10=-558/200, 8-9=-681/1410, 7-8=-681/1410
 WEBS 2-7=-594/362, 4-7=-955/439, 5-7=-680/1680, 1-9=-128/1255

JOINT STRESS INDEX
 1 = 1.00, 2 = 0.64, 3 = 0.84, 4 = 0.35, 5 = 0.96, 6 = 0.85, 7 = 0.89, 8 = 0.63, 9 = 0.84 and 10 = 0.93

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=567, 10=259.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T9	SCISSORS	14	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:51 2016 Page 1
 ID:mxPHnBsWVjvmdNAHPdMk1CjyDck-5wufnkeKnV_GGI4FveFx1EpaWMdGQYMckJTn8znDMM




Plate Offsets (X,Y)-- [2:0-2-4,0-2-0], [4:0-2-4,0-2-0], [6:0-0-0,0-0-1], [8:0-0-0,0-0-1]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.55 BC 0.26 WB 0.25 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 7-8 >999 360 Vert(TL) -0.07 7-8 >999 240 Horz(TL) 0.02 6 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 70 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. (lb/size) 8=905/0-5-2, 6=905/0-5-2
 Max Horz 8=-209(LC 7)
 Max Uplift 8=-373(LC 9), 6=-373(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-936/213, 3-9=-789/227, 3-10=-789/227, 4-10=-936/213, 2-8=-868/393, 4-6=-868/393
 BOT CHORD 7-8=-193/252
 WEBS 3-7=0/323, 2-7=0/567, 4-7=-74/567

JOINT STRESS INDEX
 2 = 0.88, 3 = 0.97, 4 = 0.88, 6 = 0.81, 7 = 0.78 and 8 = 0.81

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 8, 6 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 8=373, 6=373.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T9A	SPECIAL	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:52 2016 Page 1
 ID:mxPHnBsWVjvmdNAHPdMk1Cydck-Z6S2?4fzYp67uSEGod9UUEn0jw1?rtVqO21KbznDML



Scale = 1:26.5

Plate Offsets (X,Y)-- [2:0-3-0-0-3-4], [4:0-3-0-0-3-4], [6:0-1-12,0-1-8], [8:0-1-12,0-1-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.33 BC 0.31 WB 0.37 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 7 >999 360 Vert(TL) -0.08 7-8 >999 240 Horz(TL) 0.04 6 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 66 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 8=715/0-5-2, 6=715/0-5-2
 Max Horz 8=73(LC 8)
 Max Uplift 8=-234(LC 9), 6=-234(LC 9)
 Max Grav 8=856(LC 20), 6=856(LC 20)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-8=-326/46, 2-10=-1296/274, 10-11=-1295/280, 11-12=-1193/281, 3-12=-1160/291, 3-13=-1160/291, 13-14=-1193/281, 14-15=-1295/280,
 4-15=-1296/274, 5-6=-326/47
 BOT CHORD 7-8=-248/900, 6-7=-248/899
 WEBS 2-8=-1269/374, 3-7=-75/472, 4-6=-1269/374

JOINT STRESS INDEX
 1 = 0.64, 2 = 0.62, 3 = 0.88, 4 = 0.62, 5 = 0.64, 6 = 0.74, 7 = 0.83 and 8 = 0.74

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 8, 6 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 8=234, 6=234.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard




Plate Offsets (X,Y)-- [2:0-3-0-0-3-4], [3:0-2-0-0-2-4], [4:0-3-0-0-3-4]					
LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.24 BC 0.32 WB 0.53 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 7 >999 360 Vert(TL) -0.08 7-8 >999 240 Horz(TL) 0.04 6 n/a n/a	MT20	197/144
				Weight: 70 lb	FT = 4%

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.2	BRACING- TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
---	--

REACTIONS. (lb/size) 8=715/0-5-2, 6=715/0-5-2
 Max Horz 8=38(LC 8)
 Max Uplift 8=-234(LC 9), 6=-234(LC 9)
 Max Grav 8=881(LC 19), 6=881(LC 19)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-8=-337/94, 2-11=-915/267, 3-11=-802/276, 3-12=-802/276, 4-12=-915/267, 5-6=-337/94
 BOT CHORD 7-8=-273/846, 6-7=-273/846
 WEBS 2-8=-1024/345, 3-7=-208/869, 4-6=-1024/345


JOINT STRESS INDEX
 1 = 0.90, 2 = 0.66, 3 = 0.60, 4 = 0.66, 5 = 0.90, 6 = 0.84, 7 = 0.83 and 8 = 0.84

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) Provide adequate drainage to prevent water ponding.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Bearing at joint(s) 8, 6 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 8=234, 6=234.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T9C	SPECIAL	2	1	

Universal Forest Products
 7.640 s Nov 10 2015 M/Tek Industries, Inc. Mon Feb 08 10:07:53 2016 Page 1
 ID:mxPHnBsWVjvmdNAHPdMk1CvjDck-1I0QCQfbJ6F_WbpSMKgj0SK9uK3UkH2e32oas1znDMK



LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.49 BC 0.23 WB 0.44 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.02 5-6 >999 360 Vert(TL) -0.06 5-6 >999 240 Horz(TL) 0.00 4 n/a n/a	PLATES MT20 GRIP 197/144 Weight: 71 lb FT = 4%
--	---	--	--	--

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 6=666/Mechanical, 4=666/Mechanical
 Max Uplift 6=-218(LC 5), 4=-218(LC 5)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-6=-608/240, 1-7=-404/133, 2-7=-404/133, 2-8=-404/133, 3-8=-404/133, 3-4=-608/240
 WEBS 1-5=-183/540, 2-5=-641/330, 3-5=-183/540

JOINT STRESS INDEX
 1 = 0.55, 2 = 0.22, 3 = 0.55, 4 = 0.81, 5 = 0.72 and 6 = 0.81

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Provide adequate drainage to prevent water ponding.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=218, 4=218.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T9D	SPECIAL	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:53 2016 Page 1
 ID:E7yf_Xt8G01cFXkTyLtzZQyjDcj-1l0QQQfbJ6F_WbpSMKgj0SK6jK3QkE0e32oas1znDMK



LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.70 BC 0.24 WB 0.64 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.02 5-6 >999 360 Vert(TL) -0.06 5-6 >999 240 Horz(TL) 0.00 4 n/a n/a	PLATES MT20 GRIP 197/144 Weight: 77 lb FT = 4%
--	---	--	---	--

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	BRACING- TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
---	--

REACTIONS. (lb/size) 6=666/Mechanical, 4=666/Mechanical
 Max Uplift 6=-218(LC 5), 4=-218(LC 5)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-6=-610/240, 1-7=-337/111, 2-7=-337/111, 2-8=-337/111, 3-8=-337/111, 3-4=-610/240
 WEBS 1-5=-169/500, 2-5=-645/331, 3-5=-169/500

JOINT STRESS INDEX
 1 = 0.50, 2 = 0.22, 3 = 0.50, 4 = 0.74, 5 = 0.68 and 6 = 0.74


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Provide adequate drainage to prevent water ponding.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Refer to girder(s) for truss connections.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=218, 4=218.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T14B	SCISSORS	2	1	

Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:54 2016 Page 1
 ID:E7yf_Xt8G01cFXkTyLtzZQyjDcj-VVZoQmgD4QNr7iOfw1ByZfsGjkMDTlgoliX7OTznDMU



Scale = 1:29.3

Plate Offsets (X,Y)-- [2:0-3-0,0-1-12], [3:0-4-0,0-2-0], [4:0-3-0,0-1-12], [6:0-1-11,0-1-4], [8:0-1-11,0-1-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.74 BC 0.33 WB 0.35 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.05 6-7 >999 360 Vert(TL) -0.12 6-7 >999 240 Horz(TL) 0.05 6 n/a n/a	MT20 MT20HS	197/144 148/108
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 78 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. (lb/size) 8=1000/0-5-8, 6=1000/0-5-8
 Max Horz 8=-225(LC 7)
 Max Uplift 8=-404(LC 9), 6=-404(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-1288/255, 3-9=-1120/270, 3-10=-1119/270, 4-10=-1286/255, 2-8=-982/430, 4-6=-982/430
 BOT CHORD 7-8=-217/302, 6-7=-65/252
 WEBS 3-7=0/472, 2-7=0/801, 4-7=-94/800

JOINT STRESS INDEX
 2 = 0.79, 3 = 0.82, 4 = 0.79, 6 = 0.98, 7 = 0.79 and 8 = 0.97

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) All plates are MT20 plates unless otherwise indicated.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Bearing at joint(s) 8, 6 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 8=404, 6=404.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T14C	SCISSORS	14	1	

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:54 2016 Page 1
 ID:E7yf_Xt8G01cFXkTyLtzZQyjDcj-VVZoQmgD4QNr7IOfw1ByZfsHEkMnTloliX7OTznDMU




Plate Offsets (X,Y)-- [1:Edge,0-2-12], [2:0-4-4,0-2-0], [3:Edge,0-2-12], [5:0-4-0,0-2-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.65 BC 0.36 WB 0.35 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.04 4-5 >999 360 Vert(TL) -0.12 4-5 >999 240 Horz(TL) 0.05 4 n/a n/a	MT20	197/144
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					
				Weight: 70 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 5-11-7 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W1,W5: 2x4 SPF No.2	

REACTIONS. (lb/size) 6=802/0-3-14, 4=802/0-5-8
 Max Horz 6=-190(LC 7)
 Max Uplift 6=-262(LC 9), 4=-262(LC 9)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-7=-1334/349, 7-8=-1169/351, 2-8=-1139/365, 2-9=-1134/364, 9-10=-1169/349, 3-10=-1337/347, 1-6=-804/309, 3-4=-809/314
 BOT CHORD 5-6=-201/305, 4-5=-78/326
 WEBS 2-5=0/482, 1-5=-95/789, 3-5=-96/768


JOINT STRESS INDEX
 1 = 0.87, 2 = 0.83, 3 = 0.92, 4 = 0.81, 5 = 0.96 and 6 = 0.76

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 6) Bearing at joint(s) 6, 4 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=262, 4=262.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T14D	SCISSORS	2	1	Job Reference (optional)
Universal Forest Products					7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:55 2016 Page 1

ID:E7yf_Xt8G01cFXkTyLtzZQyjDcj-zh7Ad6hrkVilvzrUliB6tPNn7i?CFaxXMHhwznDM



Scale = 1:28.5

Plate Offsets (X,Y)-- [1:Edge,0-1-12], [2:0-4-4,0-2-0], [3:Edge,0-2-12], [4:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.98 BC 0.36 WB 0.18 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.04 4-5 >999 360 Vert(TL) -0.10 4-5 >999 240 Horz(TL) 0.01 4 n/a n/a	MT20 MT18H	197/144 197/144
TCDL 7.0	Rep Stress Incr NO				
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0				Weight: 71 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
WEBS 2x4 SPF No.3 *Except* W5: 2x4 SPF No.2	

REACTIONS.
(lb/size) 6=802/0-3-14, 4=802/0-5-8 Max Horz 6=-187(LC 7) Max Uplift 6=-262(LC 9), 4=-262(LC 9)

FORCES.
(lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown. TOP CHORD 1-7=-853/278, 7-8=-688/280, 2-8=-555/295, 2-9=-555/295, 9-10=-690/280, 3-10=-858/278, 1-6=-729/292, 3-4=-727/293 BOT CHORD 5-6=-176/253, 4-5=-72/294 WEBS 1-5=-71/415, 3-5=-91/394

JOINT STRESS INDEX
1 = 0.87, 2 = 0.84, 3 = 0.88, 4 = 0.79, 5 = 0.30 and 6 = 0.73

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are MT20 plates unless otherwise indicated.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=262, 4=262.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S)
Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T20	SPECIAL	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:56 2016 Page 1
ID:pw6zydbH?moW8ODIjnULpHyjDeM-RthYrSITc1dZN3Y11SDQe4yexXxWxgD5I00ETMznDMH



Scale = 1/29.8




Plate Offsets (X,Y)--	[2:0-2-4,0-2-0], [3:0-1-12,0-2-0], [4:0-4-0,0-2-0], [5:0-2-4,0-2-0], [6:0-2-4,0-1-12], [10:0-3-4,0-1-4]
-----------------------	---

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.63 BC 0.79 WB 0.29 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.01 10-11 >999 360 Vert(TL) -0.03 10-11 >999 240 Horz(TL) 0.01 8 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 86 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 *Except* B2,B4: 2x4 SPF No.3 WEBS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. All bearings 0-5-8 except (jt=length) 12=0-5-2, 10=0-5-2.
(lb) - Max Horz 14=222(LC 7)
Max Uplift All uplift 100 lb or less at joint(s) 12, 10 except 14=360(LC 9), 8=340(LC 9)
Max Grav All reactions 250 lb or less at joint(s) except 14=1064(LC 13), 12=1422(LC 2), 10=1244(LC 3), 8=998(LC 13)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 1-2=0/303, 2-15=268/216, 3-17=798/242, 4-17=500/251, 4-18=654/233, 18-19=668/221, 5-19=972/217, 6-7=0/303, 2-14=1030/379,
6-8=988/352
BOT CHORD 3-12=1360/99, 10-11=-5/275, 5-10=-1227/139
WEBS 3-11=0/648, 4-11=-332/104, 5-11=-38/312

JOINT STRESS INDEX
2 = 0.79, 3 = 0.56, 4 = 0.80, 5 = 0.82, 6 = 0.87, 8 = 0.45, 9 = 0.14, 10 = 0.98, 11 = 0.45, 12 = 0.83, 13 = 0.51 and 14 = 0.60

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 17.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 12, 10 except (jt=lb) 14=360, 8=340.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard


1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 1-2=-218, 2-4=-218, 4-6=-218, 6-7=-218, 13-14=-20, 10-12=-20, 8-9=-20
2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 1-2=-218, 2-16=-218, 4-16=-251, 4-6=-162, 6-7=-162, 13-14=-20, 10-12=-20, 8-9=-20
3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 1-2=-162, 2-4=-162, 4-19=-251, 6-19=-218, 6-7=-218, 13-14=-20, 10-12=-20, 8-9=-20
13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15 Uniform Loads (plf) Vert: 1-2=-298, 2-4=-138, 4-6=-138, 6-7=-298, 13-14=-20, 10-12=-20, 8-9=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21	MONO HIP	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:56 2016 Page 1
 ID:pw6zydbH?moW8ODIjNULpHyjDeM-RthYrStc1dZN3Y11SDQe4yamX0jxZ05I00ETMznDMH



Scale = 1:30.0




Plate Offsets (X,Y)-- [2:0-1-7,Edge], [3:0-6-12,0-3-12], [5:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.84 BC 0.46 WB 0.75 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.10 6-7 >999 360 Vert(TL) -0.25 6-7 >499 240 Horz(TL) 0.02 6 n/a n/a	MT20 M18SHS	197/144 197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 76 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. (lb/size) 6=1099/Mechanical, 2=658/0-5-8, 8=1423/0-5-8
 Max Horz 2=236(LC 9)
 Max Uplift 6=-203(LC 9), 2=-251(LC 9), 8=-294(LC 9)
 Max Grav 6=1353(LC 14), 2=988(LC 15), 8=1426(LC 15)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 3-10=-87/351, 3-11=-665/167, 4-11=-672/167, 5-6=-569/95
 BOT CHORD 7-8=-169/671, 6-7=-181/1031
 WEBS 3-8=-1488/329, 3-7=0/397, 4-7=-485/98, 4-6=-1203/240

JOINT STRESS INDEX
 2 = 0.87, 3 = 0.95, 4 = 0.54, 5 = 0.93, 6 = 0.93, 7 = 0.54 and 8 = 0.66

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) All plates are MT20 plates unless otherwise indicated.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Refer to girder(s) for truss to truss connections.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=203, 2=-251, 8=294.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard
 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-6=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-3=-161, 3=-161-to-5=-218




Plate Offsets (X,Y)-- [3:0-1-12,0-1-8], [4:0-6-12,0-3-12], [6:Edge,0-2-0]					
LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.93 BC 0.29 WB 0.41 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.05 6-7 >999 360 Vert(TL) -0.11 6-7 >999 240 Horz(TL) 0.00 6 n/a n/a	MT20 MT20HS MT18H Weight: 79 lb	197/144 148/108 197/144 FT = 4%
TCDL 7.0					
BCLL 0.0					
BCDL 10.0					

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3 *Except*
 W5: 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 3-9-3 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. (lb/size) 6=1069/Mechanical, 2=627/0-5-8, 8=1484/0-5-8
 Max Horz 2=283(LC 9)
 Max Uplift 6=201(LC 9), 2=222(LC 9), 8=326(LC 9)
 Max Grav 6=1282(LC 14), 2=922(LC 15), 8=1706(LC 15)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-298/8, 3-11=-806/106, 4-11=-674/117, 4-12=-763/154, 5-12=-771/154, 5-6=-1199/230
 WEBS 3-8=-1581/363, 3-7=-114/919, 4-7=-897/220, 5-7=-170/773

JOINT STRESS INDEX
 2 = 0.63, 3 = 0.86, 4 = 1.00, 5 = 0.86, 6 = 0.96, 7 = 0.85 and 8 = 0.55

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) All plates are MT20 plates unless otherwise indicated.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Refer to girder(s) for truss to truss connections.
 - 10) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (it=lb) 6=201, 2=222, 8=326.
 - 11) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 12) Load case(s) 1, 2, 3, 13, 14, 15 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 13) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-6=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-4=-174, 4=-174-to-5=-218
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-6=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-10=-145, 10=-159-to-4=-189, 4=-118-to-5=-162
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-6=-20

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21A	MONO HIP	1	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:57 2016 Page 2
 ID:pw6zydbH?moW8ODIInULpHyjDeM-v4Fx2ni5NLIQ_D6DbAkfBIUk3xPZg5aE_gmo?oznDMG

LOAD CASE(S) Standard

Trapezoidal Loads (plf)

Vert: 1=-38-to-4=-118, 4=-198-to-5=-242

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-6=-20

Trapezoidal Loads (plf)

Vert: 1=-174-to-2=-188, 2=-28-to-4=-94, 4=-94-to-5=-138

14) 3rd Unbal. Dead + Snow (balanced) + Parallel: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-6=-20

Trapezoidal Loads (plf)

Vert: 1=-38-to-4=-118, 4=-230-to-5=-274

15) 4th Unbal. Dead + Snow (balanced) + Parallel: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-6=-20

Trapezoidal Loads (plf)

Vert: 1=-150-to-4=-230, 4=-118-to-5=-162

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21B	MONO HIP	1	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:57 2016 Page 1
 ID:pw6zydbH?moW8ODIjnULpHyjDeM-v4F2ni5NLIQ_D6DbAkfBIUlhxQRg5BE_gmo?oznDMG




Plate Offsets (X,Y)-- [3:0-1-12,0-1-8], [4:0-3-4,0-3-8], [5:0-1-12,0-2-0], [6:0-2-8,0-1-4]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	CSI. TC 0.89 BC 0.23 WB 0.43 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) 0.03 2-8 >999 360 Vert(TL) -0.06 2-8 >999 240 Horz(TL) 0.00 6 n/a n/a	PLATES GRIP MT20 197/144 Weight: 82 lb FT = 4%
--	--	--	---	---

LUMBER-
TOP CHORD 2x6 SPF No.2
BOT CHORD 2x4 SPF No.2
WEBS 2x4 SPF No.3

BRACING-
TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. (lb/size) 6=1082/Mechanical, 2=619/0-5-8, 8=1480/0-5-8
 Max Horz 2=330(LC 9)
 Max Uplift 6=-214(LC 9), 2=-202(LC 9), 8=-333(LC 9)
 Max Grav 6=1191(LC 14), 2=905(LC 15), 8=1830(LC 15)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-9=-354/4, 3-10=-914/78, 4-10=-659/87, 4-11=-629/142, 5-11=-636/141, 5-6=-1139/230
 WEBS 3-8=-1693/392, 3-7=-60/554, 4-7=-795/234, 5-7=-205/913

JOINT STRESS INDEX
 2 = 0.67, 3 = 0.88, 4 = 0.97, 5 = 0.75, 6 = 1.00, 7 = 0.92 and 8 = 0.59

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 6=214, 2=202, 8=333.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) Load case(s) 1, 2, 3, 13, 14, 15 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 12) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-6=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-4=-188, 4=-188-to-5=-218
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-6=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-10=-169, 10=-178-to-4=-197, 4=-132-to-5=-162
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-6=-20
 Trapezoidal Loads (plf)
 Vert: 1=-38-to-4=-132, 4=-214-to-5=-244

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21B	MONO HIP	1	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:57 2016 Page 2
 ID:pw6zydbH?moW8ODIjNULpHyjDeM-v4Fx2ni5NLIQ_D6DbAkfBIUlhxQRg5BE_gmo?oznDMG

LOAD CASE(S) Standard

- 13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15
 - Uniform Loads (plf)
 - Vert: 2-6=-20
 - Trapezoidal Loads (plf)
 - Vert: 1=-174-to-2=-188, 2=-28-to-4=-108, 4=-108-to-5=-138
- 14) 3rd Unbal. Dead + Snow (balanced) + Parallel: Lumber Increase=1.15, Plate Increase=1.15
 - Uniform Loads (plf)
 - Vert: 2-6=-20
 - Trapezoidal Loads (plf)
 - Vert: 1=-38-to-4=-132, 4=-244-to-5=-274
- 15) 4th Unbal. Dead + Snow (balanced) + Parallel: Lumber Increase=1.15, Plate Increase=1.15
 - Uniform Loads (plf)
 - Vert: 2-6=-20
 - Trapezoidal Loads (plf)
 - Vert: 1=-150-to-4=-244, 4=-132-to-5=-162

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21C	MONO HIP	1	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:58 2016 Page 1
 ID:H6gL9zcvl3wNmYoUsV?aLUyjDeL-NGpJG7jk7ftHcNhQ9tGujV1_KLkGPXL0DKVLXEznDMF




Plate Offsets (X,Y)-- [5:0-3-0-0-4-0], [8:0-1-12,0-1-8]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.58 BC 0.32 WB 0.50 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) -0.06 8-9 >999 360 Vert(TL) -0.16 8-9 >776 240 Horz(TL) 0.00 7 n/a n/a	PLATES GRIP MT20 197/144 Weight: 86 lb FT = 4%
--	---	--	--	---

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	BRACING- TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
---	---

REACTIONS. (lb/size) 7=547/Mechanical, 2=515/0-5-8, 9=984/0-5-8
 Max Horz 2=376(LC 9)
 Max Uplift 7=-219(LC 9), 2=-175(LC 9), 9=-355(LC 9)
 Max Grav 7=578(LC 15), 2=797(LC 15), 9=1420(LC 15)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-10=-281/9, 3-4=-573/10, 4-11=-349/19, 11-12=-342/29, 5-13=-328/109, 6-13=-329/109, 6-7=-576/212
 WEBS 3-9=-1269/429, 5-8=-707/320, 6-8=-266/827

JOINT STRESS INDEX
 2 = 0.68, 3 = 0.76, 4 = 0.57, 5 = 0.99, 6 = 0.60, 7 = 0.31, 8 = 0.94 and 9 = 0.44

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1, Lu=50-0-0
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 20.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) Provide adequate drainage to prevent water ponding.
 - 6) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Refer to girder(s) for truss to truss connections.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=219, 2=175, 9=355.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard




Plate Offsets (X,Y)-- [2:0-0-7,Edge], [3:0-1-12,0-1-8], [7:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.75 BC 0.21 WB 0.59 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 8 >999 360 Vert(TL) -0.06 2-9 >999 240 Horz(TL) -0.00 7 n/a n/a	MT20	197/144
				Weight: 86 lb	FT = 4%

LUMBER- TOP CHORD 2x6 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3	BRACING- TOP CHORD Structural wood sheathing directly applied or 5-10-1 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing. WEBS 1 Row at midpt 6-7
---	---

REACTIONS. (lb/size) 7=1035/Mechanical, 2=568/0-5-8, 9=1578/0-5-8
 Max Horz 2=439(LC 9)
 Max Uplift 7=-245(LC 9), 2=-154(LC 9), 9=-350(LC 9)
 Max Grav 7=1234(LC 2), 2=580(LC 13), 9=1704(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-10=-274/81, 3-10=-263/263, 3-4=-887/0, 4-11=-735/0, 11-12=-732/0, 5-12=-579/0, 5-13=-998/110, 6-13=-732/116, 6-7=-1170/265
 WEBS 3-9=-1565/401, 3-8=-97/852, 5-8=-1202/308, 6-8=-253/1086

JOINT STRESS INDEX
 2 = 0.83, 3 = 0.82, 4 = 0.66, 5 = 0.44, 6 = 0.94, 7 = 0.94, 8 = 0.81 and 9 = 0.55

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed ; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=245, 2=154, 9=350.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

- LOAD CASE(S)** Standard
- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-7=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-6=-218
 - 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-7=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-12=-171, 12=-216-to-6=-263
 - 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-7=-20
 Trapezoidal Loads (plf)
 Vert: 1=-38-to-6=-162

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21D	MONO TRUSS	1	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:58 2016 Page 2
ID:H6gL9zcvl3wNmYoUsV?aLUyjDeL-NGpJG7jk7ftHcNhQ9tGujV1yZLm2PV_ODKVLXEznDMF

LOAD CASE(S) Standard

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)


Vert: 2-7=-20

Trapezoidal Loads (plf)

Vert: 1=-174-to-2=-188, 2=-28-to-6=-138

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21E	MONO TRUSS	1	1	

Universal Forest Products
 Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:59 2016 Page 1
 ID:H6gL9zcvl3wNmYoUsV?aLUyJDeL-sSNhTtkMuy?8EWGcjb7Gja7Jl6H8yEXR_Fu4hznDME



Scale = 1:34.1




Plate Offsets (X,Y)-- [2:0-0-7,Edge], [3:0-1-12,0-1-8], [7:Edge,0-3-8]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr NO Code IBC2009/TPI2007	TC 0.75 BC 0.21 WB 0.59 (Matrix)	in (loc) l/defl L/d Vert(LL) -0.03 8 >999 360 Vert(TL) -0.06 2-9 >999 240 Horz(TL) -0.00 7 n/a n/a	MT20	197/144
TCDL 7.0				Weight: 86 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 5-10-1 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.
 WEBS 1 Row at midpt 6-7

REACTIONS. (lb/size) 7=1035/Mechanical, 2=568/0-5-8, 9=1578/0-5-8
 Max Horz 2=439(LC 9)
 Max Uplift 7=-245(LC 9), 2=-154(LC 9), 9=-350(LC 9)
 Max Grav 7=1234(LC 2), 2=580(LC 13), 9=1704(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-10=-274/81, 3-10=-263/263, 3-4=-887/0, 4-11=-735/0, 11-12=-732/0, 5-12=-579/0, 5-13=-998/110, 6-13=-732/116, 6-7=-1170/265
 WEBS 3-9=-1565/401, 3-8=-97/852, 5-8=-1202/308, 6-8=-253/1086

JOINT STRESS INDEX
 2 = 0.83, 3 = 0.82, 4 = 0.66, 5 = 0.44, 6 = 0.94, 7 = 0.94, 8 = 0.81 and 9 = 0.55

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left exposed; end vertical left exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) This truss has been designed for greater of min roof live load of 19.0 psf or 2.00 times flat roof load of 40.0 psf on overhangs non-concurrent with other live loads.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Refer to girder(s) for truss to truss connections.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 7=245, 2=154, 9=350.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) Load case(s) 1, 2, 3, 13 has/have been modified. Building designer must review loads to verify that they are correct for the intended use of this truss.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

- 1) Dead + Snow (balanced): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-7=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-6=-218
- 2) Dead + Snow (Unbal. Left): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-7=-20
 Trapezoidal Loads (plf)
 Vert: 1=-94-to-12=-171, 12=-216-to-6=-263
- 3) Dead + Snow (Unbal. Right): Lumber Increase=1.15, Plate Increase=1.15
 Uniform Loads (plf)
 Vert: 2-7=-20
 Trapezoidal Loads (plf)
 Vert: 1=-38-to-6=-162

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	T21E	MONO TRUSS	1	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:07:59 2016 Page 2
ID:H6gL9zcvl3wNmYoUsV?aLUyjDeL-sSNhTTkMuy?8EWGcjb7Gja7Jl6H8yEXR_Fu4hznDME

LOAD CASE(S) Standard

13) Dead + Snow on Overhangs: Lumber Increase=1.15, Plate Increase=1.15

Uniform Loads (plf)

Vert: 2-7=-20

Trapezoidal Loads (plf)

Vert: 1=-174-to-2=-188, 2=-28-to-6=-138

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V1	ROOF TRUSS	6	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 Mitek Industries, Inc. Mon Feb 08 10:07:59 2016 Page 1
 ID:2f9MriiwtXxEknP0KA8SgAyyDeD-sSNhTTkMuy?8EWGcjb7GjaH6I8N85RXR_Fu4hznDME




Plate Offsets (X,Y)-- [2:0-2-8,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15	TC 0.13 BC 0.08 WB 0.00 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 3 n/a n/a	MT20	197/144
TCDL 7.0	Rep Stress Incr NO			Weight: 6 lb	FT = 4%
BCLL 0.0	Code IBC2009/TPI2007				
BCDL 10.0					

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 2-10-5 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=101/2-10-5, 3=101/2-10-5
 Max Horz 1=-15(LC 7)
 Max Uplift 1=-33(LC 9), 3=-33(LC 9)
 Max Grav 1=330(LC 15), 3=330(LC 17)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-4=-313/42, 2-4=-310/43, 2-5=-310/43, 3-5=-312/42
 BOT CHORD 1-3=-22/268

JOINT STRESS INDEX
 1 = 0.42, 2 = 0.07 and 3 = 0.42

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 3.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V1B	KINGPOST	4	1	

Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:00 2016 Page 1
 ID:2f9MriwtXxEknP0KA8SgAyiDeD-Kfx3gpl_fG7?rgrGIIMpw6Pz8S3tYggge_Sc7znDMD




Plate Offsets (X,Y)-- [2:0-2-8,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.31	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.17	Vert(LL) n/a - n/a 999		
BCLL 0.0	Rep Stress Incr NO	WB 0.00	Vert(TL) n/a - n/a 999		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) 0.00 3 n/a n/a		
				Weight: 11 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 5-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=224/5-0-0, 3=224/5-0-0
 Max Horz 1=-34(LC 7)
 Max Uplift 1=-73(LC 9), 3=-73(LC 9)
 Max Grav 1=367(LC 15), 3=367(LC 17)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-4=-330/92, 2-4=-325/95, 2-5=-325/95, 3-5=-330/92
 BOT CHORD 1-3=-48/281

JOINT STRESS INDEX
 1 = 0.45, 2 = 0.07 and 3 = 0.45

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 3.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V2	ROOF TRUSS	6	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:00 2016 Page 1
 ID:2f9MriiwtXxEknP0KA8SgAyiDeD-Kfx3gpl_fG7?rgrGIIMpw6Of8REiYggge_Sc7znDMD




Plate Offsets (X,Y)-- [2:0-2-8,Edge]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.33	in (loc) l/defl L/d Vert(LL) n/a - n/a 999	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.23	Vert(TL) n/a - n/a 999		
BCLL 0.0	Rep Stress Incr YES	WB 0.00	Horz(TL) 0.00 3 n/a n/a		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)		Weight: 13 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 5-8-9 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=264/5-8-9, 3=264/5-8-9
 Max Horz 1=-40(LC 7)
 Max Uplift 1=-86(LC 9), 3=-86(LC 9)
 Max Grav 1=379(LC 15), 3=379(LC 17)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 1-4=-336/109, 4-5=-330/109, 2-5=-324/113, 2-6=-324/113, 6-7=-330/109, 3-7=-336/109
 BOT CHORD 1-3=-56/285


JOINT STRESS INDEX
 1 = 0.46, 2 = 0.08 and 3 = 0.46

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 3.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V2B	KINGPOST	4	1	Job Reference (optional)

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:00 2016 Page 1
 ID:Wrj122jYeq35Lx_DuughDNyjDeC-Kfx3gpl_fG7?rgroGIImpw6IC8SWtXTgge_Sc7znDMD



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.74	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.15	Vert(LL) n/a - n/a 999		
BCLL 0.0	Rep Stress Incr NO	WB 0.08	Vert(TL) n/a - n/a 999		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) 0.00 3 n/a n/a	Weight: 23 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=244/9-0-0, 3=244/9-0-0, 4=414/9-0-0
 Max Horz 1=-68(LC 7)
 Max Uplift 1=-106(LC 9), 3=-106(LC 9), 4=-84(LC 9)
 Max Grav 1=362(LC 15), 3=362(LC 17), 4=414(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
WEBS 2-4=-315/134


JOINT STRESS INDEX
 1 = 0.39, 2 = 0.16, 3 = 0.39 and 4 = 0.18

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 4 except (jt=lb) 1=106, 3=106.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V3	ROOF TRUSS	6	1	

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:01 2016 Page 1
 ID:Wrij22jYeq35Lx_DuughDNyjDeC-orVRu9mcQaFsTqQ?q0pbL8fV7YpAc_oqvik?8ZznDMC



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.61 BC 0.12 WB 0.07 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 3 n/a n/a	MT20	197/144
TCDL 7.0				Weight: 22 lb	FT = 4%
BCLL 0.0					
BCDL 10.0					

LUMBER-	BRACING-
TOP CHORD 2x4 SPF No.2	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
BOT CHORD 2x4 SPF No.2	BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.
OTHERS 2x4 SPF No.3	

REACTIONS. (lb/size) 1=231/8-6-14, 3=231/8-6-14, 4=392/8-6-14
 Max Horz 1=-64(LC 7)
 Max Uplift 1=-100(LC 9), 3=-100(LC 9), 4=-79(LC 9)
 Max Grav 1=358(LC 15), 3=358(LC 17), 4=392(LC 16)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
WEBS 2-4=-298/126

JOINT STRESS INDEX
 1 = 0.37, 2 = 0.15, 3 = 0.37 and 4 = 0.17

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 3, 4.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V4	ROOF TRUSS	6	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:01 2016 Page 1
 ID:Wrij22jYeq35Lx_DuughDNyjDeC-orVRu9mcQaFsTqQ?q0pbL8fa9YoQc_0qvik?8ZznDMC




Plate Offsets (X,Y)-- [2:0-4-12,0-2-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.28 BC 0.17 WB 0.12 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 3 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 38 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=275/11-5-2, 3=275/11-5-2, 4=592/11-5-2
 Max Horz 1=-86(LC 7)
 Max Uplift 1=-108(LC 9), 3=-108(LC 9), 4=-157(LC 9)
 Max Grav 1=375(LC 15), 3=375(LC 17), 4=592(LC 1)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 2-4=-458/191

JOINT STRESS INDEX
 1 = 0.50, 2 = 0.82, 3 = 0.50 and 4 = 0.16

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) except (jt=lb) 1=108, 3=108, 4=157.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.


LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V5	ROOF TRUSS	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:02 2016 Page 1
 ID: 2H7GNkAP8Byz5ZPSbBwIbyjDeB-G12q5VmEBtNi5_?BOjkqLCJqy8DLRLz8yTZg0znDMB



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.42 BC 0.13 WB 0.12 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 5 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 41 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SPF No.2 BOT CHORD 2x4 SPF No.2 OTHERS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins. BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. All bearings 14-3-7.
 (lb) - Max Horz 1=-113(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 5, 7 except 8=-204(LC 9), 6=-204(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=335(LC 17), 5=335(LC 21), 7=409(LC 1), 8=460(LC 2), 6=460(LC 3)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 3-7=-328/86, 2-8=-384/232, 4-6=-384/232

JOINT STRESS INDEX
 1 = 0.56, 2 = 0.17, 3 = 0.89, 4 = 0.17, 5 = 0.56, 6 = 0.14, 7 = 0.11 and 8 = 0.14

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 5, 7 except (jt=lb) 8=204, 6=204.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V6	ROOF TRUSS	2	1	

Universal Forest Products
 Job Reference (optional)
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:02 2016 Page 1
 ID: 2H7GNkAP8Byz5ZPSbBwlbyjDeB-G12q5VmEBiNi5_?BOjKqLCiGy74LQvz8yTZg0znDMB




Plate Offsets (X,Y)-- [1:0-0-8,Edge], [3:0-2-12,0-2-0], [5:0-1-8,Edge]
 17-1-11
 17-1-11

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.45 BC 0.20 WB 0.15 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 5 n/a n/a	PLATES GRIP MT20 197/144 Weight: 51 lb FT = 4%
--	---	--	--	---

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. All bearings 17-1-11.
 (lb) - Max Horz 1=-138(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 5 except 9=-257(LC 9), 6=-257(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=358(LC 17), 5=358(LC 21), 8=370(LC 19), 9=577(LC 2), 6=576(LC 3)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 3-8=-303/39, 2-9=-465/279, 4-6=-465/279

JOINT STRESS INDEX
 1 = 0.71, 2 = 0.31, 3 = 0.84, 4 = 0.31, 5 = 0.71, 6 = 0.31, 7 = 0.26, 8 = 0.31 and 9 = 0.31

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 5 except (jt=lb) 9=257, 6=257.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V7	GABLE	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:03 2016 Page 1
 ID: 2H7GNkAP8Bz5ZPSbBwlbyjDeB-kEcCJmsyBVZi8aNyQr3QZkq_MS04ta7McD6DSznDMA




Plate Offsets (X,Y)-- [1:0-0-4,Edge], [3:0-2-0,0-2-8], [5:0-1-12,Edge], [7:0-2-8,0-3-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.65 BC 0.29	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 5 n/a n/a	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	WB 0.18			
BCLL 0.0	Rep Stress Incr YES	(Matrix)			
BCDL 10.0	Code IBC2009/TPI2007			Weight: 61 lb	FT = 4%

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6'-0" oc purlins.
 BOT CHORD Rigid ceiling directly applied or 6'-0" oc bracing.

REACTIONS. All bearings 20'-0-0.
 (lb) - Max Horz 1=-163(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 5 except 8=-326(LC 9), 6=-326(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=378(LC 17), 5=378(LC 21), 7=343(LC 19), 8=728(LC 2), 6=728(LC 3)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 3-7=-285/13, 2-8=-575/344, 4-6=-575/344


JOINT STRESS INDEX
 1 = 0.80, 2 = 0.31, 3 = 0.81, 4 = 0.31, 5 = 0.80, 6 = 0.31, 7 = 0.22 and 8 = 0.31

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=7ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 5 except (jt=lb) 8=326, 6=326.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V19	MONO TRUSS	4	1	

Universal Forest Products
 ID:0DOWLna84byw5g7X8DuGjRyiUPu-kEcCJmsyBVZi8aNyQr3QZkwqMWz4vQ7McD6DSznDMA
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:03 2016 Page 1
 2-9-10
 2-9-10



LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.27 BC 0.03 WB 0.00 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 3 n/a n/a	PLATES GRIP MT20 197/144 Weight: 6 lb FT = 4%
--	---	--	---	--

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 2-9-10 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=110/2-9-10, 3=110/2-9-10
 Max Horz 1=41(LC 6)
 Max Uplift 1=-32(LC 9), 3=-40(LC 9)
 Max Grav 1=333(LC 15), 3=333(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-3=-313/49


JOINT STRESS INDEX
 1 = 0.13, 2 = 0.23 and 3 = 0.17

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed ; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 3.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V20	MONO TRUSS	4	1	

Universal Forest Products
 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:04 2016 Page 1
 ID:0DOWLna84byw5g7X8DuGjRyiUPu-CQAaWBoUjVdQKI9aV8NIzmHzNmp7pMgGbGyfluznDM9



LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.80 BC 0.23 WB 0.00 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 3 n/a n/a	PLATES GRIP MT20 197/144 Weight: 14 lb FT = 4%
--	---	--	---	---

LUMBER-
 TOP CHORD 2x4 SPF No.2
 BOT CHORD 2x4 SPF No.2
 WEBS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 5-7-3 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=269/5-7-3, 3=269/5-7-3
 Max Horz 1=101(LC 6)
 Max Uplift 1=-79(LC 9), 3=-97(LC 9)
 Max Grav 1=380(LC 15), 3=380(LC 14)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 2-3=-333/121

JOINT STRESS INDEX
 1 = 0.19, 2 = 0.24 and 3 = 0.18


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=4ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) Gable requires continuous bottom chord bearing.
 - 6) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 3.
 - 8) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 9) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V21	GABLE	4	1	Job Reference (optional)

Universal Forest Products

ID:0DOWLna84byw5g7X8DuGjRyiUPu-CQAaWBoUjVdQKl9aV8NIzmH29mrtpLvGbGyfluZnDM9
7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:04 2016 Page 1



Scale = 1:17.4

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.49 BC 0.12 WB 0.11 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 4 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 24 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 OTHERS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. (lb/size) 1=155/8-4-13, 4=167/8-4-13, 5=536/8-4-13
Max Horz 1=162(LC 6)
Max Uplift 1=-13(LC 9), 4=-47(LC 9), 5=-220(LC 9)
Max Grav 1=346(LC 16), 4=350(LC 15), 5=592(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
TOP CHORD 3-4=-320/62
WEBS 2-5=-498/268

JOINT STRESS INDEX
1 = 0.13, 2 = 0.31, 3 = 0.23, 4 = 0.17 and 5 = 0.29


- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) Gable requires continuous bottom chord bearing.
 - 7) Gable studs spaced at 4-0-0 oc.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 4 except (jt=lb) 5=220.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	V22	GABLE	4	1	Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:05 2016 Page 1
 ID:UPyuZ7bmrU4njqijixPVGeyiUPT-gckykWp7UolHyRkm3ruXW_qE19AUyoxPqwiDhKznDM8



LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.42 BC 0.16 WB 0.13 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) -0.00 5 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 35 lb	FT = 4%

LUMBER-	BRACING-
TOP CHORD 2x4 SPF No.2 BOT CHORD 2x4 SPF No.2 WEBS 2x4 SPF No.3 OTHERS 2x4 SPF No.3	TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins, except end verticals. BOT CHORD Rigid ceiling directly applied or 6-0-0 oc bracing.

REACTIONS. All bearings 11-2-7.
 (lb) - Max Horz 1=222(LC 6)
 Max Uplift All uplift 100 lb or less at joint(s) 5 except 7=-193(LC 9), 6=-175(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=342(LC 17), 5=341(LC 16), 7=474(LC 2), 6=521(LC 2)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD 4-5=-316/52
 WEBS 2-7=-378/226, 3-6=-453/200

JOINT STRESS INDEX
 1 = 0.60, 2 = 0.14, 3 = 0.17, 4 = 0.84, 5 = 0.58, 6 = 0.16 and 7 = 0.13

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=2ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); cantilever left and right exposed; end vertical left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60
 - 2) Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI/TPI 1.
 - 3) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 4) Unbalanced snow loads have been considered for this design.
 - 5) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 6) Gable requires continuous bottom chord bearing.
 - 7) Gable studs spaced at 4-0-0 oc.
 - 8) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 9) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 5 except (jt=lb) 7=193, 6=175.
 - 10) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 11) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	VGE12	GABLE	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:05 2016 Page 1
 ID: 2H7GNkAP8Byz5ZPSbBwlbyjDeB-gckykWp7UolHyRkm3ruXW_qj79CRYotPqwiDhKznDM8




Plate Offsets (X,Y)-- [4:0-2-0-0-2-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15	TC 0.09	in (loc) l/defl L/d	MT20	197/144
TCDL 7.0	Lumber DOL 1.15	BC 0.03	Vert(LL) n/a - n/a 999		
BCLL 0.0	Rep Stress Incr YES	WB 0.07	Vert(TL) n/a - n/a 999		
BCDL 10.0	Code IBC2009/TPI2007	(Matrix)	Horz(TL) 0.00 7 n/a n/a		
				Weight: 48 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. All bearings 12-10-0.
 (lb) - Max Horz 1=98(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 7, 11, 9 except 12=122(LC 9), 8=122(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=325(LC 19), 7=325(LC 25), 10=281(LC 22), 11=341(LC 21), 12=359(LC 20),
 9=341(LC 23), 8=359(LC 24)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 3-11=301/119, 2-12=317/137, 5-9=301/119, 6-8=317/137

JOINT STRESS INDEX
 1 = 0.19, 2 = 0.14, 3 = 0.13, 4 = 0.43, 5 = 0.13, 6 = 0.14, 7 = 0.19, 8 = 0.10, 9 = 0.10, 10 = 0.08, 11 = 0.10 and 12 = 0.10

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are 2x5 MT20 unless otherwise indicated.
 - 6) Gable requires continuous bottom chord bearing.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 7, 11, 9 except (jt=lb) 12=122, 8=122.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	VGE13	GABLE	2	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:06 2016 Page 1
 ID: _2H7GNkAP8Byz5ZPSbBwlbyjDeB-8oIKxsplF6t8ZbJydZPm2BMUXZYYHE0Z3aRmpnznDM7




Plate Offsets (X,Y)-- [4:0-2:0-0-2-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.11 BC 0.04 WB 0.07 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 7 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 53 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. All bearings 13-10-0.
 (lb) - Max Horz 1=107(LC 8)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 7, 11, 9 except 12=141(LC 9), 8=141(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=333(LC 19), 7=333(LC 25), 10=281(LC 22), 11=336(LC 21), 12=372(LC 20),
 9=336(LC 23), 8=372(LC 24)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 3-11=297/112, 2-12=325/157, 5-9=297/112, 6-8=325/157

JOINT STRESS INDEX
 1 = 0.21, 2 = 0.14, 3 = 0.13, 4 = 0.43, 5 = 0.13, 6 = 0.14, 7 = 0.21, 8 = 0.10, 9 = 0.10, 10 = 0.08, 11 = 0.10 and 12 = 0.10

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are 2x5 MT20 unless otherwise indicated.
 - 6) Gable requires continuous bottom chord bearing.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 7, 11, 9 except (jt=lb) 12=141, 8=141.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	VGE16	GABLE	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:07 2016 Page 1
 ID: 2H7GNKAP8Byz5ZPSbBwIbyjDeB-d?sjs8CqN0Q??Bit8BGw?bPvcztv0hriHEBJMDznDM6




Plate Offsets (X,Y)-- [5:0-2:0-0-2-4]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.09 BC 0.03 WB 0.10 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 9 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 69 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. All bearings 16-10-0.
 (lb) - Max Horz 1=132(LC 8)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 9, 15, 12 except 16=-120(LC 9), 17=-115(LC 9), 11=-120(LC 9), 10=-115(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=325(LC 21), 9=325(LC 29), 14=275(LC 25), 15=331(LC 24), 16=342(LC 23),
 17=359(LC 22), 12=331(LC 26), 11=342(LC 27), 10=359(LC 28)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 4-15=-291/109, 3-16=-301/141, 2-17=-317/130, 6-12=-291/109, 7-11=-301/141, 8-10=-317/130

JOINT STRESS INDEX
 1 = 0.19, 2 = 0.14, 3 = 0.13, 4 = 0.13, 5 = 0.42, 6 = 0.13, 7 = 0.13, 8 = 0.14, 9 = 0.19, 10 = 0.10, 11 = 0.10, 12 = 0.09, 13 = 0.03, 14 = 0.08, 15 = 0.09, 16 = 0.10 and 17 = 0.10

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are 2x5 MT20 unless otherwise indicated.
 - 6) Gable requires continuous bottom chord bearing.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 9, 15, 12 except (jt=lb) 16=120, 17=115, 11=120, 10=115.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	VGE19	GABLE	1	1	

Job Reference (optional)

Universal Forest Products

7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:08 2016 Page 1
 ID: _2H7GNkAP8Byz5ZPSbBwibjDeB-5BQ5MYr?nj7spvSLk_RE7cRoANDjI7YsWuwufznDM5




Plate Offsets (X,Y)-- [5:0-2-0-0-2-4], [13:0-2-8,0-3-0]

LOADING (psf)	SPACING-	CSI.	DEFL.	PLATES	GRIP
TCLL 40.0 (Roof Snow=40.0)	2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	TC 0.17 BC 0.06 WB 0.14 (Matrix)	in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 9 n/a n/a	MT20	197/144
TCDL 7.0 BCLL 0.0 BCDL 10.0				Weight: 86 lb	FT = 4%

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. All bearings 19-10-0.
 (lb) - Max Horz 1=-158(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 9, 14, 12 except 15=-101(LC 9), 16=-180(LC 9), 11=-101(LC 9), 10=-180(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=348(LC 21), 9=348(LC 29), 13=270(LC 25), 14=328(LC 24), 15=322(LC 23),
 16=401(LC 22), 12=326(LC 26), 11=322(LC 27), 10=400(LC 28)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 4-14=-285/105, 3-15=-289/122, 2-16=-340/198, 6-12=-285/105, 7-11=-289/122, 8-10=-340/198

JOINT STRESS INDEX
 1 = 0.26, 2 = 0.31, 3 = 0.31, 4 = 0.31, 5 = 0.41, 6 = 0.31, 7 = 0.31, 8 = 0.31, 9 = 0.26, 10 = 0.31, 11 = 0.31, 12 = 0.31, 13 = 0.24, 14 = 0.31, 15 = 0.31 and 16 = 0.31

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are 2x5 MT20 unless otherwise indicated.
 - 6) Gable requires continuous bottom chord bearing.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 9, 14, 12 except (jt=lb) 15=101, 16=180, 11=101, 10=180.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	Portland Retirement Residence
B-WING	VGE20	GABLE	1	1	Job Reference (optional)

Universal Forest Products 7.640 s Nov 10 2015 MiTek Industries, Inc. Mon Feb 08 10:08:09 2016 Page 1
 ID: _2H7GNkAP8Byz5ZPSbBwbyjDeB-ZNzTZusdY1GjR31XlhyTgq_3nZNUaa?IYgQQ6znDM4




Plate Offsets (X,Y)-- [6:0-2-0-0-2-4]

LOADING (psf) TCLL 40.0 (Roof Snow=40.0) TCDL 7.0 BCLL 0.0 BCDL 10.0	SPACING- 2-0-0 Plate Grip DOL 1.15 Lumber DOL 1.15 Rep Stress Incr YES Code IBC2009/TPI2007	CSI. TC 0.10 BC 0.03 WB 0.15 (Matrix)	DEFL. in (loc) l/defl L/d Vert(LL) n/a - n/a 999 Vert(TL) n/a - n/a 999 Horz(TL) 0.00 11 n/a n/a	PLATES GRIP MT20 197/144 Weight: 93 lb FT = 4%
--	---	--	---	---

LUMBER-
 TOP CHORD 2x6 SPF No.2
 BOT CHORD 2x4 SPF No.2
 OTHERS 2x4 SPF No.3

BRACING-
 TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS. All bearings 20-10-0.
 (lb) - Max Horz 1=-167(LC 7)
 Max Uplift All uplift 100 lb or less at joint(s) 1, 11, 18, 15 except 19=-123(LC 9), 20=-111(LC 9), 21=-116(LC 9), 14=-123(LC 9), 13=-111(LC 9), 12=-116(LC 9)
 Max Grav All reactions 250 lb or less at joint(s) except 1=325(LC 23), 11=325(LC 33), 16=270(LC 28), 18=322(LC 27), 19=332(LC 26), 20=342(LC 25), 21=359(LC 24), 15=322(LC 29), 14=332(LC 30), 13=342(LC 31), 12=359(LC 32)

FORCES. (lb) - Max. Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 WEBS 5-18=-282/99, 4-19=-292/143, 3-20=-301/132, 2-21=-317/131, 7-15=-282/99, 8-14=-292/143, 9-13=-301/132, 10-12=-317/131

JOINT STRESS INDEX
 1 = 0.26, 2 = 0.31, 3 = 0.31, 4 = 0.31, 5 = 0.31, 6 = 0.41, 7 = 0.31, 8 = 0.31, 9 = 0.31, 10 = 0.31, 11 = 0.26, 12 = 0.31, 13 = 0.31, 14 = 0.31, 15 = 0.31, 16 = 0.31, 17 = 0.26, 18 = 0.31, 19 = 0.31, 20 = 0.31 and 21 = 0.31

- NOTES-**
- 1) Wind: ASCE 7-05; 100mph; TCDL=4.2psf; BCDL=5.0psf; h=58ft; B=44ft; L=50ft; eave=6ft; Cat. II; Exp B; Kd 1.00; enclosed; MWFRS (all heights); Lumber DOL=1.60 plate grip DOL=1.60
 - 2) TCLL: ASCE 7-05; Pf=40.0 psf (flat roof snow); Category II; Exp B; Partially Exp.; Ct=1.1
 - 3) Unbalanced snow loads have been considered for this design.
 - 4) As requested, plates have not been designed to provide for placement tolerances or rough handling and erection conditions. It is the responsibility of the fabricator to increase plate sizes to account for these factors.
 - 5) All plates are 2x5 MT20 unless otherwise indicated.
 - 6) Gable requires continuous bottom chord bearing.
 - 7) This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
 - 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 1, 11, 18, 15 except (jt=lb) 19=123, 20=111, 21=116, 14=123, 13=111, 12=116.
 - 9) This truss is designed in accordance with the 2009 International Building Code section 2306.1 and referenced standard ANSI/TPI 1.
 - 10) This truss has been designed for a moving concentrated load of 200.0lb live and 100.0lb dead located at all mid panels and at all panel points along the Top Chord, nonconcurrent with any other live loads.

LOAD CASE(S) Standard