


SEE S1.6 FOR STRUCTURAL FRAMING NOTES AND GENERAL STRUCTURAL NOTES AND STRUCTURAL SCHEDULES.

SEE DETAIL 1 AND 3 ON S2.3 FOR ALLOWABLE BORING / NOTCHING OF MEMBERS.

ALL 1ST FLOOR BEARING WALL STUDS TO BE 2x6 #1/#2 SPF @ 16" o.c. AND SILL AND DBL TOP PLATES TO BE 2x6 DFL GRADE.

**STRUCTURAL LEGEND:**

① S2.3 TYP.	DETAIL REFERENCE	▬	SHEARWALL ON WALL SHOWN SHEAR PANEL ON DASHED SIDE	▬	2x6 AT 16" O.C. BEARING WALL U.N.O.
①	STRUCT. NOTE	▬	HOLDOWN REF. SYSTEM REFERENCE (SEE S2.7a & S2.7b) SEE DETAILS 10, 17, S2.2 FOR FTG	▬	2x8 BEARING WALL PER PLAN
①	HEAT PUMP UNIT	▬	SUBSCRIPTS: WB - STARTS AT WOOD BEAM SB - STARTS AT STEEL BEAM	▬	2x10 AT 24" O.C. BEARING WALL
①	FIRE WALL FIRE BARRIER HORIZONTAL EXIT	▬	HOLDOWN REFERENCE (SEE 1/S2.4)	▬	HALF HIGH WALL PER PLAN
①	WOOD COLUMN DESIGNATION	▬	S = SINGLE CS16x49" LONG STRAP w/ (22) 10d PER STRAP	▬	STRUCT. MEMBER (SEE BELOW)
①	TUBE STEEL COLUMN DESIGNATION	▬	S2 = DBL. CS10x49" LONG STRAP w/ (22) 10d PER STRAP	▬	R = RAFTERS
①	COLUMN REF. COLUMN PAD TAG	▬	S3 = TRIPLE CS16x49" LONG STRAP w/ (22) 10d PER STRAP	▬	J = FLOOR JOISTS
①	F-1 FOOTING TAG	▬	S4 = TRIPLE CS14x57" LONG STRAP w/ (30) 10d PER STRAP	▬	CJ = CEILING JOISTS
		▬		▬	FRAMING DIRECTION
		▬		▬	FRAMING TYPE
		▬		▬	EXTENT OF FRAMING
		▬		▬	SINGLE JOIST / TRUSS
		▬		▬	DBL. JOIST / VLY. TRUSS HIP
		▬		▬	TRUSS / GIRDER TRUSS



**lenity architecture**  
3150 Maine Court SE, Salem, Oregon 97302  
PHONE (503) 595-0585

**COLSON AND COLSON**  
GENERAL CONTRACTOR, INC.  
2280 McGILCHRIST STREET SE, SUITE 200  
SALEM, OREGON, 97302  
PHONE (503) 586-7401

**PORTLAND RETIREMENT RESIDENCE**  
802 OCEAN AVE. PORTLAND, MAINE 04103

**2ND FLOOR WING 'B' FRAMING PLAN**

DATE: 8/28/2015  
REVISED DATE:  
9/22/2015  
2/2/2016  
7/18/2016

SHEET  
**S1.5**

**2ND FLOOR WING 'B' FRAMING PLAN**  
SCALE: 1/8"=1'-0"

8/28/2015 4:51 PM Andrew... 9/22/2015 5:00 PM Andrew... 2/2/2016 11:52 AM Andrew... 7/18/2016 11:52 AM Andrew...