


- STRUCTURAL LEGEND:**
- 8 3/4 x 36 GLB = 1 HOUR RATED GLB
 - 8 3/4 x 36 GLB = NON-RATED GLB
 - (S2.1) = DETAIL REFERENCE
 - = WOOD COLUMN DESIGNATION
 - ⊗ = TUBE STEEL COLUMN DESIGNATION
 - = 2x6 @ 16" O.C. BEARING WALL U.N.O.
 - = 2x8 @ 16" O.C. BEARING WALL
 - = FIRE WALL/FIRE BARRIER HORIZONTAL EXIT

FIRE RATED GLB'S AS NOTED. SEE SHEET A8.9b FOR RATING INFORMATION.

ALL TUBE STEEL COLUMNS TO BE 1 HOUR RATED PER DETAIL 'M' ON SHEET A7.1b

NOTE: REFER TO STRUCTURAL CALCULATIONS FOR ONE HOUR RATED BEAM CALCS.

SEE DETAIL 1 AND 3 ON S2.3 FOR ALLOWABLE BORING / NOTCHING OF MEMBERS.



lenity architecture
 1350 Kenna Court SE, Salem, Oregon 97302
 P 503 399 1090 F 503 399 0555 W lenityarchitecture.com

COLSON AND COLSON
 GENERAL CONTRACTOR, INC.
 2260 MCGILCHRIST STREET SE, SUITE 200
 SALEM, OREGON, 97302
 PHONE (503) 586-7401


PORTLAND RETIREMENT RESIDENCE
 802 OCEAN AVE. PORTLAND, MAINE 04103

CORE 2ND FLR. FRAMING (BEAM) PROTECTION

DATE: 8/28/2015
 REVISED DATE:

SHEET A8.9a

CORE 2ND FLOOR FRAMING (BEAM PROTECTION)
 SCALE: 1/8"=1'-0"



8/28/2015 4:41 PM Job: 14011 - Portland Retirement Residence - Core 2nd Floor Framing (Beam Protection) - A8.9a