



PANEL SCHEDULE																																																																																																																																																																																																																																																						
panel	mounting	location	RECESSED			OFFICE 168			connected load amps																																																																																																																																																																																																																																													
			phase	bus & main	225A MLO	calculated load amps	81	calculated load amps	81																																																																																																																																																																																																																																													
<table border="1"> <thead> <tr> <th>service</th> <th>wire</th> <th>va</th> <th>amp</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>4 COFFEE BAR - CVO</td> <td>12</td> <td>1800</td> <td>20</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> </tr> <tr> <td>4 COFFEE WARMER - 77</td> <td>12</td> <td>1800</td> <td>20</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> </tr> <tr> <td>4 PLATE LOWERATOR - 64</td> <td>12</td> <td>750</td> <td>20</td> <td>1</td> <td>*</td> <td>6</td> <td>15</td> <td>2</td> <td>*</td> <td>6</td> <td>15</td> <td>2</td> </tr> <tr> <td>4 PLATE LOWERATOR - 64</td> <td>12</td> <td>750</td> <td>20</td> <td>1</td> <td>*</td> <td>10</td> <td>40</td> <td>3</td> <td>*</td> <td>10</td> <td>40</td> <td>3</td> </tr> <tr> <td>4 WARMING DRAWER - 60</td> <td>12</td> <td>900</td> <td>20</td> <td>1</td> <td>*</td> <td>12</td> <td>*</td> <td>*</td> <td>12</td> <td>*</td> <td>*</td> <td>*</td> </tr> <tr> <td>4 SLICER - 29</td> <td>12</td> <td>1176</td> <td>20</td> <td>1</td> <td>*</td> <td>14</td> <td>*</td> <td>*</td> <td>14</td> <td>*</td> <td>*</td> <td>*</td> </tr> <tr> <td>4 MOBILE REFRIGERATOR - 55</td> <td>12</td> <td>1080</td> <td>20</td> <td>1</td> <td>*</td> <td>16</td> <td>*</td> <td>*</td> <td>16</td> <td>*</td> <td>*</td> <td>*</td> </tr> <tr> <td>4 HOT WELLS - 61</td> <td>6</td> <td>4004</td> <td>50</td> <td>2</td> <td>17</td> <td>*</td> <td>30</td> <td>1</td> <td>1920</td> <td>10</td> <td>30</td> <td>1</td> </tr> <tr> <td>4 UIC FREEZER - 66</td> <td>6</td> <td>4004</td> <td>50</td> <td>2</td> <td>17</td> <td>*</td> <td>30</td> <td>1</td> <td>1920</td> <td>10</td> <td>30</td> <td>1</td> </tr> <tr> <td>4 HEAT LAMP - 61</td> <td>12</td> <td>800</td> <td>20</td> <td>2</td> <td>21</td> <td>*</td> <td>22</td> <td>15</td> <td>528</td> <td>12</td> <td>15</td> <td>528</td> </tr> <tr> <td>4 TOASTER - 59</td> <td>12</td> <td>800</td> <td>20</td> <td>2</td> <td>23</td> <td>*</td> <td>24</td> <td>20</td> <td>468</td> <td>12</td> <td>20</td> <td>468</td> </tr> <tr> <td>4 REFRIGERATED TABLE - 65</td> <td>12</td> <td>1664</td> <td>20</td> <td>2</td> <td>27</td> <td>*</td> <td>28</td> <td>20</td> <td>21</td> <td>20</td> <td>21</td> <td>20</td> </tr> <tr> <td>4 MECHANICAL WELL RECEP.</td> <td>12</td> <td>180</td> <td>20</td> <td>1</td> <td>33</td> <td>*</td> <td>34</td> <td>*</td> <td>2540</td> <td>10</td> <td>*</td> <td>*</td> </tr> <tr> <td>4 HEAT TAP</td> <td>12</td> <td>1200</td> <td>20</td> <td>1</td> <td>35</td> <td>*</td> <td>36</td> <td>30</td> <td>3</td> <td>291</td> <td>10</td> <td>3</td> </tr> <tr> <td>4 EDN-1</td> <td>10</td> <td>1667</td> <td>20</td> <td>2</td> <td>37</td> <td>*</td> <td>38</td> <td>*</td> <td>291</td> <td>10</td> <td>*</td> <td>*</td> </tr> <tr> <td>4 UIC FREEZER - 66</td> <td>10</td> <td>1667</td> <td>20</td> <td>2</td> <td>39</td> <td>*</td> <td>40</td> <td>*</td> <td>291</td> <td>10</td> <td>*</td> <td>*</td> </tr> <tr> <td>4 UIC FREEZER - 66</td> <td>10</td> <td>1667</td> <td>20</td> <td>2</td> <td>41</td> <td>*</td> <td>42</td> <td>20</td> <td>1164</td> <td>12</td> <td>20</td> <td>1164</td> </tr> </tbody> </table>													service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c	4 COFFEE BAR - CVO	12	1800	20	1	*	2	20	1	*	2	20	1	4 COFFEE WARMER - 77	12	1800	20	1	*	2	20	1	*	2	20	1	4 PLATE LOWERATOR - 64	12	750	20	1	*	6	15	2	*	6	15	2	4 PLATE LOWERATOR - 64	12	750	20	1	*	10	40	3	*	10	40	3	4 WARMING DRAWER - 60	12	900	20	1	*	12	*	*	12	*	*	*	4 SLICER - 29	12	1176	20	1	*	14	*	*	14	*	*	*	4 MOBILE REFRIGERATOR - 55	12	1080	20	1	*	16	*	*	16	*	*	*	4 HOT WELLS - 61	6	4004	50	2	17	*	30	1	1920	10	30	1	4 UIC FREEZER - 66	6	4004	50	2	17	*	30	1	1920	10	30	1	4 HEAT LAMP - 61	12	800	20	2	21	*	22	15	528	12	15	528	4 TOASTER - 59	12	800	20	2	23	*	24	20	468	12	20	468	4 REFRIGERATED TABLE - 65	12	1664	20	2	27	*	28	20	21	20	21	20	4 MECHANICAL WELL RECEP.	12	180	20	1	33	*	34	*	2540	10	*	*	4 HEAT TAP	12	1200	20	1	35	*	36	30	3	291	10	3	4 EDN-1	10	1667	20	2	37	*	38	*	291	10	*	*	4 UIC FREEZER - 66	10	1667	20	2	39	*	40	*	291	10	*	*	4 UIC FREEZER - 66	10	1667	20	2	41	*	42	20	1164	12	20	1164
service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c																																																																																																																																																																																																																																										
4 COFFEE BAR - CVO	12	1800	20	1	*	2	20	1	*	2	20	1																																																																																																																																																																																																																																										
4 COFFEE WARMER - 77	12	1800	20	1	*	2	20	1	*	2	20	1																																																																																																																																																																																																																																										
4 PLATE LOWERATOR - 64	12	750	20	1	*	6	15	2	*	6	15	2																																																																																																																																																																																																																																										
4 PLATE LOWERATOR - 64	12	750	20	1	*	10	40	3	*	10	40	3																																																																																																																																																																																																																																										
4 WARMING DRAWER - 60	12	900	20	1	*	12	*	*	12	*	*	*																																																																																																																																																																																																																																										
4 SLICER - 29	12	1176	20	1	*	14	*	*	14	*	*	*																																																																																																																																																																																																																																										
4 MOBILE REFRIGERATOR - 55	12	1080	20	1	*	16	*	*	16	*	*	*																																																																																																																																																																																																																																										
4 HOT WELLS - 61	6	4004	50	2	17	*	30	1	1920	10	30	1																																																																																																																																																																																																																																										
4 UIC FREEZER - 66	6	4004	50	2	17	*	30	1	1920	10	30	1																																																																																																																																																																																																																																										
4 HEAT LAMP - 61	12	800	20	2	21	*	22	15	528	12	15	528																																																																																																																																																																																																																																										
4 TOASTER - 59	12	800	20	2	23	*	24	20	468	12	20	468																																																																																																																																																																																																																																										
4 REFRIGERATED TABLE - 65	12	1664	20	2	27	*	28	20	21	20	21	20																																																																																																																																																																																																																																										
4 MECHANICAL WELL RECEP.	12	180	20	1	33	*	34	*	2540	10	*	*																																																																																																																																																																																																																																										
4 HEAT TAP	12	1200	20	1	35	*	36	30	3	291	10	3																																																																																																																																																																																																																																										
4 EDN-1	10	1667	20	2	37	*	38	*	291	10	*	*																																																																																																																																																																																																																																										
4 UIC FREEZER - 66	10	1667	20	2	39	*	40	*	291	10	*	*																																																																																																																																																																																																																																										
4 UIC FREEZER - 66	10	1667	20	2	41	*	42	20	1164	12	20	1164																																																																																																																																																																																																																																										
Phase A	21197 VA			NOTES:			line-line voltage			208																																																																																																																																																																																																																																												
Phase B	17834 VA																																																																																																																																																																																																																																																					
Phase C	23248 VA																																																																																																																																																																																																																																																					
Total Connected	62279 VA									largest motor (va) 0																																																																																																																																																																																																																																												

PANEL SCHEDULE																																																																																																																																																																																																																																									
panel	mounting	location	RECESSED			OFFICE 168			connected load amps																																																																																																																																																																																																																																
			phase	bus & main	225A MLO	calculated load amps	81	calculated load amps	81																																																																																																																																																																																																																																
<table border="1"> <thead> <tr> <th>service</th> <th>wire</th> <th>va</th> <th>amp</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>6 SSF-1 (GHP)</td> <td>10</td> <td>1273</td> <td>20</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> </tr> <tr> <td>6 SSF-1 (GHP)</td> <td>10</td> <td>1273</td> <td>20</td> <td>1</td> <td>*</td> <td>3</td> <td>4</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 SSF-1 (GHP)</td> <td>10</td> <td>1273</td> <td>20</td> <td>1</td> <td>*</td> <td>5</td> <td>6</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 SSF-1 (GHP)</td> <td>10</td> <td>1273</td> <td>20</td> <td>1</td> <td>*</td> <td>7</td> <td>8</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 SSF-1 (GHP)</td> <td>10</td> <td>1273</td> <td>20</td> <td>1</td> <td>*</td> <td>9</td> <td>10</td> <td>*</td> <td>50</td> <td>3</td> <td>20</td> <td>1</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>10</td> <td>50</td> <td>3</td> <td>20</td> <td>1</td> <td>50</td> <td>3</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>12</td> <td>*</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>13</td> <td>14</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>15</td> <td>16</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>17</td> <td>18</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>19</td> <td>20</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>21</td> <td>22</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>23</td> <td>24</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>25</td> <td>26</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>27</td> <td>28</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> <tr> <td>6 TV RM. OSA MOTORIZED DAMPER</td> <td>12</td> <td>200</td> <td>15</td> <td>1</td> <td>*</td> <td>29</td> <td>30</td> <td>*</td> <td>2907</td> <td>6</td> <td>*</td> <td>*</td> </tr> </tbody> </table>													service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c	6 SSF-1 (GHP)	10	1273	20	1	*	2	20	1	*	2	20	1	6 SSF-1 (GHP)	10	1273	20	1	*	3	4	*	2907	6	*	*	6 SSF-1 (GHP)	10	1273	20	1	*	5	6	*	2907	6	*	*	6 SSF-1 (GHP)	10	1273	20	1	*	7	8	*	2907	6	*	*	6 SSF-1 (GHP)	10	1273	20	1	*	9	10	*	50	3	20	1	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	10	50	3	20	1	50	3	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	12	*	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	13	14	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	15	16	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	17	18	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	19	20	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	21	22	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	23	24	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	25	26	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	27	28	*	2907	6	*	*	6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	29	30	*	2907	6	*	*
service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c																																																																																																																																																																																																																													
6 SSF-1 (GHP)	10	1273	20	1	*	2	20	1	*	2	20	1																																																																																																																																																																																																																													
6 SSF-1 (GHP)	10	1273	20	1	*	3	4	*	2907	6	*	*																																																																																																																																																																																																																													
6 SSF-1 (GHP)	10	1273	20	1	*	5	6	*	2907	6	*	*																																																																																																																																																																																																																													
6 SSF-1 (GHP)	10	1273	20	1	*	7	8	*	2907	6	*	*																																																																																																																																																																																																																													
6 SSF-1 (GHP)	10	1273	20	1	*	9	10	*	50	3	20	1																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	10	50	3	20	1	50	3																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	12	*	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	13	14	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	15	16	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	17	18	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	19	20	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	21	22	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	23	24	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	25	26	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	27	28	*	2907	6	*	*																																																																																																																																																																																																																													
6 TV RM. OSA MOTORIZED DAMPER	12	200	15	1	*	29	30	*	2907	6	*	*																																																																																																																																																																																																																													
Phase A	10087 VA			NOTES:			line-line voltage			208																																																																																																																																																																																																																															
Phase B	9204 VA																																																																																																																																																																																																																																								
Phase C	9688 VA																																																																																																																																																																																																																																								
Total Connected	28979 VA									largest motor (va) 0																																																																																																																																																																																																																															

PANEL SCHEDULE																																																																																																																																																																																																																																																																																																										
panel	mounting	location	RECESSED			OFFICE 168			connected load amps																																																																																																																																																																																																																																																																																																	
			phase	bus & main	225A MLO	calculated load amps	81	calculated load amps	81																																																																																																																																																																																																																																																																																																	
<table border="1"> <thead> <tr> <th>service</th> <th>wire</th> <th>va</th> <th>amp</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>1 CORE LIGHTS (1ST)</td> <td>10</td> <td>880</td> <td>17</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> <td>185</td> <td>10</td> <td>185</td> <td>10</td> </tr> <tr> <td>1 REAR BLDG EGRESS LIGHTING</td> <td>10</td> <td>760</td> <td>15</td> <td>3</td> <td>*</td> <td>4</td> <td>4</td> <td>1185</td> <td>10</td> <td>185</td> <td>10</td> <td>185</td> </tr> <tr> <td>1 ELEVATOR 1 CAB LIGHTS</td> <td>12</td> <td>64</td> <td>20</td> <td>1</td> <td>*</td> <td>6</td> <td>20</td> <td>1</td> <td>1190</td> <td>10</td> <td>185</td> <td>10</td> </tr> <tr> <td>1 ELEVATOR 2 CAB LIGHTS</td> <td>12</td> <td>64</td> <td>20</td> <td>1</td> <td>*</td> <td>8</td> <td>20</td> <td>1</td> <td>1190</td> <td>10</td> <td>185</td> <td>10</td> </tr> <tr> <td>1 FRONT BLDG EGRESS LIGHTING</td> <td>10</td> <td>434</td> <td>9</td> <td>1</td> <td>*</td> <td>10</td> <td>20</td> <td>1</td> <td>1190</td> <td>10</td> <td>185</td> <td>10</td> </tr> <tr> <td>1 CALL REMOTE HEADEND</td> <td>12</td> <td>500</td> <td>21</td> <td>1</td> <td>*</td> <td>12</td> <td>20</td> <td>1</td> <td>1216</td> <td>12</td> <td>20</td> <td>1216</td> </tr> <tr> <td>1 KITCHEN LIGHTS</td> <td>12</td> <td>741</td> <td>20</td> <td>1</td> <td>*</td> <td>14</td> <td>20</td> <td>1</td> <td>512</td> <td>12</td> <td>20</td> <td>512</td> </tr> <tr> <td>2 EMERGENCY CALL RECEP</td> <td>12</td> <td>180</td> <td>20</td> <td>1</td> <td>*</td> <td>16</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>2 FIRE ALARM EQUIPMENT</td> <td>12</td> <td>500</td> <td>20</td> <td>1</td> <td>*</td> <td>18</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>500</td> <td>20</td> <td>1</td> <td>*</td> <td>20</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>500</td> <td>20</td> <td>1</td> <td>*</td> <td>22</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>500</td> <td>20</td> <td>1</td> <td>*</td> <td>24</td> <td>20</td> <td>1</td> <td>1092</td> <td>12</td> <td>20</td> <td>1092</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>500</td> <td>20</td> <td>1</td> <td>*</td> <td>26</td> <td>20</td> <td>1</td> <td>1210</td> <td>12</td> <td>20</td> <td>1210</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>500</td> <td>20</td> <td>1</td> <td>*</td> <td>28</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>500</td> <td>20</td> <td>1</td> <td>*</td> <td>30</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>1 WING C LIGHTS (1ST/STAIRS)</td> <td>10</td> <td>724</td> <td>20</td> <td>1</td> <td>*</td> <td>32</td> <td>20</td> <td>1</td> <td>624</td> <td>12</td> <td>20</td> <td>624</td> </tr> <tr> <td>1 WING C LIGHTS (2ND/STAIRS)</td> <td>10</td> <td>668</td> <td>20</td> <td>1</td> <td>*</td> <td>34</td> <td>20</td> <td>1</td> <td>1464</td> <td>12</td> <td>20</td> <td>1464</td> </tr> <tr> <td>1 THEATER ZONE 5 LIGHTS</td> <td>12</td> <td>144</td> <td>20</td> <td>1</td> <td>*</td> <td>36</td> <td>20</td> <td>1</td> <td>1387</td> <td>12</td> <td>20</td> <td>1387</td> </tr> <tr> <td>1 THEATER ZONE 5 LIGHTS</td> <td>12</td> <td>144</td> <td>20</td> <td>1</td> <td>*</td> <td>38</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>250</td> <td>20</td> <td>1</td> <td>*</td> <td>40</td> <td>20</td> <td>1</td> <td>39</td> <td>12</td> <td>20</td> <td>39</td> </tr> <tr> <td>6 AUTOMATIC DOOR</td> <td>12</td> <td>250</td> <td>20</td> <td>1</td> <td>*</td> <td>42</td> <td>20</td> <td>1</td> <td>39</td> <td>12</td> <td>20</td> <td>39</td> </tr> </tbody> </table>													service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c	1 CORE LIGHTS (1ST)	10	880	17	1	*	2	20	1	185	10	185	10	1 REAR BLDG EGRESS LIGHTING	10	760	15	3	*	4	4	1185	10	185	10	185	1 ELEVATOR 1 CAB LIGHTS	12	64	20	1	*	6	20	1	1190	10	185	10	1 ELEVATOR 2 CAB LIGHTS	12	64	20	1	*	8	20	1	1190	10	185	10	1 FRONT BLDG EGRESS LIGHTING	10	434	9	1	*	10	20	1	1190	10	185	10	1 CALL REMOTE HEADEND	12	500	21	1	*	12	20	1	1216	12	20	1216	1 KITCHEN LIGHTS	12	741	20	1	*	14	20	1	512	12	20	512	2 EMERGENCY CALL RECEP	12	180	20	1	*	16	20	1	500	12	20	500	2 FIRE ALARM EQUIPMENT	12	500	20	1	*	18	20	1	500	12	20	500	6 AUTOMATIC DOOR	12	500	20	1	*	20	20	1	500	12	20	500	6 AUTOMATIC DOOR	12	500	20	1	*	22	20	1	500	12	20	500	6 AUTOMATIC DOOR	12	500	20	1	*	24	20	1	1092	12	20	1092	6 AUTOMATIC DOOR	12	500	20	1	*	26	20	1	1210	12	20	1210	6 AUTOMATIC DOOR	12	500	20	1	*	28	20	1	500	12	20	500	6 AUTOMATIC DOOR	12	500	20	1	*	30	20	1	500	12	20	500	1 WING C LIGHTS (1ST/STAIRS)	10	724	20	1	*	32	20	1	624	12	20	624	1 WING C LIGHTS (2ND/STAIRS)	10	668	20	1	*	34	20	1	1464	12	20	1464	1 THEATER ZONE 5 LIGHTS	12	144	20	1	*	36	20	1	1387	12	20	1387	1 THEATER ZONE 5 LIGHTS	12	144	20	1	*	38	20	1	500	12	20	500	6 AUTOMATIC DOOR	12	250	20	1	*	40	20	1	39	12	20	39	6 AUTOMATIC DOOR	12	250	20	1	*	42	20	1	39	12	20	39
service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c																																																																																																																																																																																																																																																																																														
1 CORE LIGHTS (1ST)	10	880	17	1	*	2	20	1	185	10	185	10																																																																																																																																																																																																																																																																																														
1 REAR BLDG EGRESS LIGHTING	10	760	15	3	*	4	4	1185	10	185	10	185																																																																																																																																																																																																																																																																																														
1 ELEVATOR 1 CAB LIGHTS	12	64	20	1	*	6	20	1	1190	10	185	10																																																																																																																																																																																																																																																																																														
1 ELEVATOR 2 CAB LIGHTS	12	64	20	1	*	8	20	1	1190	10	185	10																																																																																																																																																																																																																																																																																														
1 FRONT BLDG EGRESS LIGHTING	10	434	9	1	*	10	20	1	1190	10	185	10																																																																																																																																																																																																																																																																																														
1 CALL REMOTE HEADEND	12	500	21	1	*	12	20	1	1216	12	20	1216																																																																																																																																																																																																																																																																																														
1 KITCHEN LIGHTS	12	741	20	1	*	14	20	1	512	12	20	512																																																																																																																																																																																																																																																																																														
2 EMERGENCY CALL RECEP	12	180	20	1	*	16	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
2 FIRE ALARM EQUIPMENT	12	500	20	1	*	18	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	500	20	1	*	20	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	500	20	1	*	22	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	500	20	1	*	24	20	1	1092	12	20	1092																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	500	20	1	*	26	20	1	1210	12	20	1210																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	500	20	1	*	28	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	500	20	1	*	30	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
1 WING C LIGHTS (1ST/STAIRS)	10	724	20	1	*	32	20	1	624	12	20	624																																																																																																																																																																																																																																																																																														
1 WING C LIGHTS (2ND/STAIRS)	10	668	20	1	*	34	20	1	1464	12	20	1464																																																																																																																																																																																																																																																																																														
1 THEATER ZONE 5 LIGHTS	12	144	20	1	*	36	20	1	1387	12	20	1387																																																																																																																																																																																																																																																																																														
1 THEATER ZONE 5 LIGHTS	12	144	20	1	*	38	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	250	20	1	*	40	20	1	39	12	20	39																																																																																																																																																																																																																																																																																														
6 AUTOMATIC DOOR	12	250	20	1	*	42	20	1	39	12	20	39																																																																																																																																																																																																																																																																																														
Phase A	19028 VA			NOTES:			line-line voltage			208																																																																																																																																																																																																																																																																																																
Phase B	17106 VA																																																																																																																																																																																																																																																																																																									
Phase C	13758 VA																																																																																																																																																																																																																																																																																																									
Total Connected	49850 VA									largest motor (va) 21888																																																																																																																																																																																																																																																																																																

PANEL SCHEDULE																																																																																																																																																																																																																																																																																																										
panel	mounting	location	RECESSED			OFFICE 168			connected load amps																																																																																																																																																																																																																																																																																																	
			phase	bus & main	225A MLO	calculated load amps	81	calculated load amps	81																																																																																																																																																																																																																																																																																																	
<table border="1"> <thead> <tr> <th>service</th> <th>wire</th> <th>va</th> <th>amp</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>6 AC-1 - AIR CONDITIONING</td> <td>4</td> <td>5179</td> <td>60</td> <td>3</td> <td>*</td> <td>2</td> <td>60</td> <td>3</td> <td>5179</td> <td>4</td> <td>60</td> <td>3</td> </tr> <tr> <td>6 AC-1 - AIR CONDITIONING</td> <td>4</td> <td>5179</td> <td>60</td> <td>3</td> <td>*</td> <td>4</td> <td>4</td> <td>5179</td> <td>4</td> <td>60</td> <td>3</td> <td>5179</td> </tr> <tr> <td>6 ATIC FANS</td> <td>12</td> <td>480</td> <td>20</td> <td>1</td> <td>*</td> <td>6</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 ATIC FANS</td> <td>12</td> <td>480</td> <td>20</td> <td>1</td> <td>*</td> <td>8</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 ATIC FANS</td> <td>12</td> <td>480</td> <td>20</td> <td>1</td> <td>*</td> <td>10</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 ATIC FANS</td> <td>12</td> <td>480</td> <td>20</td> <td>1</td> <td>*</td> <td>12</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>14</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>16</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>18</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>20</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>22</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>24</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>26</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>28</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>30</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>32</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>34</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>36</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>38</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>40</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> <tr> <td>6 DS-2</td> <td>10</td> <td>2808</td> <td>30</td> <td>1</td> <td>*</td> <td>42</td> <td>20</td> <td>1</td> <td>500</td> <td>12</td> <td>20</td> <td>500</td> </tr> </tbody> </table>													service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c	6 AC-1 - AIR CONDITIONING	4	5179	60	3	*	2	60	3	5179	4	60	3	6 AC-1 - AIR CONDITIONING	4	5179	60	3	*	4	4	5179	4	60	3	5179	6 ATIC FANS	12	480	20	1	*	6	20	1	500	12	20	500	6 ATIC FANS	12	480	20	1	*	8	20	1	500	12	20	500	6 ATIC FANS	12	480	20	1	*	10	20	1	500	12	20	500	6 ATIC FANS	12	480	20	1	*	12	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	14	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	16	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	18	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	20	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	22	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	24	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	26	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	28	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	30	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	32	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	34	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	36	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	38	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	40	20	1	500	12	20	500	6 DS-2	10	2808	30	1	*	42	20	1	500	12	20	500
service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c																																																																																																																																																																																																																																																																																														
6 AC-1 - AIR CONDITIONING	4	5179	60	3	*	2	60	3	5179	4	60	3																																																																																																																																																																																																																																																																																														
6 AC-1 - AIR CONDITIONING	4	5179	60	3	*	4	4	5179	4	60	3	5179																																																																																																																																																																																																																																																																																														
6 ATIC FANS	12	480	20	1	*	6	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 ATIC FANS	12	480	20	1	*	8	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 ATIC FANS	12	480	20	1	*	10	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 ATIC FANS	12	480	20	1	*	12	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	14	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	16	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	18	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	20	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	22	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	24	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	26	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	28	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	30	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	32	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	34	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	36	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	38	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	40	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
6 DS-2	10	2808	30	1	*	42	20	1	500	12	20	500																																																																																																																																																																																																																																																																																														
Phase A	5920 VA			NOTES:			line-line voltage			208																																																																																																																																																																																																																																																																																																
Phase B	6420 VA																																																																																																																																																																																																																																																																																																									
Phase C	4940 VA																																																																																																																																																																																																																																																																																																									
Total Connected	17280 VA									largest motor (va) 0																																																																																																																																																																																																																																																																																																

PANEL SCHEDULE																																																																																																																																																																										
panel	mounting	location	RECESSED			OFFICE 168			connected load amps																																																																																																																																																																	
			phase	bus & main	225A MLO	calculated load amps	81	calculated load amps	81																																																																																																																																																																	
<table border="1"> <thead> <tr> <th>service</th> <th>wire</th> <th>va</th> <th>amp</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> <th>no. a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>7 #418 B - LIGHTS</td> <td>12</td> <td>600</td> <td>20</td> <td>1</td> <td>*</td> <td>2</td> <td>20</td> <td>1</td> <td>600</td> <td>12</td> <td>20</td> <td>600</td> </tr> <tr> <td>7 LIGHTS</td> <td>12</td> <td>600</td> <td>20</td> <td>1</td> <td>*</td> <td>4</td> <td>20</td> <td>1</td> <td>600</td> <td>12</td> <td>20</td> <td>600</td> </tr> <tr> <td>7 BATH RECEP</td> <td>12</td> <td>180</td> <td>20</td> <td>1</td> <td>*</td> <td>6</td> <td>20</td> <td>1</td> <td>180</td> <td>12</td> <td>20</td> <td>180</td> </tr> <tr> <td>7 MISC RECEP</td> <td>12</td> <td>875</td> <td>20</td> <td>1</td> <td>*</td> <td>8</td> <td>20</td> <td>1</td> <td>900</td> <td>12</td> <td>20</td> <td>900</td> </tr> <tr> <td>7 MISC RECEP</td> <td>12</td> <td>900</td> <td>20</td> <td>1</td> <td>*</td> <td>10</td> <td>20</td> <td>1</td> <td>900</td> <td>12</td> <td>20</td> <td>900</td> </tr> <tr> <td>7 PTAC</td> <td>12</td> <td>1410</td> <td>20</td> <td>1</td> <td>*</td> <td>12</td> <td>20</td> <td>1</td> <td>1410</td> <td>12</td> <td>20</td> <td>1410</td> </tr> <tr> <td>7 PTAC</td> <td>12</td> <td>1410</td> <td>20</td> <td>1</td> <td>*</td> <td>14</td> <td>20</td> <td>1</td> <td>1410</td> <td>12</td> <td>20</td> <td>1410</td> </tr> <tr> <td>7 PTAC</td> <td>12</td> <td>1410</td> <td>20</td> <td>1</td> <td>*</td> <td>16</td> <td>20</td> <td>1</td> <td>1000</td> <td>12</td> <td>20</td> <td>1000</td> </tr> <tr> <td>7 PTAC</td> <td>12</td> <td>1410</td> <td>20</td> <td>1</td> <td>*</td> <td>18</td> <td>20</td> <td>1</td> <td>1000</td> <td>12</td> <td>20</td> <td>1000</td> </tr> <tr> <td>7 PTAC</td> <td>12</td> <td>1410</td> <td>20</td> <td>1</td> <td>*</td> <td>20</td> <td>20</td> <td>1</td> <td>1000</td> <td>12</td> <td>20</td> <td>1000</td> </tr> <tr> <td>7 PTAC</td> <td>12</td> <td>1410</td> <td>20</td> <td>1</td> <td>*</td> <td>22</td> <td>20</td> <td>1</td> <td>1000</td> <td>12</td> <td>20</td> <td>1000</td> </tr> <tr> <td>7 PTAC</td> <td>12</td> </tr></tbody></table>													service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c	7 #418 B - LIGHTS	12	600	20	1	*	2	20	1	600	12	20	600	7 LIGHTS	12	600	20	1	*	4	20	1	600	12	20	600	7 BATH RECEP	12	180	20	1	*	6	20	1	180	12	20	180	7 MISC RECEP	12	875	20	1	*	8	20	1	900	12	20	900	7 MISC RECEP	12	900	20	1	*	10	20	1	900	12	20	900	7 PTAC	12	1410	20	1	*	12	20	1	1410	12	20	1410	7 PTAC	12	1410	20	1	*	14	20	1	1410	12	20	1410	7 PTAC	12	1410	20	1	*	16	20	1	1000	12	20	1000	7 PTAC	12	1410	20	1	*	18	20	1	1000	12	20	1000	7 PTAC	12	1410	20	1	*	20	20	1	1000	12	20	1000	7 PTAC	12	1410	20	1	*	22	20	1	1000	12	20	1000	7 PTAC	12
service	wire	va	amp	no. a	b	c	no. a	b	c	no. a	b	c																																																																																																																																																														
7 #418 B - LIGHTS	12	600	20	1	*	2	20	1	600	12	20	600																																																																																																																																																														
7 LIGHTS	12	600	20	1	*	4	20	1	600	12	20	600																																																																																																																																																														
7 BATH RECEP	12	180	20	1	*	6	20	1	180	12	20	180																																																																																																																																																														
7 MISC RECEP	12	875	20	1	*	8	20	1	900	12	20	900																																																																																																																																																														
7 MISC RECEP	12	900	20	1	*	10	20	1	900	12	20	900																																																																																																																																																														
7 PTAC	12	1410	20	1	*	12	20	1	1410	12	20	1410																																																																																																																																																														
7 PTAC	12	1410	20	1	*	14	20	1	1410	12	20	1410																																																																																																																																																														
7 PTAC	12	1410	20	1	*	16	20	1	1000	12	20	1000																																																																																																																																																														
7 PTAC	12	1410	20	1	*	18	20	1	1000	12	20	1000																																																																																																																																																														
7 PTAC	12	1410	20	1	*	20	20	1	1000	12	20	1000																																																																																																																																																														
7 PTAC	12	1410	20	1	*	22	20	1	1000	12	20	1000																																																																																																																																																														
7 PTAC	12																																																																																																																																																																									