Foundation Drainage = Inside and out
4" triple wall schedule 20 piping
3/4" crushed stone and filter fabric
SDR 35 outfall Backflow

Foundation anchor bolts = 5/8" X 10" Hot Dip Galv. bolts
Spaced 6ft apart and two on every corner.

FOUNDATION

SCALE: 1/4" = 1'-0"

foundation wall and footers
will have a minimum of 4ft of frost protection

Lateral Bracing

D.1 - DECK LATERAL LOAD CONNECTION

REFER TO IRC 2009 FOR CODE REQUIREMENTS.

All joist will have joist Hangers with 10d x1½" face nails

GRK R55 Lags = 2 lags every 2ft

DECK LEDGER CONNECTION AT PONY WALL

Foundation to be insulated with 2" foam and sealed with two coats of liquid Rubber coating

CROSS SECTION - DECK

S.1 - TYPICAL STAIR DETAIL

REFER TO IRC 2009 FOR CODE REQUIREMENTS.

D.2.1 - FROST POST & DECK POST

REFER TO IRC 2009 FOR CODE REQUIREMENTS

SPECIFY POST AND FOOTING:

TYPICAL - NOT TO SCALE

HAMMOND LUMBER COMPANY HAS SUPPLIED THIS DRAWING FOR ILLUSTRATIVE AND INFORMATIONAL PURPOSES ONLY. THE HOMEOWNER/CONTRACTOR IS RESPONSIBLE FOR ENSURING THAT THE MATERIALS CHOSEN WILL COMPLY WITH LOCAL BUILDING CODES AND/OR STANDARD BUILDING PRACTICES. HAMMOND LUMBER COMPANY SUGGESTS THAT ISN'T CUSTOMERS SEEK THE ASSISTANCE OF A REGISTERED ENGINEER OR ARCHITECT IF FURTHER INFORMATION IS NEEDED. THIS DRAWING IS NOT INTENDED TO BE USED AS A BASIS FOR CONSTRUCTION AND HAMMOND LUMBER COMPANY DISCLAIMS ANY RESPONSIBILITY IF THEY ARE SO USED.

Foundation Plan
Basement floor Plan
Deck cross section
A6

DRAWINGS ARE PROVIDED BY HAMMOND LUMBER COMPANY AS A SERVICE TO IT'S CUSTOMERS AND ARE INTENDED FOR INFORMATIONAL AND ILLUSTRATIVE PURPOSES ONLY. THE DRAWINGS IN THESE DRAWINGS IS NOT PREPARED OR REVIEWED BY A REGISTERED ARCHITECT AND SHOULD NOT BE USED AS A BASIS FOR CONSTRUCTION. HAMMOND LUMBER COMPANY SUGGESTS THAT THE CUSTOMER SEEK THE SERVICES OF A REGISTERED ARCHITECT TO OBTAIN TECHNICAL BLUEPRINTS IF THE CUSTOMER DESIRES TO PROCEED FURTHER. HAMMOND LUMBER COMPANY DISCLAIMS ANY RESPONSIBILITY FOR CONSTRUCTION AND HAMMOND LUMBER COMPANY DISCLAIMS ANY RESPONSIBILITY IF THEY ARE SO USED.

Hammond Lumber Company
Toll Free 1-866-HAMMOND
www.hammo
Auburn • Bangor • Me
Brunswick • Damariscot
Greenville • Presque'-I.

Reviewed for Code Compliance
Inspection Division
Department of Public Safety
Date: 10/05/17

ABB	Friday September 29, 2017	6/21/2011	
JHO	SCALE = AS NOTED	REV 1 7/1/2011	REV 2 7/28/2011
FOR	5 OF 6		

DRAWING # CN170795

JAKE & CHRIS SMALL

PORTLAND

62X48 CONTEMPORARY

OLIN