



Distance from Vert BWL 1 to Vert BWL 2 = 34 ft

Input Panel Lengths Below, ft							
Exterior Horizontal Braced Wall Lines				Exterior Vertical Braced Wall Lines			
Horizontal BWL 1		Horizontal BWL 2		Vertical BWL1		Vertical BWL2	
WSP		WSP		WSP		WSP	
Actual	Effective	Actual	Effective	Actual	Effective	Actual	Effective
11.464	11.464	5.432	5.432	13.583	13.583	16.25	16.25
7.969	7.969	3.901	3	9.219	9.219	3.75	3
4.74	4.74	3.901	3	0	0	0	0
0	0	3.37	2.25	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0

Lp = 24.173 ft 13.682 ft 22.802 ft 19.25 ft
 Lr = 4.902 ft 4.902 ft 6.302 ft 6.302 ft
 Meets Requirements? OK OK OK OK

Horizontal Joint Blocking Required? NO NO NO NO

Interior Vertical Braced Wall Lines, Method GB					
N/A		N/A		N/A	
GB		GB		GB	
Actual	Effective	Actual	Effective	Actual	Effective
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

Note: All GB BW panels must have GYP on both sides of the wall section. All WSP BW panels must have GYP on the other side of the wall section.

Lp = 0 ft 0 ft 0 ft
 Lr = 0.000 ft 0.000 ft 0.000 ft (Table 2)
 Meets Requirements? N/A N/A N/A
 Horizontal Joint Blocking? N/A N/A N/A