

STATUS

DEPT. PBB PBB

BY CHKD. APPD

REV. DATE

4/11/16

DATE

SUBMITTED FOR BUILDING PERMIT

STATUS

- 3. PRIOR TO COMMENCING ANY SITE CLEARING OR GRADING, THE DEVELOPER SHALL PROVIDE SURVEY ACCURATE FIELD MARKERS ADEQUATE TO ENABLE
- 4. SEPTIC SYSTEM TEST PITS AND LEACH FIELD LOCATIONS PREPARED BY SWEET ASSOCIATES OF FALMOUTH MAINE. LEACH FIELD LOCATIONS SHOWN ON THIS PLAN

5. SEE SUBDIVISION RECORDING PLAN (RECORDING PLAN I OF 2) FOR ADDITIONAL REQUIREMENTS AND INFORMATION.

6. SURVEY OF EXISTING CONDITIONS PREPARED BY CULLENBERG LAND SURVEYING, 892 OLD DANVILLE ROAD, AUBURN, MAINE 04210.

1. <u>DIMENSIONAL REQUIREMENTS</u>	<u>REQUIRED</u>	<u>PROPOSED</u>
LOT SIZE	6,500 S.F.	23,756 S.F. (UN—SEWERED)
MINIMUM STREET FRONTAGE	50 FT.	67.8 FT.
MINIMUM FRONT YARD	25 FT.	86.9 FT. MIN.
MINIMUM REAR YARD	25 FT.	50.1 FT. MIN.
MINIMUM SIDE YARD (2 STORY)	14 FT.	16.4 FT. MIN.
MAXIMUM LOT COVERAGE	35%	7.2% (1,714/2,3756 =.072)
MINIMUM LOT WIDTH	65 FT.	128.4 FT.
MAXIMUM STRUCTURE HEIGHT	35 FT.	- (2 STORY)

- I. THE CONTRACTOR SHALL COORDINATE THE INSTALLATION OF NEW UTILITIES WITH THE APPROPRIATE UTILITY COMPANY.
- 2. THE CONTRACTOR SHALL VERIFY ACTUAL FIELD LOCATION OF UTILITIES PRIOR TO CONSTRUCTION. ALL UTILITY WORK SHALL BE IN CONFORMANCE WITH THE
- 3. PROVIDE CONDUIT OF SUITABLE SIZE WITH PULL LINES FOR ALL UNDERGROUND WIRING BENEATH PAVEMENT AREAS OR AS REQUIRED BY THE UTILITY COMPANY.
- 4. PIPE MATERIAL FOR DOMESTIC WATER SERVICE SHALL BE TYPE K COPPER OR AS APPROVED BY THE PORTLAND WATER DISTRICT. FINAL SIZE OF SERVICE
- 6. ALL HOMES IN THE PROPOSED DEVELOPMENT SHALL BE SPRINKLED IN COMPLIANCE WITH NFPA ISD AS REQUIRED BY THE CITY OF PORTLAND CODE (NFPA IOI
- SUBSURFACE WASTEMATER DISPOSAL SYSTEM DESIGN IS BY SMEET ASSOCIATES OF FALMOUTH MAINE. LEACH FIELD IS SHOWN ON THIS PLAN FOR LOCATION

- I. PRIOR TO THE START OF ANY EXCAVATION FOR THE PROJECT BOTH ON AND OFF THE SITE, THE CONTRACTOR SHALL NOTIFY DIGSAFE AND BE PROVIDED WITH A DIGSAFE NUMBER INDICATING THAT ALL EXISTING UTILITIES HAVE BEEN LOCATED AND MARKED.
- 2. TEST PITS AND SEPTIC SYSTEM DESIGN AND LAYOUT BY SWEET ASSOCIATES. SEE HHE 200 DESIGN PLANS FOR SEPTIC SYSTEM DESIGN. VERIFY SEPTIC SYSTEM ELEVATION AND PROPOSED FINISHED FLOOR ELEVATION OF HOUSE WORK FOR A GRAVITY SEPTIC SYSTEM DESIGN AND THAT NO PUMP IS
- 5. CONTRACTOR TO NOTIFY THE OWNER AND DESIGNER OF ANY DISCREPANCIES DISCOVERED BETWEEN THE PLANS AND CONDITIONS IN THE FIELD
- 6. THE CONTRACTOR SHALL BE BLENDED ALL GRADES SO AS TO FORM A SMOOTH TRANSITION BETWEEN SURFACE ELEVATIONS. CONTRACTOR TO STAKE OUT SEPTIC SYSTEM AND LEACH FIELD FINISHED GRADE ELEVATION AND WALKOUT BASEMENT DOOR ELEVATION FOR OWNERS REVIEW IN THE FIELD
- 7. THE CONTRACTOR IS RESPONSIBLE FOR TAKING CARE OF ALL NECESSARY EROSION CONTROL MEASURES TO MINIMIZE SEDIMENT LEAVING THE SITE.
- 8. CONTRACTOR SHALL VERIFY GRADE "STEP DOWN" ON FOUNDATION WITH OWNER PRIOR TO BEGINNING CONSTRUCTION.
- 9. LOT 8 TO INCORPORATE ROOF DRIP LINE FILTERS FOR STORMWATER MANAGEMENT PURPOSES PER THE CITY OF PORTLAND SUBDIVISION APPROVAL.



