CITY OF PORTLAND, MAINE
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/06/17

Gervais

Silver Line Windows - Abbreviated Quote Report
Quick Spec

Quote #: 21474 83647 | Print Date: 11/21/2016 | Quote Date: | SL iQ Version: | Page 1 Of 2

Dealer: Hammond Lumber Company
2 Hammond Drive
Belgrade, ME 04917
207-495-3303
Sales Rep:

Customer:
Address:
Phone: Fax:
Contact:

Item	Qty	Item Size (Operation)	Location	Unit Price	Ext. Price
0001	1	2802,2 Panel Slider		383.26	383.26

Unit Size = 60" W x 39" H
RO Size = 60 1/2" W x 39 1/2" H
Nominal Size = 50 x 34

Energy Star: Yes, Zip: 04210, Climate Zone: North, White, Low-E PassiveSun, Argon, DP35, Standard Glass, Half Screen, Double Lock, Nailing Fin

u-Factor 0.30

Subtotal	383.26
Tax (0.00 %):	0.00
Grand Total	383.26

Customer Signature

Dealer Signature

**** All graphics viewed from the exterior**

PAI
HLC AUBURN
11/21/2016 14:27 97827780

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
03/06/17
Date:

Silver Line Windows - Abbreviated Quote Report

rene o

Quote #: 9 Print Date: 11/17/2016 Quote Date: 11/17/2016 SL iQ Version: 9.1

Dealer: Hammond Lumber Company 2 Hammond Drive Belgrade, ME 04917 207-495-3303 Sales Rep: Administrator	Customer: rene o Address: , United States Phone: Fax: Contact:

Item	Qty	Item Size (Operation)	Location
0002	6	3901,Double Hung	

Unit Size = 35 3/4" W x 60" H
RO Size = 36 1/4" W x 60 1/2" H
Nominal Size = 30 x 50

Energy Star: Yes, Zip: 04282, Climate Zone: North, Standard, White, Low-E PassiveSun, Argon, DP45, Standard Glass, Standard Glass, Full Screen, Double Lock, Nailing Fin

U Factor 0.30

0003 1 3901,Double Hung

Unit Size = 35 3/4" W x 48" H
RO Size = 36 1/4" W x 48 1/2" H
Nominal Size = 30 x 40

Energy Star: Yes, Zip: 04282, Climate Zone: North, Standard, White, Low-E PassiveSun, Argon, DP50, Standard Glass, Standard Glass, Full Screen, Double Lock, Nailing Fin

0.30

0004 3 3901,Double Hung

Unit Size = 35 3/4" W x 36" H
RO Size = 36 1/4" W x 36 1/2" H
Nominal Size = 30 x 30

Energy Star: Yes, Zip: 04282, Climate Zone: North, Standard, White, Low-E PassiveSun, Argon, DP50, Standard Glass, Standard Glass, Full Screen, Double Lock, Nailing Fin

0.30

0005 6 3902,Twin Double Hung

Unit Size = 71 1/2" W x 60" H
RO Size = 72" W x 60 1/2" H
Nominal Size = 30 x 50

Energy Star: Yes, Zip: 04282, Climate Zone: North, Standard, White, Low-E PassiveSun, Argon, DP50, Standard Glass, Standard Glass, Standard Glass, Standard Glass, Full Screen, Double Lock, Nailing Fin

0.30

CITY OF PORTLAND, MAINE
PLANNING & URBAN DEVELOPMENT
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/06/17

Andersen Windows - Abbreviated Quote Report

Project Name: 000108

Quote #: 108 Print Date: 11/17/2016 Quote Date: 11/17/2016 iQ Version: 16.1

Dealer: Hammond Lumber Company
Auburnk, Bangor, Belgrade, Boothbay Harbor, Brunswick, Damariscotta, Fairfield, Farmington, Greenville, Pemiquid, Portland, Skowhegan, Wilton

Sales Rep: jwn
Created By:

Customer:
Billing Address:
Phone: Fax:
Contact:
Trade ID: Promotion Code:

Item	Qty	Item Size (Operation)	Location

0001 1 PS6 (LS)

RO Size = 6' 0 3/4" W x 6' 10 7/8" H Unit Size = 6' 0" W x 6' 10 3/8" H

Unit, Assembled, LS Handing, White/PI White, Low E Tempered Glass
Insect Screen, Gliding, White
Hardware Trim Set, GD, 2 Panel, Tribeca - White

Zone: Northern
U-Factor: 0.28, SHGC: 0.32, ENERGY STAR® Certified: Yes

Customer Signature

Total Load Factor
0.733

Dealer Signature

**** All graphics viewed from the exterior**

**** Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.**

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/06/17

ENERGY STAR PARTNER

2016 ENERGY STAR® Qualification Chart

THERMA TRU DOORS

Impact

Door Collection / Glass Design											
Smooth-Star®											
8'0" Section											
Glass Size (Inches)	**22x80**	**20x80**	**22x64**	**14x80**	**22x47**	**22x47**	**21x15**	**8x36**	**7x80**	**7x64**	**8x47**
Blackstone®	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Crystalline™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Salinas®	.32 / .29		.32 / .29		.28 / .22	.28 / .22		.20 / .09	.24 / .17	.20 / .09	.20 / .09
Element			.29 / .29							.19 / .09	
Maple Park®			.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09		.19 / .09	.19 / .09
Avonlea®			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Saratoga™			.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Arden®			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Texas Star			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Wellesley™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Riserva™	.32 / .29		.29 / .29			.26 / .22	.20 / .09	.19 / .09	.24 / .17	.19 / .09	.19 / .09
Concorde™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22		.19 / .09	.23 / .16	.19 / .09	.19 / .09
Kensington™			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Crystal Diamonds™			.29 / .29		.26 / .22	.26 / .22		.19 / .09		.19 / .09	.19 / .09
Axis™	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Frosted Images®	.36 / .34	.36 / .34	.36 / .34					.21 / .10		.21 / .10	
Chinchilla	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Chord	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Granite	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Rainglass	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Satin Etch	.29 / .29	.29 / .29	.29 / .29		.26 / .22	.26 / .22	.19 / .09	.19 / .09	.23 / .16	.19 / .09	.19 / .09
Clear with Grilles Between Glass	.32 / .29	.32 / .29	.32 / .29	.28 / .22	.28 / .22	.28 / .22		.20 / .09	.24 / .17	.20 / .09	.20 / .09
Clear Glass	.31 / .32	.31 / .32	.31 / .32	.27 / .24	.27 / .24	.27 / .24		.20 / .09	.24 / .18	.20 / .09	.20 / .09
Low-E with Grilles Between Glass	.26 / .17	.26 / .17	.26 / .17	.23 / .13	.23 / .13	.29 / .25		.18 / .05	.21 / .10	.18 / .05	.18 / .05
Low-E Glass	.25 / .18	.25 / .18	.25 / .18	.22 / .14	.22 / .14	.22 / .14	.18 / .06	.18 / .06	.20 / .10	.18 / .06	.18 / .06

Key	
	Indicates Product is Energy Star Qualified in all 50 States
	Indicates Product is Energy Star Qualified in Northern Zone
	Indicates Product is NOT Energy Star Qualified

Numbers: U-Factor / Solar Heat Gain Coefficient
X: Indicates Product Availability

DO
CHOOSE SHI

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/06/17

Quotation

Hammond Lumber Company

Quote ID SQDS011725-1

P.O. Number

Line	Label	Qty	UOM	Family/Part Number	Unit	Extended
3		1.0000	EA	Entry Door Entry Door System	646.42	646.42

1-0/3-0/1-0 X 6-8, Left Hand Inswing, Smooth-Star Embossed/Molded Open, No glass, S210, Door and Both Sidelites, Double Bore, 2-3/4" Backset, 2-1/8" BoreDia, 2-1/8" Deadbolt Dia, 5 1/2" Center to Center, Sidelite 12" X 6-8, Clear, S210SL, Final Frame Rot Proof Bttm Jamb, 6-9/16", Continuous, WM180 Final Frame PVC w/"J" Channel, Inswing Composite Adjustable, Sill Finish Mill, 3 Self-Aligning Hinges, Satin Brass (Zinc Dichromate) - US2D, Brz Comp Weatherstrip,

All prices are in USD

Adjusted Subtotal (Discounted)		1,258.18
Tax	0.00%	0.00
Labor Tax	0.00%	0.00
Shipping and Handling	0.00	0.00
Other Charges (Specify)	0.00	0.00
Total Quote Value		1,258.18