



ROOF FRAMING PLAN
1/4"=1'-0"

- NOTES:**
- SEE GENERAL NOTES ON S1.
 - "V1" INDICATES VERSALAM BEAM MANUFACTURED BY BOBE CASABEDES CORP. OR APPROVED EQUAL.
 - "# " INDICATES COLUMN PROPERTIES SHALL BE "VERSALAM BEAM" 3000 LB DF (E=2.0x10⁶ PSI AND F_y=3000 PSI).
 - ROOF TRUSS LOADING SHALL BE AS FOLLOWS:
TCL=10 PSF
TCDL=10 PSF
BCLL=0 PSF
BCDC=10 PSF
TRUSS TYPE "A" @ 24" O.C.

LEGEND

BEARING WALL

THIS DOCUMENT IS THE PROPERTY OF L & L STRUCTURAL ENGINEERING SERVICES, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT THE WRITTEN PERMISSION OF L & L STRUCTURAL ENGINEERING SERVICES, INC.

L & L STRUCTURAL ENGINEERING SERVICES, INC.
SIX Q STREET
SOUTH PORTLAND, MAINE 04106
PHONE: (207) 767-4830
FAX: (207) 761-5432
EMAIL: lleng@maineengineering.com

Designed by: JLL	Checked by: JLL
Drawn by: JLL	Created by: JLL
Date: OCTOBER 5, 2024	Plot date: -
Project #: 24035	

OCEAN RIDGE CONDOMINIUMS
852 OCEAN AVENUE
PORTLAND, MAINE
ROOF FRAMING PLAN
UNITS 44, 45 & 46

