

Attic or additional Floor Joist Species Dimensions and Spacing (Table 802.4.2 or 503.3.1(1) & Table 503.3.2(1))			
Roof Rafter: Pitch, Span, Spacing & Dimension (Table 802.3.2(7))	VL R1D W 2x4	12' SPAN - TABLE 802.5.1 12' SPAN	
Sheathing; Floor, Wall and roof (Table 503.2.1(1))		FLOOR 3/4" PLY ROOF 5/8" PLY	1/2" Ply PLYWOOD PLYWOOD W/ GYPSUM
Fastener Schedule (Table 602.3(1) & (2))			
Private Garage Section 309 and Section 407 1999 BOCA) Living Space? (Above or beside)		5/8" FIRE CODE GWB W/ MUST CEILING	
Fire separation		1 HR DOOR	
Fire rating of doors to living space Door Sill elevation (407.5 BOCA)			
Egress Windows (Section 310)		FULLY SPRINKLED	
Roof Covering (Chapter 9)		30 YEAR ASPHALT	
Safety Glazing (Section 308)		ON AP BY NOT SHOWN ON SHEETS	DOOR TEMPERED
Attic Access (BOCA 1211.1)		ATTIC AREA OVER 30'	NOT SHOWN
Draft Stopping around chimney		NOT SHOWN	

NEED STAIR & FIRE RACK
W/ P

		Soil type/Presumptive Load Value (Table 401.4.1) 2000 PSF
		STRUCTURAL Footing Dimensions/Depth (Table 403.1.1 & 403.1.1(1), Section 403.1.2)
		Foundation Drainage Dampproofing (Section 406)
		Ventilation (Section 409.1) Crawls Space ONLY / BASEMENTS
		AnchorBolts/Straps (Section 403.1.4) 5/8" x 12 Bolt 36"
		Lally Column Type, Spacing and footing sizes (Table 502.3.4(2)) NEED
		Built-Up Wood Center Girder Dimension/Type FULL SPAN TRUSSE
		Sill/Band Joist Type & Dimensions 2x6 PTSCC
		First Floor Joist Species Dimensions and Spacing (Table 503.3.1(1) & Table 503.3.2(1)) 16" OPEN WEB JOISTS
		Second Floor Joist Species Dimensions and Spacing (Table 503.3.1(1) & Table 503.3.2(1)) 24" O.C. 40 lbs per sq ft

2545-67C

See Chimney Summary Checklist

	ON PLAN	Header Schedule
	NOT STAIRS	Type of Heating System
	3 PER UNIT INTERIOR	Stairs Number of Stairways
	Interior	Interior
	Exterior	Exterior
		Treads and Risers (Section 314)
		Width 3'1"
		Headroom 6'8" CLEAR
		Guardrails and Handrails (Section 315)
		Smoke Detectors Location and type/Interconnected
		Plan Reviewer Signature

INTERIOR FINISHED WALLS
w/ 3/4" HANDRAILS
NEED EXTERIOR
CORNER DETAILS

7 5/8 RISE 10" TREAD

3.5 x 12' 6" DEPTH