

418A-AC01001

ADVANTAGE PEST CONTROL, INC.
 1584 Broadway
 South Portland, ME 04106
 (207) 774-0457
 License Number CMA#068

Willie Wentzell
 903 Ocean Ave
 Portland, ME 04103
 (207) 251-0685

SPECIAL INSTRUCTIONS Cond Temp Wind
Inspect for something biting the tenants and check quality of mouse control set up.
BAIT IN BOXES HADNT BEEN TOUCHED. NO BUGS FOUND

| SERVICE FOR (Target Pest) | | | | PEST ACTIVITY & LOCATION | | | |
|---|--|--|--|--|---|--|---|
| <input type="checkbox"/> Pavement Ants | <input type="checkbox"/> Cockroaches | <input type="checkbox"/> Mice | <input type="checkbox"/> No Evidence Found | | | | <input type="checkbox"/> Evidence Found |
| <input type="checkbox"/> Carpenter Ants | <input type="checkbox"/> Wasps/Hornets | <input type="checkbox"/> Bed Bugs | <input type="checkbox"/> Inspection Rendered | | | | <input type="checkbox"/> Treatment Rendered |
| SERVICE FOR I = Inspected T = Treated B = Both | | | | <input type="checkbox"/> Preventive Treatment Rendered | <input type="checkbox"/> Recommend Increasing Service | | |
| <input type="checkbox"/> All Rooms | <input type="checkbox"/> Dining Room | <input type="checkbox"/> Laundry | <input type="checkbox"/> Ants | | | | |
| <input type="checkbox"/> Attic | <input type="checkbox"/> Exterior | <input type="checkbox"/> Living Rooms | <input type="checkbox"/> Cockroaches | | | | |
| <input type="checkbox"/> Bar | <input type="checkbox"/> Garage | <input type="checkbox"/> Restrooms | <input type="checkbox"/> Mice → <i>SAW A FEW DRAPPINGS IN ENTRYWAY - APPROX 10</i> | | | | |
| <input checked="" type="checkbox"/> Basement | <input type="checkbox"/> Interior | <input type="checkbox"/> Storage Areas | <input type="checkbox"/> Wasps/Hornets <i>BE 010</i> | | | | |
| <input checked="" type="checkbox"/> Bedrooms | <input type="checkbox"/> Kitchen | | | | | | |

| Material | EPA REG# | RATE | AMT | EU | AM | Material | EPA REG# | RATE | AMT | EU | AM |
|-------------------------|----------------|-------|-----|----|----|---------------------------|--------------|--------|-----|----|----|
| Adylon Cockroach G Bait | 100-1454 | 0.05 | | | | Generation Blox | 7173-216 | 0.25 | | | |
| Procor | 2724-352 | 1.2 | | | | Maxforce FGr. Insect Bait | 64248-19 | 1.0 | | | |
| Borid | 9444-129 | 99.0 | | | | Maxforce Roach Gel Bait | 64248-5 | 2.15 | | | |
| GB-SD | 9444-175 | 4.5 | | | | Point Source IGR | 2724-459 | 90.5 | | | |
| Contra-Blox | 12455-79 | 0.005 | | | | Suspend SC | 432-753 | 0.05 | | | |
| Cross Check Plus | 2793205-10404 | 0.03 | | | | Transport Mikron | 8033-109-279 | 0.54 | | | |
| Cross Check Plus | 2793205-10404 | 0.05 | | | | Transport Mikron | 8033-109-279 | .11 | | | |
| Demand CS | 10182-357 | 0.015 | | | | Eco PCD | 57425-25 | 0.0125 | | | |
| Demand CS | 10182-357 | 0.03 | | | | Eco PCD | 57425-25 | 0.05 | | | |
| D-Force HPX | 9444-217 | 0.05 | | | | Tempriid SC | 432-1483 | 0.075 | | | |
| Pyrethroid | 1012-1424 | 2.97 | | | | Tempriid SC | 432-1483 | 0.15 | | | |
| Diflone | 432-592 | 51.0 | | | | Wasp-X | 2724-785 | 1.7 | | | |
| Genrol | 2724-304-50803 | 0.5 | | | | IC3 | 87276-Exempt | 0.0045 | | | |
| Maxforce Impact Roach | 432-1531 | 1.0 | | | | Tri-Die | 493-365 | 13.4 | | | |

KEY

| EU = Equipment Used | AM = Application Method |
|----------------------------------|-------------------------|
| A = Aerosol Can | B = Barrier |
| B = B & G Compressed Air Sprayer | C = Crack & Crevice |
| D = Bulb Duster | P = Perimeter |
| M = Micro Injector | S = Spot |
| P = Power Sprayer | U = Space ULV |
| S = Solo Backpack | V = VOID Spaces |

2/12/2018
 Date _____ Time Out _____

Amount _____

Cash
 Check # _____

Customer Signature _____

Thank you for choosing Advantage Pest Control. We appreciate your business.

Do not contact treated surfaces until dry. 3 hours ventilation before entry.
Do not tamper with rodent bait stations.