




GRAPHIC DEPICTION		DESCRIPTION			
		<p>DEMISING WALL 1 HOUR FIRE RATED WITH DEFLECTION HEAD SLIP TRACK</p> <p>$\frac{5}{8}$" TYPE "X" GWB - 6" MTL STUDS AT 16" O.C. (18 GAUGE) - 6" ROXUL MINERAL BATT INSULATION - RESILIENT CHANNEL $\frac{5}{8}$" TYPE "X" GWB</p>			
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING	
1A	1 HR	U465	N/A	N/A	

GRAPHIC DEPICTION		DESCRIPTION		
		$\frac{5}{8}$ " GWB $\frac{3}{8}$ " MTL STUDS AT 16" O.C. $\frac{3}{2}$ " ROKUL MINERAL BATT INSULATION $\frac{5}{8}$ " GWB		
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
NA	N/A	N/A	N/A	N/A

GRAPHIC DEPICTION		DESCRIPTION		
		<ul style="list-style-type: none"> • 5/8" GWB • 3/8" MTL STUDS AT 16" O.C. • 3/4" ROXUL MINERAL BATT INSULATION • 1/2" SOUNDBOARD • 5/8" GWB 		
TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
NB	N/A	N/A	N/A	N/A



1 FIRST FLOOR PLAN
1/8" = 1'-0"



1 EXISTING SECOND FLOOR PLAN
1/8" = 1'-0"