Reviewed for Code Compliance
Inspection Division
Portland, Maine
Date: 01/29/18

DOOR SCHEDULE

NOTES:
1. EXTERIOR DOOR JAMBS TO BE SEALED TO THIER ROUGH OPENINGS USING LOW EXPANDING FOAM, BACKER ROD OR CAULKING.

2. ALL EXTERIOR DOORS TO BE WEATHER STRIPPED

3. ALL DOOR HARDWARE TO BE "LEVER TYPE"

4.) ALL DOORS TO HAVE SOLID CORES

GLAZING SCHEDULE

KEY	GLAZING TYPE
GL-1	INSULATED CLEAR GLAZING
GL-2	FIRE RATED INSULATED GLAZING
GL-3	CLEAR TEMPERED GLASS
GL-4	CLEAR INSULATED TEMPERED GLASS
GL-5	FIRE RATED GLAZING

2 DOOR TYPES
1/4" = 1'-0"

DOOR SCHEDULE

DOOR								FRAME						GENERAL			
		SIZE									DETAILS						
DOOR NO.	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	HEAD	JAMB	SILL	CLOSER	FIRE RATING (MINUTES)		REMARKS
A	A	3'-0"	7'-0"	1-3/4	WD	PTD	Y	1	STL	-	-	-	-	-	-	-	LEVER TYPE HARDWARE
B	B	6'-0"	7'-0"	1-3/4	STL	PTD	Y	1	STL	-	-	-	-	-	60	-	DOUBLE SWING DOUBLE DOORS, LEVER TYPE HARDWARE
C	C	3'-0"	7'-0"	1-3/4	STL	PTD	Y	1	STL	-	-	-	-	Y	60	-	PANIC HARDWARE, LEVER TYPE HARDWARE
D	D	-	-	-	-	-	Y	-	-	-	-	-	-	-	-	-	EXISTING DOOR, ENSURE PANIC HARDWARE IS INSTALLED

HARDWARE KEY
MLS - MORTISE LOCK SET
LS - LOCK SET
PR - PRIVACY SET
PS - PASSAGE SET
LP - LEVER PULL
PH - PEEPHOLE LENSE

NOTE: FOR DOOR HARDWARE SEE DOOR HARDWARE SPECIFICATION SECTION 08710

REGISTERED ARCHITECT
RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2017 RYAN SENATORE ARCHITECTURE

GRIME STUDIOS
PORTLAND, MAINE

RSA
RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET, SUITE 304
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: OCTOBER 16, 2017
PROJECT No. 1428
DRAWN BY: RJS / RRT
CHECKED BY: RJS
SCALE: AS NOTED

SHEET TITLE:
DOOR SCHEDULE

A7-0