Reviewed for Code Compliance
Inspection Division
City of Portland, Maine
Date: 01/29/18

WALL TYPES:

GRAPHIC DEPICTION	DESCRIPTION
	DEMISING WALL 1 HOUR FIRE RATED WITH DEFLECTION HEAD SLIP TRACK 5/8" TYPE "X" GWB - 6" MTL STUDS AT 16" O.C. - 6" ROXUL MINERAL BATT INSULATION - RESILIENT CHANNEL 5/8" TYPE "X" GWB

TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
1A	1 HR	U465	N/A	N/A

GRAPHIC DEPICTION	DESCRIPTION
	5/8" GWB - 3 5/8" MTL STUDS AT 16" O.C. - 3 1/2" ROXUL MINERAL BATT INSULATION 5/8" GWB

TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
NA	N/A	N/A	N/A	N/A

GRAPHIC DEPICTION	DESCRIPTION
	5/8" TYPE "X" GWB - 6" MTL STUDS AT 16" O.C. - 6" ROXUL MINERAL BATT INSULATION - RESILIENT CHANNEL 5/8" TYPE "X" GWB

TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
1B	1 HR	U465	N/A	N/A

GRAPHIC DEPICTION	DESCRIPTION
	5/8" GWB - 3 5/8" MTL STUDS AT 16" O.C. - 3 1/2" ROXUL MINERAL BATT INSULATION - 1/2" SOUNDBOARD - 5/8" GWB

TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
NB	N/A	N/A	N/A	N/A

GRAPHIC DEPICTION	DESCRIPTION
	5/8" GWB - 3 5/8" MTL STUDS AT 16" O.C. 5/8" GWB

TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
NC	N/A	N/A	N/A	N/A

GRAPHIC DEPICTION	DESCRIPTION
	DOUBLE SOUND WALL AND PERIMETER BEARING WALL (SEE STRUCTRUAL DRAWINGS FOR STUD SIZES) 1" AIR SPACE BETWEEN WALLS - MTL STUDS AT 16" O.C. - 3 1/2" ROXUL MINERAL BATT INSULATION 5/8" GWB

TYPE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
ND	N/A	N/A	N/A	N/A

REGISTERED ARCHITECT
RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2017 RYAN SENATORE ARCHITECTURE

GRIME STUDIOS
PORTLAND, MAINE

RSA
RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET, SUITE 304
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE:	OCTOBER 16, 2017
PROJECT No.	1428
DRAWN BY:	RJS / RRT
CHECKED BY:	RJS
SCALE:	AS NOTED

SHEET TITLE:
WALL AND FLOOR TYPES

A0-1