Form # P 04

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

CITY OF PORTLAND

Please Read Application And Notes, If Any, Attached

PERIVI

Permit Number: 080948

provided that the person or persons	rm or		permit shall comply with a
AT 125 PRESUMPSCOT ST		L 425 A0020	01 116 2 5
has permission toAdd second floor within exi	g space future	ant	The second secon
This is to certify thatPRESUMPSCOT STREET	OPERTIES LLC/R	egan & Company	PERMIT ISSUED

of the provisions of the Statutes of the construction, maintenance and the of buildings and further application on file in this department.

Apply to Public Works for street line and grade if nature of work requires such information.

ificatio of insper on must be an and with en permoon proceed or light of the process of the proc

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept. Cook Cook

Health Dept.

Appeal Board_

Other

Department Name

pawe farte 8/29/08

Director - Building & Inspection Services

PENALTY FOR REMOVING THIS CARD

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

to schedule your inspections as agreed upon
Permits expire in 6 months, if the project is not started or ceases for 6 months.

The Owner or their designee is required to notify the inspections office for the following inspections and provide adequate notice. Notice must be called in 48-72 hours in advance in order to schedule an inspection:

By initializing at each inspection time, you are agreeing that you understand the inspection procedure and additional fees from a "Stop Work Order" and "Stop Work Order Release" will be incurred if the procedure is not followed as stated below.

A Pre-construction Meeting will take place upon receipt of your building permit.

X Framing/Rough Plumbing/Electrical: Prior to Any Insulating or drywalling

X Underground electrical inspection prior to pouring concrete

Certificate of Occupancy is not required for certain projects. Your inspector can advise you if your project requires a Certificate of Occupancy. All projects <u>DO</u> require a final inspection.

If any of the inspections do not occur, the project cannot go on to the next phase, REGARDLESS OF THE NOTICE OR CIRCUMSTANCES.

CERIFICATE OF OCCUPANICES MUST BE ISSUED AND PAID FOR, BEFORE THE SPACE MAY BE-OCCUPIED.

Signature of Applicant/Designee

Signature of Inspections Official

CBL: 425 A002001

Building Permit #: 08-0948

City of Portland, Maine	e - Building or Use	Permi	t Application	n Pei	rmit No:	Issue Date	:	CBL:	
389 Congress Street, 0410	1 Tel: (207) 874-8703	, Fax:	(207) 874-871	6	08-0948			425 A	002001
Location of Construction:	Owner Name:				r Address:			Phone:	
125 PRESUMPSCOT ST	PRESUMPSO	OT ST	REET PROPE	PO I	3OX 403				
Business Name:	Contractor Name	:		Contr	actor Address:		=	Phone	
	Regan & Com	pany		106	Merrill Road	Gray		2073293	441
Lessee/Buyer's Name	Phone:		1	Permi	t Type:		_		Zone:
			}	Add	litions - Comi	mercial			1-11
Past Use:	Proposed Use:			Perm	it Fee:	Cost of Wor	k: (EO District:] priman
Commercial	Commercial -				\$440.00	\$41,50	Phone: Phone 207329344 Work: CEO District: 1,500.00 4 INSPECTION: Use Group: B Signature: PM 8 8 DISTRICT (P.4.1). Approved w/Conditions Date: Does Not Requires Revision Approved w/Conditions Date:	2	
	within existing	g space	for future	FIRE	DEPT:	Approved		\sim	
	tenant				Г	Denied	1	7)	Type:
						-	_	ν - ¬	403
							1	18C-5	003
Proposed Project Description:		-			A	\sim		mark	alacka
Add second floor within exist	ting space for future tena	ant		Signat	CH CAL	Seal.		THIS	<u> </u>
				PEDE	STRĪAN ACTI	WITIES DIST	FRICT (P.	4 .1)	1 /
				Action	n: Approv	red Ap	proved w/C	Conditions	Denied
				Ciana			,	Data	
Downit Talian Day	Data Applied Form	Γ		Signa				——————————————————————————————————————	
Permit Taken By: ldobson	Date Applied For: 08/01/2008			Zoning Approval					
		Sne	cial Zone or Revie	ws	Zonin	g Appeal	- 1	Historic Pre	servation
1. This permit application of				****			,		
Applicant(s) from meeting Federal Rules.	ng applicable State and		noreland		☐ Variance			Not in Distri	ict or Landmark
			(al 1					Dan Nat D	i Daniem
2. Building permits do not a septic or electrical work.		LJ W	etland		Miscella	neous		_ Does Not Re	equire Review
•			ood Zone	Conditional Use			Dequires De	view	
3. Building permits are voice within six (6) months of		'''	ood Zone		Conditio	mai Osc		Requires Re	VIC V
False information may in		$ _{\square S_{1}}$	ıbdivision		│ │ │ Interpret	ation		Annroved	
permit and stop all work.	•		.burvision		l	ution		pp.o.va	
		│ ┌┐ Si	te Plan		Approve	d	l	Approved w	/Conditions
		Maj Minor MM		Denied_			Denied)		
		all	evith c	ond	whel		ļ		>
	CCUED	Date:)	Date:	•	Dat	e:	—
PERMIT I	220ED	9	1/1/200					_	$\overline{}$
		U	117100						
AUG 2	o coo								
AUG 2	3 7 0								
CITY OF P	ORTLANU	(CERTIFICATION	ON					
I hereby certify that I am the o	wner of record of the na								
I have been authorized by the	owner to make this appl	ication	as his authorized	l agent	t and I agree t	to conform	to all app	olicable laws	of this
jurisdiction. In addition, if a p									
shall have the authority to ente such permit.	er all areas covered by si	ich perr	nit at any reasor	nable h	our to enforc	e the provi	sion of th	ne code(s) ap	oplicable to
such permit.									
SIGNATURE OF APPLICANT			ADDRESS	5		DATE		PHO	ONE

DATE

PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No:	Date Applied For:	CBL:
08-0948	08/01/2008	425 A002001

Ok to Issue:

Location of Construction:	Owner Name:	Owner Address:	Phone:
125 PRESUMPSCOT ST	PRESUMPSCOT STREET PROPE	PO BOX 403	
Business Name:	Contractor Name:	Contractor Address:	Phone
	Regan & Company	106 Merrill Road Gray	(207) 329-3441
Lessee/Buyer's Name	Phone:	Permit Type:	
		Additions - Commercial	

Proposed Use:	Proposed Project Description:
Commercial - Add second floor within existing space for future tenant	Add second floor within existing space for future tenant

Dept: Zoning Status: Approved with Conditions Reviewer: Marge Schmuckal Approval Date: 08/14/2005

Note: Ok to Issue: ✓

- 1) Separate permits shall be required for the new tenant PRIOR to complete fit-up or occupancy to determine compliance with the I-M zone allowable uses.
- 2) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

Dept: Building Status: Approved with Conditions Reviewer: Jeanine Bourke Approval Date: 08/29/2008

Note: Ok to Issue: ✓

1) Separate permits required for the new tenant fit up

Dept: Fire Status: Approved with Conditions Reviewer: Capt Greg Cass Approval Date: 08/14/2008

Note:

1) The Fire alarm and Sprinkler systems shall be reviewed by a licensed contractor[s] for code compliance.

Compliance letters are required.

2) Installation of a Fire Alarm system requires a Knox Box to be installed per city crdinance

Comments:

8/28/2008-jmb: Left voicemsg with Earle R. To verify scope of work and future fit up

8/29/2008-jmb: Earle R. Came in to clarify that this is just prep for the future tenant that will occupy both floors. No interior walls will be built at this time, except the bathrooms. Plumbing will be roughed in but not electrical.

General Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

	BU CG
Location/Address of Construction: 125	Frea Square Footage of Lot
Total Square Footage of Proposed Structure/A	rea Square Footage of Lot
Tax Assessor's Chart, Block & Lot Chart# Block# Lot# 425 A 2	Applicant *must be owner, Lessee or Buyer* Name Rasun & Company Address / J 6 Mcvr. // Rd City, State & Zip Gray MR DW39
Lessee/DBA (If Applicable)	Owner (if different from Applicant) Name ADE Mongrement. Address & City Conk! 3 Floor City, State & Zip And MB. Total Fee: \$
Current legal use (i.e. single family) If vacant, what was the previous use? Proposed Specific use: Is property part of a subdivision? Project description: Add Sec 8/1	If yes, please name
Contractor's name: Address: 106 Mrwill &	d /
// 1 -0	Vay MA 04039 Telephone: 207-329-344)
Who should we contact when the permit is read Mailing address: 106 Mc VV. 11	y: Farle 329-344/ Telephone: 207 329 344/ d Gruy, MR 04V3 9

Please submit all of the information outlined on the applicable Checklist. Failure to do so will result in the automatic denial of your permit.

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information or to download copies of this form and other applications visit the Inspections Division on-line at www.portlandmaine.gov, or stop by the Inspections Division office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature: Carl	\mathcal{L}	Coran	Date:	8/1/1	28

This is not a permit; you may not commence ANY work until the permit is issue



Certificate of Design Application

From Designer:

Date:

Date:

Job Name:

Address of Construction:

Lincoln / Haney Engineering Associates

Date:

Presumpscut St. Portland, ME

2003 International Building Code

Construction project was designed to the building code criteria listed below:

Building Code & Year _	2006 Use Group Classification	occupancy	Group B, professional
Type of Construction	Type 111		
Will the Structure have a F	ire suppression system in Accordance with S	Section 903.3.1 of the	2003 IRC Yes
	If yes, separated or non sep		
Supervisory alarm System?	•		1802.2)
Structural Design Calcul	ations		Live load reduction
Submitted	for all structural members (106.1 – 106.11)		Roof <i>live</i> loads (1603.1.2, 1607.11)
			Roof snow loads (1603.7.3, 1608)
Design Loads on Constr			Ground snow load, Pg (1608.2)
Uniformly distributed floor li Floor Area Use	Loads Shown		If $P_g > 10$ psf, flat-roof snow load p_f
2nd floor offices	50 PSF		If $Pg > 10$ psf, snow exposure factor, G
2nd floor compler	80 PSE	· · · · · · · · · · · · · · · · · · ·	
Partition allowance	25 Ps =		If $P_g > 10$ psf, snow load importance factor, I_g
			Roof thermal factor, _{(j} (1608.4)
		V. Milano	Sloped roof snowload, _{Ps} (1608.4)
Wind loads (1603.1.4, 160	9)		Seismic design category (1616.3)
Design opt	ion utilized (1609.1.1, 1609.6)		Basic seismic force resisting system (1617.6.2)
Basic wind	speed (1809.3)		Response modification coefficient, $_{R^{\prime}}$ and
Building ca	tegory and wind importance Factor, (b) table 1604.5, 1609.5)		deflection amplification factor _{Cd} (1617.6.2)
Wind expos	sure category (1609.4)		Analysis procedure (1616.6, 1617.5)
Internal pres	sure coefficient (ASCE 7)		Design base shear (1617.4, 16175.5.1)
· - ·	and cladding pressures (1609.1.1, 1609.6.2.2)	Flood loads (1	
	rind pressures (7603.1.1, 1609.6.2.1)	11000 10000 (1	_ Flood Hazard area (1612.3)
Earth design data (1603.1	1.5, 1614-1623)		Flood Hazard area (1612.5) Elevation of structure
	on utilized (1614.1)	0411-	Elevation of structure
	group ("Category")	Other loads	
Spectral res	ponse coefficients, Sl& & SD1 (1615.1)	25 PSE	Concentrated loads (1607.4)
Site class (1	615.1.5)	Larst	Partition loads (1607.5)
			Misc. loads (Table 1607.8, 1607.6.1, 1607.7, 1607.12, 1607.13, 1610, 1611, 2404

Accessibility Building Code Certificate

Designer:	John Ossie
Address of Project:	1901 Building 125 Presumpscot St. portland
Nature of Project:	Remodal of existing Electric supply
	building to professional office
	£ 10000

The technical submissions covering the proposed construction work as described above have been designed in compliance with applicable referenced standards found in the Maine Human Rights Law and Federal Americans with Disability Act. Residential Buildings with 4 units or more must conform to the Federal Fair Housing Accessibility Standards. Please provide proof of compliance if applicable.

Signature: Joh O.

Title: Designer / President

Firm: CAD-de-tech

Address: Portland, Me OA103

Phone: 2.7-329-6499

For more information or to download this form and other permit applications visit the Inspections Division on our website at www.portlandmaine.gov



Certificate of Design

Date:

07/24/08

From:

These plans and / or specifications covering construction work on:

1901 Building, 125 RAPBEN Presumpsot St.

Have been designed and drawn up by the undersigned, a Maine registered Architect / Engineer according to the 2003 International Building Code and local amendments.

Signature: Joh On

President/Designer Title:

(SEAL)

Firm: C>D-de-tech

Address: 235 Riverid. Industrial Partimaly
Portland, me 04103

207-329-6499 Phone:

For more information or to download this form and other permit applications visit the Inspections Division on our website at www.portlandmaine.gov



1901 BUILDING ALTERATIONS

125 PRESUMPSCOT STREET Portland, Maine

MATERIALS CONTINUOUS LUMBER NON-CONTINUOUS LUMBER PLYWOOD FINISH WOOD RIGID INSULATION BATT INSULATION

PLASTER, GROUT, MORTAR, CONCRETE CONCRETE MASONRY UNITS FARTH

GRAVEL

SYMBOLS COLUMN CENTERLINE GRID WORK LIMIT LINE

DETAIL KEY ELEVATION FLAG

WINDOW TYPE KEY

(101)

INTERIOR ELEVATION KEY

WALL TYPE KEY

图 EMERGENCY LIGHTS

18

Æ

Ø

X

EXIT SIGN - ILLUMINATED

EXIT SIGN W/ DIRECTIONAL CHEVRONS - ILLUMINATED

FIRE ALARM PULL STATION 48" A.F.F. TO CENTER

FIRE ALARM PULL STATION EXISTING

FIRE EXTINGUISHER - SURFACE WALL MOUNTED

SMOKE DETECTOR

HEAT DETECTOR

STROBE LIGHT - 15 -80" A.F.F. TO CENTER

STROBE LIGHT W/HORN - 110 CANDELA AND 85 dB 80" A.F.F. TO CENTER AT RENTAL SPACES, OFFICE AREAS, TOILETS, ETC. AND OPEN MEZZANINE.

LIFE SAFETY EXIST ACCESS AISLE - FLOOR HATCHING

ABBREVIATIONS

ALUI AC AFF ACO

CLG CLO: CMU COL CON CON CON CON CON

DEG DF DIA DN DIAG

EF EXT

FEEE

м	ALUMINUM	FE	FIRE EXTING
P	ACOUSTIC PANEL ABOVE FINISH FLOOR	FFE FIN	FINISH FLOO
US	ACOUSTICAL	FLG FND	FLASHING FOUNDATION
s	CEILING CLOSET	FIB	FIBER
	CONCRETE MASONRY UNIT	GL	GALVANIZED GLASS
IP IC	COMPOSITION CONCRETE	GWB	GYPSUM WA
IF ISULT	CONFERENCE CONSULTANT	HD HDRL	HAND HANDRAIL
π	CONTINUOUS COURSES	HM HR	HOLLOW MET
;	DEGREES	INS INSUL	INSULAT(ION)
	DRINKING FOUNTAIN DIAMETER	JAN	JANITOR
3	DOWN DIAGONAL	L	LAVATORY
	EXHAUST FAN	LAM	LAMINATE
	EXTERIOR ELEVATION	MACH	MACHINE
٧	ELEVATION/ELEVATOR EQUAL	MECH MET	MECHANICAL METAL
C JIP	ELECTRIC(AL) EQUIPMENT	MO MR	MASONRY OF MOISTURE R
;" ST	ELECTRIC WATER COOLER	NIC	NOT IN CON
. ,	EXISTING	OC OPP	ON CENTER OPPOSITE
			O

PLAS

PLASTIC

FIRE EXTINGUISHER FIRE EXTINGUISHER
FINISH FLOOR ELEVATION
FINISH
FLASHING
R
RD FOUNDATION FIBER GAL VANIZED GLASS GYPSUM WALLBOARD HAND HANDRAIL STD SHT SIM HOLLOW METAL HOUR INSULAT(ION)(ING)(ED)
INSULAT(ION)(ING)(ED) JANITOR TOM TOM TOS TYP LAVATORY LAMINATE MACHINE MECHANICAL UNO METAL VTR MASONRY OPENING MOISTURE RESISTANT NOT IN CONTRACT

QUARRY TILE RADIUS RADIUS ROOF DRAIN SIMILAR STEEL STORAGE STRUCTURAL SUSPENDED SYSTEM STANDARD SHEET SIMILAR TOILET TELEPHONE TEMPERED TOP OF MASONRY TOP OF STEEL TYPICAL UNLESS NOTED OTHER UNDERWRITERS LABOR

VENT THROUGH ROOF

WITH WHEELCHAIR


FIRE RATED DESIGN PENETRATION REQUIREMENTS:


ALL PENETRATIONS MADE THROUGH ANY FIRE RATED ASSEMBLY SHALL BE AN APPROVED METHOD SO AS TO MAINTAIN THE UL FIRE RATING. FIRE DAMPERS, ETC MAINIAIN THE UL FIRE RATING, FIRE DAMPERS, ETC SHALL BE PROVIDED AND ALL PENETRATIONS SHALL RECEIVE AN APPROVED FIRESTOP SEALANT AROUND THE ENTIRE OPENING. THE FIRE STOP SEALANT SHALL BE OF THE APPROPRIATE MATERIAL SO AS TO MAINTAIN THE FIRE RATING OF THE SURFACE THAT IS BEING PENETRATED.


NOTE:

NO LIABILITY FOR CHANGES BONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

- 1. Contractor/owner responsible for securing all necessary permits.
- 2. Contractor/owner will Comply with all applicable codes and ordinances.
- 3. Contractor/owner to verify all site grades and dimensions.







IOTE:

CONTRUCTOR/OWNER ASSUMES ALL RESPONSIBILITY CONTRUCTOR OWNER ASSUMES ALL RESPONSIBILITY CONTROL OF THE CONTROL OF THE CLERT STATE OF THE CLERT STA


1. Contractor/owner responsible for securing all necessary permits.

2. Contractor/owner will Comply with all applicable codes and ordinances.


3. Contractor/owner to verify all site grades and dimensions.

ADA REQUIREMENTS

NOT TO SCALE



NOTE: REMOVE ALL EXISTING PARTITIONS AND SECOND FLOOR PLATFORM





NOTE:

HE CONTRACTOR/OWNER ASSAMES ALL RESPONSIBILITY OR ICOAL CODE COMPLIANCE.

LL DRIAWNOS, PLANS, SECTIONES ETC. ARE PROVIDED TO OUR LEATH BASED UPON HOROMATION PROVIDED BY THE CLIDITIES OF CONTRACTORS OF CONTRACTORS OF LAW OLD CALL CODES, NOWE OF THE EMPLOYESS OF CONTRACTORS OF LAW OLD CALL CODES, NOWE OF THE EMPLOYERS OF LAW OLD HE VERFELD PROVIDED ON HAND THE PROPER ACTUAL CONSTRUCTION OF COLORS AND SPECIFICATIONS SHOULD BE VERFELD FOR ACTUAL CONSTRUCTION OF COLORS AND SPECIFICATIONS SHOULD BE VERFELD THE AND CONTRACTOR BEFORE ACTUAL CONSTRUCTION OF COLORS OF THE AND CONTRACTOR BEFORE ACTUAL CONSTRUCTION OF COLORS COT THE AND CONTRACTOR BEFORE ACTUAL CONSTRUCTION OF COLORS OF THE AND CONTRACTOR BEFORE ACTUAL CONSTRUCTION OF COLORS OF THE AND CONTRACTOR BEFORE ACTUAL CONSTRUCTION OF CONTRACTOR SHOULD BE VERY AND CONTRACTOR BEFORE ACTUAL CONSTRUCTION OF CONTRACTOR SHOULD BE VIOLED TO THE CONTRACTOR SHOULD BE VIOLED TO CONTRACTOR.


- 1. Contractor/owner responsible for securing all necessory permits.
- 2. Contractor/owner will Comply with all applicable codes and ordinances.
- 3. Contractor/owner to verify oil site grodes and dimensions.






EXISTING FRONT ELEVATION

EXISTING LEFT ELEVATION



EXISTING RIGHT ELEVATION




EXISTING BUILDING SECTION


NOTE:


THE CONTRACTOR/OWNER ASSUMES ALL RESPONSIBILITY FOR LOCAL, CODE COMPLIANCE.


ALL DRAWNOSS, PHANS, SETEMAS ETC. ARE PROVIDED TO OUR CLIENT BASED UPON INFORMATION PROVIDED BY THE CLIENT BASED UPON INFORMATION PROVIDED BY THE CLIENT PRACTICES AND LOCAL CODES, NOWE OF THE CIMENTESS OF COST AND LOCAL CODES, NOWE OF THE CIMENTESS OF COST AND LOCAL CODES, NOWE OF THE CIMENTESS OF COST ASSUMED AND SECONS AND OWNERATIONS OF SECONS AND SECONS AND OWNERATIONS AND SECONS AND THE COST ASSUMED A

- 1. Contractor/owner responsible for securing all necessary permits.
- 2. Contractor/owner will Comply with all applicable codes and ordinances.
- 3. Contractor/owner to verify all site grades and dimensions.










NOTE:

TYPE CONTRACTOR/OWNER ASSURES ALL RESPONSIBILITY
FOR LOCAL CODE COMPLANCE.


ALL DRAWNOS, PAMES, SECTIONES TIC. ARE PROMODED TO OUR
CLENTS BASED UPON INFORMATION PROMODED BY THE CLENT
AND GRAWN IN ACCORDANCE WITH COMMON BURLONG PRACTICES
AND CORDERS. AND WITH COMMON BURLONG PRACTICES
AND EXCENTIONES. THE COMPLETE OF COTT
AND CONTRACTOR OF THE COMPLETE OF COTT
SUPPLY CONTRACTOR BEFORE ACTUAL CONSTRUCTION
BY CLUET AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION
BEGINS COT WILL BE HED HARMLESS
OUT ASSURED ON LABOUT FOR CHANGES
AND/OR REMSORS MADE TO PLANS ST CLUENT AND/OR CONTRACTOR.

- 1. Contractor/owner responsible for securing all necessary permits.
- 2. Contractor/owner will Comply with all applicable codes and ordinances.
- 3. Contractor/owner to verify all site grades and dimensions.



1. Contractor/owner responsible for securing all necessary permits. 2. Contractor/owner will Comply with all applicable codes and ordinances.

3. Contractor/owner to verify all site grades and dimensions.



					DO	OF	R S	ND	FF
			2	OOR					
		SIZE					IVER		
MARK	WD	HGT	тнк	MATL	GLAZING	WD	нст	MATL	EL
NOT USED			_==	-		0	0"		
2	3-0°	7'-0"	1 3/4"	W		0	0,	HM	
3	3'−0"	7'-0"	1_3/4	₹		0	0,	HM	
4	3-0	7'-0"	1 3/4	WD		0	0,	HM	
5	3'-0"	7'-0"	1 3/4"	WD.		0	0.	HM	
6	3,-0,	7'-0"	1 3/4	WD		0	0"	HM	
_ 7	2'8"	7'-0"	1 3/4"	WD		0	0,	HM	
- 8	3'-0"	7'-0"	1 3/4"	WD		0	0"	HM	
9	3,-0,	7'-0"	1 3/4"	WD		0	0"	HM	
10	3'-0"	7'-0"	1 3/4"	WD		0	0"	HM	
- 11	3'-0"	7'-0"	3/4"	WD		0	0"	HM	
12	3'-0"	7'-0"	1 3/4	₩D		0	0"	HM	
13	3'-0"	7'-0"	1 3/4"	WD		0	0-	HM	
14	3'-0"	7'-0"	1 3/4	HM		0	0"	НМ	~-

MARK	WD	HGT	тнк	MAIL	GLAZING	WD	HGT	MAIL	EL
NOT USED						0	0"		
	3'-0"	7'-0"	1 3/4"	WD		0	0,	HM	
3	3,-0,	7'-0"	1 3/4	AL.		0	0.	HM	
4	3'-0°	7'-0"	1 3/4	WD		0	0,	HM	
5	3'-0"	7'-0"	1 3/4"	WD_		0	0,	HM	
6	3'-0"	7'-0"	1 3/4	WD		0	0"	HM	
_ 7	2'8"	7'-0"	1 3/4"	WD		0	0,	HM	
- 8	3,-0,	7'-0"	1 3/4"	₩D		0	0"	HM	
9	3,-0,	7'-0"	1 3/4"	WD		0	0"	HM	
10	3'-0"	7'-0"	1 3/4"	WD		0	0"	HM	
11	3'-0"	7'-0"	3/4"	₩D		0	0"	HM	
12	3'-0"	7'-0"	1 3/4	₩D		0	0"	HM	
13	3'-0"	7'-0"	1 3/4	WD		0	0-	НМ	
14	3'-0"	7'-0"	1 3/4	HM		0	0"	HM	

#001	SET #003
4 Hinges	3 Hinges
2 Hinges	1 Lockset
2 Door Pull	1 Cylinder
1 Magnalock	1 Closer
2 Closer	1 Wail Sto
2 Kickplate	3 Door Sil
2 Wali Stop	
1 Dower Supply	

1 Power Supply 2 Touch Sense Bar

1 Set Weatherstop 2 Astragal 2 Door Bottom

SET #001

1 Cylinder 1 Closer 1 Wall Stop

3 Door Silencers

5 Hinges
1 Hinges
2 Flush Bort
1 Lockset
1 Cylinder
1 Electric Strike
1 Closer
2 Wall Stop
1 Dust Proof Strike
1 Set Weatherstron 1 Set Weatherstrip 1 Weatherstrip

SET#005


2 Auto Door Botton 1 Threshold

SET #002 SET #004

> 3 Hinges 1 Door Pull 1 Closer 3 Hinges 1 Exit Device 1 Closer 1 Kickplate
> 1 Set Weatherstrip
> 1 Door Bottom

1 Kickplate 1 Push Plate 1 Wall Stop 3 Door Silencers

1 Threshold



LEGEND

- (A) 2x4 STUDS BELOW #24" OC; ALIGN W FLOOR JOIST
- LI 2-2x8 W 5" FLYMOOD FILLER- TYPICAL UNLESS NOTED
- 2 34'x44 VERSA-LAM
- (L3) 9- L'6 4x9%x%

STRUCTURAL NOTES

PESIGN LOADS (Reference Code: 2006 International Building Code)
Building Live Loads:
2nd Floor Offlices 50 psf
2nd Floor Corridors 80 psf
Partition Allowance 25 psf

<u>GENERAL NOTES</u>

1. The Contractor shall verify all dimensions and conditions at the site and report any discrepancies to the Project The Contractor shall verify all dimensions and conditions at the site and report any discrepancies to the Project Engineer.
 All dimensions and elevations noted on structural drawings are to be coordinated by the Contractor with the architectural drawings. Any discrepancies shall be brought to the attention of the Architect before proceeding.
 Scale indicated on drawings is for convenience only. It is not intended that information be determined by scaling the drawing since some items may not be to the scale shown as the result of revisions.

CONCRETE NOTES

Concrete for leveling of floors shall have a minimum 28 day compressive strength of 3,000 psi.
 Concrete mix shall meet the following criteria:

3/4" (3/8" If concrete thickness (1-1/2")

2. Concrete mix shall meet the following criteria:
a. Maximum aggregate size:
b. Percent air-entrainment (interior Slabs):
c. Maximum simp:
d. Maximum simp:
d. Maximum water/cement ratio:
3. Concrete for slabs shall be reinforced with nylon or polypropylene floers.

STEEL LINTELS

- 1. Lintel angles at new openings in exterior brick walls shall conform to ASTM A36.
 2. Lintel angles shall be galvanized.
 3. Lintel angles shall extend a minimum of 6" beyond the jamb of the openings.

CONVENTIONAL MOOD FRAMING

- CONVENTIONAL MOOD FRAMING

 1. All mood wall framing shall be No. 2 kiln dried Spruce-Pine-Fir (S-P-F) or equal.


 2. Stude within bearing walls shall align with the mood 1-joists above.

 3. Continuous lines of 2x4 horizontal blocking, 4'-O' above the floor, shall be provided between studs in load bearings walls studs.

 4. Use 3/4' tongue and groove plymood with a 48/24 APA span rating for floor deck. Give and screw the plymood to floor joists with #10 x 2' screws at 8' o.c.

- ENGINEERED WOOD BEAMS AND JOISTS

 1. Wood i-joists and engineered wood beams shall be as manufactured by Boise Cascade or approved equal. Any substitutions must be approved by the Engineer. Member sizes and designations shall be as indicated on the
- 2. Wood 1-joists shall be continuous over bearing walls (i.e., full lengths m/o joints)



DATE

ġ

BUILDING ALTERATIONS PRESUMPSCOT ST.

25 PRESUMPSCOT PORTLAND, MAINI

125 1901

B&C PLL

FRAMING

FLOOR

2ND

PROPOSED

207-729-2941

04011 Fax: 2


7-22-06 2006.044

LINCOLN NO. 3913

ey Inc.

n/Han

Lincoln, Engineering As 6 Federal Street Brungwick, Maine Phone: 207-729-1061



9-15-08 OK - plum. Dat only: MChy
9-16-08 OK - air Test Mchy
11-05-08 OK - service 2009 19 OH FM+Mc (vote: needed hange on joiste for platfum on staining)

85/12/09 CLOSED MAN



CITY OF PORTLAND, MAINE

Department of Building Inspections	
	3. 1 2008
Received from	respondent
Location of Work	COPELL P. J. Star
Cost of Construction \$ Permit Fee \$	177.3
Building (IL) Plumbing (I	I5) Electrical (I2) Site Plan (U2)
CBL: 405 A	
Check #:	Total Collected s 1/0/s
No work is to be sta	NOT A PERMIT arted until PERMIT CARD is actually posted of fee is no guarantee that permit will
be granted. PRESERVE	THIS RECEIPT. In case permit cannot be ne fee will be refunded upon return of the
WHITE - Applicant's Copy YELLOW - Office Copy NK - Permit Copy	