

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that
THERIAULT LUCAS R

Located at
125 SHERWOOD ST

PERMIT ID: 2017-01432 ISSUE DATE: 11/03/2017 CBL: 428 A003001

has permission to **Rebuilding rear one story section - slightly larger , adding a 4' x 10' deck and changing layout of first floor apartment after fire.**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Jason Grant

/s/ Glenn Harmon

Fire Official

Building Official

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD**

Approved Property Use - Zoning

first floor dwelling unit in three unit building

Building Inspections

Use Group: R2

Apartment

1st floor partial

IBC 2009/MUBEC

Fire Department

Type: VB

BUILDING PERMIT INSPECTION PROCEDURES
Please call 874-8703
or email: buildinginspections@portlandmaine.gov

**Check the Status of Permit or Schedule an Inspection at
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that are attached to this permit.**
- **Permits expire in 6 months if the project is not started or ceases for 6 months.**
- **If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.**

REQUIRED INSPECTIONS:

Above Ceiling Inspection
Close-in Plumbing/Framing
Electrical Close-in
Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

City of Portland, Maine - Building or Use Permit		Permit No: 2017-01432	Date Applied For: 09/11/2017	CBL: 428 A003001
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716				
Proposed Use: Three dwelling units		Proposed Project Description: Rebuilding rear one story section - slightly larger , adding a 4' x 10' deck and changing layout of first floor apartment after fire.		
Dept: Zoning		Status: Approved w/Conditions	Reviewer: Ann Machado	Approval Date: 09/19/2017
Note: R-5 zone - using plot plan from permit 2014-02455 -increasing the footprint of the rear section Lot size - 8772 sf front setback - N/A rear setback - 20' min. - 33' given - OK side setback - 1 story - 8' - right side - 57.7' - OK left side - 9.3' - OK lot coverage - 3508.8 sf - 138.25 sf total - OK				Ok to Issue: <input type="checkbox"/>
Conditions:				
Dept: Building Inspecti		Status: Approved w/Conditions	Reviewer: Glenn Harmon	Approval Date: 10/24/2017
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) Separate permits are required for any electrical and plumbing systems. Separate plans may need to be submitted for approval as a part of this process.				
2) Separation between closet and stair from unit above shall be 1hr per IBC 420 ref 709.3.				
3) Roof finish and underlayment shall comply with IBC 1507.				
4) Construction shall be in compliance with the requirements of the IBC 2009 and MUBEC.				
5) This permit is approved based upon information provided by the applicant or designer. Any deviation from the final approved plans requires separate review and approval prior to work.				
Dept: Fire		Status: Approved w/Conditions	Reviewer: Jason Grant	Approval Date: 11/03/2017
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) Every sleeping and living area in a residential occupancy shall have at least 1 primary means of escape and 1 secondary means of escape. The secondary means of escape may be an outside egress window operable from the inside without the use of tools, keys or special effort. In buildings built before 1976, egress windows shall provide a net clear opening 3.3 sq. ft. The width shall not be less than 20 inches and height shall not be less than 24 inches. The bottom of the window opening shall not be more than 44 inches above the floor unless a permanent step is installed.				
2) City of Portland Code Chapter 10 section 10-3 (L) all residential occupancies, and all new multiple occupancies containing attached parking structures or fuel burning appliances shall be protected in accordance with NFPA 720, Standard for the Installation of Carbon Monoxide (CO) Detection and Warning Equipment, 2009 edition. Detectors shall be provided in the following areas. 1. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas 2. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.				
3) City of Portland Code Chapter 10 section 10-3 (i) all new smoke alarm must use photoelectric technology. In existing apartment building smoke detectors must be powered by the buildings electrical service and must have a secondary power source (battery). Smoke Alarms shall be installed per NFPA 101 2009 section 9.6.2.10. Detectors are required to be installed in the following locations 1. Inside all sleeping rooms. 2. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas 3. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.				

PERMIT ID: 2017-01432

Located at: 125 SHERWOOD ST

CBL: 428 A003001

4) All construction shall comply with City Code, Chapter 10.

All construction shall comply with 2009 NFPA 101 Life Safety Code, Chapter # 43 and other applicable chapters

All construction shall comply with 2009 NFPA 1, Fire Code.

This review and approval by the AHJ shall not relieve the applicant of the responsibility of compliance with this Code. NFPA 1 (section 1.14.4).

All means of egress to remain accessible at all times.

If applicable, all outstanding code violations shall be corrected prior to final inspection.